

Lab 1

Introduction to Kali Linux


Part 1: Installing Kali Linux

1. Please install Kali Linux and paste a screenshot of the desktop?




Part 2: Linux Commands

1. Find the IP address of your Machine:
127.0.0.1
2. Find whether your Host OS is communicating with Guest OS (Kali) or not? (Ping)




3. How to update all file/software packages:
Sudo apt update





4. Find the name of the user:

- a. Username: Linux
- b. Recursive details: 6.16.8+kali-arm64
- c. All details of users: Linux kali 6.16.8+kali-arm64 #1 SMP PREEMPT 6.16.8-1kali1 (2025-09-24) a arch64 GNU/Linux



5. Handling Files:

- a. Find Current Directory: **pwd**
- b. Go back to one Directory: **ls**
- c. Go back to one Previous Directory: **cd ..**
- d. Access the Desktop: **cd Desktop**
- e. Create a file on Desktop: **touch**
- f. Delete a file: **rm**
- g. Make a folder: **mkdir**
- h. Remove the folder: **rmdir**
- i. User Commands: **root, group, public**
- j. Copy a file: **cp**
- k. See the permission of a file: **ls-l**
- l. Change the permissions: **chmod**
- m. Download a Phishing tool from GitHub and give a demonstration
- n. Configure the Local Apache Server on Kali Linux
- o. Use Python and configure HTTP service on Desktop



Apache2 Debian Default Page

Apache2 Debian Default Page

http://127.0.0.1

OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB



Apache2 Debian Default Page

It works!

This is the default welcome page used to test the correct operation of the Apache2 server after installation on Debian systems. If you can read this page, it means that the Apache HTTP server installed at this site is working properly. You should **replace this file** (located at `/var/www/html/index.html`) before continuing to operate your HTTP server.

If you are a normal user of this web site and don't know what this page is about, this probably means that the site is currently unavailable due to maintenance. If the problem persists, please contact the site's administrator.

Configuration Overview

Debian's Apache2 default configuration is different from the upstream default configuration, and split into several files optimized for interaction with Debian tools. The configuration system is **fully documented in `/usr/share/doc/apache2/README.Debian.gz`**. Refer to this for the full documentation. Documentation for the web server itself can be found by accessing the **manual** if the `apache2-doc` package was installed on this server.

The configuration layout for an Apache2 web server installation on Debian systems is as follows:

```
/etc/apache2/
|-- apache2.conf
|   |-- ports.conf
|-- mods-enabled
|   |-- *.load
|   |-- *.conf
|-- conf-enabled
|   |-- *.conf
|-- sites-enabled
|   |-- *.conf
```