

## HLD - Messenger


Facebook Missenger	y Steps				
Slaur	1 MUP / Features				
HS Trams	E Eshmatan of Scale				
Whats App	3 Design Trade Offs (4) System debun				
	(4) Syprom degyn deep dire				
1) Features					
- and a mea / Receive a mea					
→ send a msg / Receive a msg → 1:1 msg					
- Group missing					
Chat history					
-> Conversation w					
The second secon	0/.				
ms; delivry	lfime				



Common Feature Norification Popular teahin Search



Read + Wrist Neary Syptem (3)



20B × 200 B

4000 GB

= 4TB msg | day

4 TB X 365 X 10

= 12,000 TB (i)

= PBs of data (i)


Shording is a must....

(3) Design Goals				₹.
		mcy:	Elasonably	low Cartena
	2	Consist	may: Hig C>>1	hly Consisted
(g) Design	dupdi		îm]	
(i) send Hisg				)
Sender-id,	Converse	altion_ic	l text	
detour				
A sma Mg (	1 Msy (A) 1 A, 107, "Ad	07, Are yo	u muz?" Slack	L Serve


Client


Send Missage ( msg-9d sender-if conv-if text

Timestamp



" Ki" 202106 601708 7181071 10 create idempotincy, The client should generate a unique mg-id ( Combination in puts -> Timestamp -> Sender-if - Conversation - id -> device-id







Mohsin Deepak Wient Send Msg () Galway | Load Balancer


Shardiy key	2070	Mohsin	Deepak		
	3010	Aakash	PiHL		
	५७२९	Akshay	Ravî		
	9090	EM, ME M3	M <sub>Io</sub>		
ver collection					
107 Meshay	metad	ata of usw			
V					
Cour. colli					
Convid. 1:1/Grow	p   userids	of mem ber			

messages collections my fert msy -19 Timstamp sunderid meta Convid. A709 10709 SOL database DB = Werdatobase Mig Database Shading day = user-id


shadiy key -> conversation -id








as it will be a all shord query. get Converation List() Clint 107 Gaterray Catist Conversations Vonv-id VDB mg-des



Dueb socket -> resource consuming...

Ros cous

----
E HTTP long Polling 50 500



Summary Wint Balancer Gaterbay [ Wad trusq

msj dB