CDF

Md Ashiqul Amin (ma3359)

October 2, 2019

```
### get data and calculate key summary statistics
#Read data
#Mention the path of the data file
#header value will be true if there any header otherwise false
data <- read.table("C:/Users/Robin/Desktop/LoRaWAN/Throughput.csv", header = TRUE, sep = ",")</pre>
head(data)
     Th_1 Th_2 Th_3 Th_4 Th_5 Th_11 Th_22 Th_33 Th_44 Th_55
##
## 1
                                 208
       26
            26
                 21
                       24
                            23
                                        208
                                              168
                                                     192
                                                           184
## 2
       26
            26
                 21
                       21
                            23
                                 208
                                        208
                                              168
                                                     168
                                                           184
## 3
       26
            26
                 20
                       23
                            23
                                 208
                                        208
                                              160
                                                     184
                                                           184
## 4
       23
            26
                 23
                       23
                            24
                                 184
                                        208
                                              184
                                                     184
                                                           192
## 5
       23
            26
                 23
                       23
                            24
                                 184
                                        208
                                              184
                                                     184
                                                           192
## 6
       21
            26
                 23
                       23
                            24
                                 168
                                        208
                                              184
                                                     184
                                                           192
#Select specific data from the dataset
data_1= data$Th_11
data_2 = data$Th_22
data_3 = data$Th_33
data_4 = data$Th_44
data_5 = data$Th_55
#Count the number of row conatining data
n = sum(!is.na(data_1))
m = sum(!is.na(data_2))
i = sum(!is.na(data_3))
j = sum(!is.na(data_4))
k = sum(!is.na(data_5))
#summary (optional)
summary(fivenum(data_1))
##
      Min. 1st Qu. Median
                               Mean 3rd Qu.
                                                Max.
##
     128.0
             168.0
                      184.0
                              179.2
                                       208.0
                                               208.0
summary(fivenum(data_2))
##
      Min. 1st Qu. Median
                               Mean 3rd Qu.
                                                Max.
##
     128.0
             176.0
                      184.0
                              177.6
                                       192.0
                                               208.0
summary(fivenum(data_3))
##
      Min. 1st Qu. Median
                               Mean 3rd Qu.
                                                Max.
##
       128
               184
                        192
                                 184
                                         208
                                                 208
summary(fivenum(data_4))
##
      Min. 1st Qu. Median
                               Mean 3rd Qu.
                                                Max.
     128.0
                     184.0
                              177.6
                                       200.0
                                               208.0
##
            168.0
```

```
summary(fivenum(data_5))
##
     Min. 1st Qu. Median
                              Mean 3rd Qu.
                                              Max.
     136.0
           184.0
                    192.0
                             185.6
                                             208.0
##
                                     208.0
# ordering the data
data.ordered = sort(data 1)
head(data.ordered)
## [1] 128 160 160 160 168 168
data.ordered 1 = sort(data 2)
data.ordered_2 = sort(data_3)
data.ordered_3 = sort(data_4)
data.ordered_4 = sort(data_5)
#create the image in png form
png('C:/Users/Robin/Desktop/LoRaWAN/Th.png', width = 300, height = 300, units = "px", bg = "white")
# plot the possible values of probability (0 to 1) against the ordered data
# notice the option type = '' for plotting the functions
#data 1
plot(data.ordered, (1:n)/n, type = 's',do.points=F, ylim = c(0, 1), xlab = 'Throughput', ylab = 'CDF',a
## Warning in plot.window(...): "do.points" is not a graphical parameter
## Warning in plot.window(...): "add" is not a graphical parameter
## Warning in plot.xy(xy, type, ...): "do.points" is not a graphical parameter
## Warning in plot.xy(xy, type, ...): "add" is not a graphical parameter
## Warning in axis(side = side, at = at, labels = labels, ...): "do.points" is
## not a graphical parameter
## Warning in axis(side = side, at = at, labels = labels, ...): "add" is not a
## graphical parameter
## Warning in axis(side = side, at = at, labels = labels, ...): "do.points" is
## not a graphical parameter
## Warning in axis(side = side, at = at, labels = labels, ...): "add" is not a
## graphical parameter
## Warning in box(...): "do.points" is not a graphical parameter
## Warning in box(...): "add" is not a graphical parameter
## Warning in title(...): "do.points" is not a graphical parameter
## Warning in title(...): "add" is not a graphical parameter
plot(data.ordered_1, (1:m)/m, type = 's',do.points=F,col="red", ylim = c(0, 1),add=TRUE)
## Warning in plot.window(...): "do.points" is not a graphical parameter
## Warning in plot.window(...): "add" is not a graphical parameter
## Warning in plot.xy(xy, type, ...): "do.points" is not a graphical parameter
## Warning in plot.xy(xy, type, ...): "add" is not a graphical parameter
```

```
## Warning in axis(side = side, at = at, labels = labels, ...): "do.points" is
## not a graphical parameter
## Warning in axis(side = side, at = at, labels = labels, ...): "add" is not a
## graphical parameter
## Warning in axis(side = side, at = at, labels = labels, ...): "do.points" is
## not a graphical parameter
## Warning in axis(side = side, at = at, labels = labels, ...): "add" is not a
## graphical parameter
## Warning in box(...): "do.points" is not a graphical parameter
## Warning in box(...): "add" is not a graphical parameter
## Warning in title(...): "do.points" is not a graphical parameter
## Warning in title(...): "add" is not a graphical parameter
#points(data.ordered_1, (1:m)/m, do.points=F, col="red", pch="*")
#lines(data.ordered_1, (1:m)/m,do.points=F, col="red",lty=2)
points(data.ordered_2, (1:i)/i, col="green", pch="+")
lines(data.ordered_2, (1:i)/i, col="green",lty=3)
#data_4
points(data.ordered_3, (1:j)/j, col="orange", pch="o")
lines(data.ordered_3, (1:j)/j, col="orange",lty=4)
\#data_5
points(data.ordered_4, (1:k)/k, col="blue", pch="x")
lines(data.ordered_4, (1:k)/k, col="blue",lty=5)
legend('topleft',
       legend=c("case 1","case 2","case 3","case 4", "case 5"), # text in the legend
       col=c("black", "red", "green", "orange", "blue"), # point colors
      pch=15) # specify the point type to be a square
dev.off()
## pdf
##
```