

# Lecture 2

Tareq

July 13, 2019

## Contents

<b>1</b>	<b>Previous Class</b>	<b>1</b>
<b>2</b>	<b>Figure</b>	<b>1</b>
<b>3</b>	<b>Bibliography</b>	<b>2</b>
<b>4</b>	<b>Mathematical Equation</b>	<b>2</b>
4.1	Subscript and SuperScript . . . . .	2
4.2	Methods for writing an Equation . . . . .	2
4.3	Math Functions . . . . .	3

## 1 Previous Class

usepackage command : `\usepackage{verbatim}.`

## 2 Figure



Figure 1: Logo of BUET



(a) Ubuntu



(b) Kali Linux



(c) Ubuntu

Figure 2: Linux distributions

### 3 Bibliography

This book [1] is amazing. This book [2] is good too

### 4 Mathematical Equation

Hello world as u can see this is an inline equation.  $test - a + a = 2a$  Lets keep this as it is and leave it be.

Hello world as u can see this is a specialized equation.

$$test - a + a = 2a$$

Lets keep this as it is and leave it be.

#### 4.1 Subscript and SuperScript

$$a^2 \quad a_2 \quad a_{in} \quad a_2$$

#### 4.2 Methods for writing an Equation

**NOTE**

1.wrap equation with \$\$ for specialized Equation

2. wrap equation with `$` for inline Equation
3. Wrap with `\begin{equation} ... \end{equation}` for generating an automated id number for the equation. We can use `\label` and `\ref` to later cross ref this equation number.

### 4.3 Math Functions

$$\int_b^a f(x)dx$$

$$\frac{\tau}{\pi}$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} \tag{1}$$

$$\begin{matrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{matrix} \tag{2}$$

## References

- [1] Jia Deng, Wei Dong, Richard Socher, Li-Jia Li, Kai Li, and Li Fei-Fei. Imagenet: A large-scale hierarchical image database. In *2009 IEEE conference on computer vision and pattern recognition*, pages 248–255. Ieee, 2009.
- [2] Donald Ervin Knuth, Tracy Larrabee, Paul M Roberts, and Paul M Roberts. *Mathematical writing*, volume 14. Mathematical Association of America Washington, DC, 1989.