Show all of your work on this assignment and answer each question fully in the given context.

If you cannot submit your homework in the class, you can drop it at my office door in 3220 Snedecore Hall by Thursday at 03:30 PM.

Please staple your assignment and write your name!

- 1. [Ch. 5.1, Exercise 9, pg. 244] Transmission line interruptions in a telecommunication network occur at an average rate of one per day.
  - (a) Use a Poisson distribution as a model for

X = the number of interruptions in the next five-day work week

Now, precisely specify the probability distribution.[5pts]

- (b) Find P[X = 0][5pts]
- (c) Now consider the random variable

Y = the number of work weeks in the next four in which there are no interruptions

What is a reasonable probability model for Y?[5pts] i.e. precisely specify the probability distribution.

- (d) Find P[Y = 2].[5pts]
- 2. Suppose a standup comedian plans to give a total of n = 5 jokes in an entire 2-hour performance. Call a joke a success if at least one audience member laughs. If no audience member laughs, the joke is a failure.

Assume that all the jokes are equally funny, with p = P(success) = 0.2. Let X be the random variable associated with the number of successful jokes out of the total 5.

- (a) Precisely state the distribution of X, giving the values of any parameters necessary. [2pts]
- (b) Calculate the probability that the whole night is a failure. i.e. find the P(no success). [5pts]
- (c) Calculate the probability that the comedian tells at least 4 successful jokes.[5pts]
- (d) Calculate the expected number of successful jokes.[5pts]
- (e) Calculate the <u>standard deviation</u> of the successful jokes.[5pts]
- 3. The number of computer shutdowns during any month has a Poisson distribution, averaging 0.25 shutdowns per month.
  - (a) What is the probability of at least 2 computer shutdowns during the next year?[5pts]
  - (b) What is the probability of at most 2 computer shutdowns during the next  $\underline{6}$  month? [5pts]
  - (c) What is the variance of the number of computer shutdowns during the next year? [2pts]
- 4. Suppose that X is a random variable with probability density function

$$f(x) = \begin{cases} c \cdot x^2 & -2 \le x \le 2\\ 0 & o.w. \end{cases}$$

- (a) Find the value of c that makes f(x) a valid probability density function. [5 pts]
- (b) Find the CDF of the random variable X.[5 pts]
- (c) What is  $P(|X| \ge -1)$  [5 pts].
- (d) Find the expected value of X. [5 pts]
- 5. Consider a continuously distributed random variable, W, with a probability density function given by

$$f(w) = \begin{cases} \frac{1}{5(1 - e^{-2})} e^{-w/5} & 0 \le w \le 10\\ 0 & \text{otherwise} \end{cases}$$

- (a) Show that the function f(w) is a valid probability density function (i.e., show that (i) f(w) is non-negative and (ii)  $\int_{-\infty}^{\infty} f(w)dw = 1$ ). [5 pts]
- (b) Find  $P(W \le 2)$  [5 pts]
- (c) Find  $P(2 \le W \le 10)$  [5 pts]
- (d) Find E(W) [5 pts]
- 6. The mileage to first failure for a model of military personnel carrier can be modeled as exponential with mean 1,000 miles.
  - (a) Find the probability that a vehicle of this type gives less than 500 miles of service before first failure.[5 pts]
  - (b) Find the probability that a vehicle of this type gives less than 2000 miles of service before first failure. [5 pts]
- 7. (Ch. 5.2, Exercise 2, pg. 263) Suppose that Z is a standard normal random variable. Evaluate the following probabilities involving Z:
  - (a) P[Z < -.62] [3 pts]
  - (b) P[Z > 1.06] [3 pts]
  - (c) P[-.37 < Z < .51] [3 pts]
  - (d)  $P[|Z| \le .47]$  [3 pts]
  - (e) P[|Z| > .93] [3 pts]
  - (f) P[-3.0 < Z < 3.0] [3 pts]

Now find numbers # such that the following statements involving Z are true:

- (a)  $P[Z \le \#] = .90 [3 \text{ pts}]$
- (b)  $P[|Z| \le \#] = .90$  [3 pts]
- (c) P[|Z| > #] = .03 [3 pts]

Total: 77 pts