Cucumber Report

| Start : May 12, 3:22:25.086 AM	End : May 12, 3:22:42.742 AM	Duration : 17.656 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 4 FAILED - 0 SKIPPED - 0	PASSED - 15 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Add Delete Place API	4	4	0	0	17.656 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Add Delete Place API	Verify Add Place API	4	4	0	0	17.063 s
2	Add Delete Place API	Verify Add Place API	4	4	0	0	17.041 s
3	Add Delete Place API	Verify Add Place API	4	4	0	0	17.334 s
4	Add Delete Place API	Verify Delete Place API	3	3	0	0	17.600 s

(F)- Add Delete Place API

PASSED	DURATION - 17.656 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0	4	Steps Total - 15 Pass - 15 Fail - 0 Skip - 0	15
/ 3:22:25.086 AM // 3:22:42.742 AM /					

(S)- Verify Add Place API

PASSED	DURATION - 17.063 s
/ 3:22:25.118 AM // 3:22:42.181 AM /	
Add Delete Place API	
@VerifyAddPlaceAPI	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given user provides for Add Place Payload for 'Madrid' 'Spanish' 'Santiago Bernabue' '9456128754'	PASSED	4.387 s
2	And User calls 'ADDPlaceAPI' with 'POST' request	PASSED	6.742 s
3	And API calls got success with status code 200	PASSED	0.009 s
4	Then Verify placeId created maps to 'Santiago Bernabue' using 'GetPlaceAPI'	PASSED	5.799 s

(S)- Verify Add Place API

PASSED	DURATION - 17.041 s
/ 3:22:25.142 AM // 3:22:42.183 AM /	
Add Delete Place API	
@VerifyAddPlaceAPI	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given user provides for Add Place Payload for '29, side layout, cohen 09' 'French' 'PSG' '8562146585'	PASSED	4.387 s
2	And User calls 'ADDPlaceAPI' with 'POST' request	PASSED	6.737 s
3	And API calls got success with status code 200	PASSED	0.010 s
4	Then Verify placeId created maps to 'PSG' using 'GetPlaceAPI'	PASSED	5.801 s

(S)- Verify Add Place API

PASSED	DURATION - 17.334 s
/ 3:22:25.142 AM // 3:22:42.476 AM /	
Add Delete Place API	
@VerifyAddPlaceAPI	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given user provides for Add Place Payload for 'London' 'English' 'Hogwarts' '9456128754'	PASSED	4.387 s
2	And User calls 'ADDPlaceAPI' with 'POST' request	PASSED	6.758 s
3	And API calls got success with status code 200	PASSED	0.009 s
4	Then Verify placeId created maps to 'Hogwarts' using 'GetPlaceAPI'	PASSED	6.094 s

(S)- Verify Delete Place API

PASSED	DURATION - 17.600 s
/ 3:22:25.142 AM // 3:22:42.742 AM /	
Add Delete Place API	
@DELETEPLACE_API	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given user provides Delete place payload	PASSED	0.033 s
2	And User calls 'DeletePlaceAPI' with 'POST' request	PASSED	4.387 s
3	Then API calls got success with status code 200	PASSED	0.000 s