

YOUR PROJECT:

CLIENT REQUEST:

Hello,

We need to re-think the interior of our Sitting Room to create a whole new atmosphere: modern , warm and welcoming. We love indirect lighting and would consider carpet for the flooring.

We are not scared of introducing bright-coloured accents and graphic images on the walls.

Thanks for your help

AMBIENCE: SCANDINAVIAN

DECORATOR REPLY:

Hello,

I am Anne, your pimpeur on this project.


I have put together a design project for your Sitting Room with a Scandinavian flavour. To modernise the room I have chosen a cool, graphic wallpaper for one of the walls.

I hope the overall transformation and the ambience reflects your vision of the new Sitting Room and that you will not hesitate to call on Pimp my Room for your future design projects.

With best wishes, Anne, your Pimpeur



INSPIRATIONS











RENDERED



OUR WORK TIPS

1PRÉPARATION

- 1• Protect your floor with strong polythene sheet, after removing all the furniture and iems no longer needed.
- 2• Clean walls and woodwork to be decorated with a suitable cleaner. A new sponge, hot water, a bucket and washing-up liquid will suffice.

FURNITURE AND DECORATION

- 1• 1. To assemble a group of framed pictures, we suggest you experiment with the layout on the floor, or with sheets of paper the right size on the wall itself.
- 2• To avoid unpleasant surprises, take your time to position your elements well and adapt the methods of fixing according to your supports: concrete, brick, block, plaster etc ...
- **3•** A good clean-up and you can install your furniture and finalize your decoration.

PAINTING AND WALLPAPER

- 1. Redecorate the walls in accordance with the instructions in your decoration guide. Choose a lighter shade, if you have any doubts about a colour.
- 2• Follow application instructions and observe drying times.
- 3• Choose a suitable adhesive for the type of paper (vinyl paper, standard, etc.). During gluing and laying, keep a bucket of clear water and a sponge ready to remove traces of glue, clean the upholsterer or wash your hands
- 4• Place the strips on the table, patterns underneath. To prepare the adhesive, follow the manufacturer's instructions. Let glue stand 10 minutes before use. Using the brush, glued a good half of the lengths, from the center to the edges. Insist on the edges. Fold the glued part back on itself without crushing the fold and then do the same for the other half...
- 5• Position it according to the markings, not forgetting to allow an additional 5cm in length at the ceiling for cutting. Stretch out with the upholstery brush, starting from the inside to the outside to chase the air. Unfold the entire height, respecting the alignment. Stretch the entire surface. Remove the surplus glue with a wet sponge and run the upholster roller over the edges of the glue for perfect adhesion. Repeat for all of the following.

5PARQUET AND SOFT FLOOR

- 1• Clean and vacuum floor thoroughly before any work begins. Do not forget to take the thickness of your new soil especially with the different doors, hinged and sliding.
- 2• In the case of a floating floor, you must install an underly, either from a roll or in sheets in order to achieve good insulation. Lay your floor with the clearance recommended by the Manfacturer around the edge to allow for expansion.
- 3• In the case of a flexible floor covering, make sure that there are no irregularities in the surface or joints in the sub-floor that are too wide, Level the floor before laying the flexible finish. Lay in accordance with the Manufacturer's instructions.
- 4• In which direction should you lay a floor? The usual choice is perpendicular to the main sourse of light. To Balance the proportions of a room, lay perpendicular to the long wall. To emphasis length, say in a corridor, lay in the direction of the length.
- 5• You can install the necessary accessories to the flooring; cover strips, skirtings and thresholds.

AND ALL OUR TIPS ON





ENJOY YOUR NEW INTERIOR!

