

IIS Pivot Migration Console

A visual journey through the console, screen by screen — for anyone operating a migration, not just the engineers who built it.

YOUR JOURNEY THROUGH THIS GUIDE

●
Sign in

●
Dashboard

●
Start a
migration

●
Watch it
run

●
Handle
issues

●
Review
history

What this guide covers

IIS Pivot moves a website's configuration — its settings, security certificates, and app pool setup — from one server to another, with every step tracked so nothing happens silently. The console is where you watch that process, start new migrations, and check on ones already underway.

This guide walks through each screen in the order you'd naturally encounter them: signing in, starting a migration, watching it run, and handling anything that needs a second look afterward.

About the "Phase 1 — Internal Use Only" badge: you'll see this badge on every screen. It means the console is currently approved for use by the team running your engagement, not for wider distribution. It's not a warning that something is broken — it's an honest label about where the tool is in its development, and it will only be removed once further security hardening is complete.

Who should read this

Anyone who will click through the console during a live migration — whether that's your own IT staff observing, or the engineer actively driving the process. No PowerShell or IIS expertise is assumed; this guide only covers what's on screen.

Signing in

Access to the console requires a real username and password — simply being on the same network isn't enough to get in. Once signed in, your session is protected the same way a banking site protects its login: encrypted, and it automatically expires if left idle.

1 Login screen

IIS Pivot

Sign in**Phase 1 — internal use only**

Enter your credentials and select **Sign in**. The badge at the bottom is always visible, on every screen, for as long as Phase 1 is the current state of the tool.

The dashboard

After signing in, the dashboard is the home screen — a list of every migration, past and present, in one place.

2 Dashboard

Northwind — WIN-APP-04

In progress • 63%

Acme Corp — WIN-PROD-01

Completed

Contoso — WIN-SQL-02

Failed • 41%

Each row shows a server, its current status, and how far along it is. Color tells the story at a glance: grey means not started, blue means in progress, green means completed, amber means it needs attention, and red means it failed. Selecting any row opens that migration's detail screen.

Starting a new migration

Setting up a new migration is a short, guided sequence of three steps. Nothing is copied or changed on either server until all three are complete.

3 Step 1 — Connect to the target server

Enter the target server's address and credentials, then select **Test connection**. The console reports back exactly how it connected.

If you see a warning here: it means the connection succeeded, but using a broader-than-ideal administrator session rather than a narrowly scoped one. This is expected in the current phase and is called out honestly rather than hidden — your team's security lead has already reviewed and accepted this for the current engagement.

4 Step 2 — Choose where backups are stored

Select a storage location (for example, Azure Blob Storage) and provide its access details. Selecting **Validate connection** confirms the console can actually reach it before anything is written there.

5 Step 3 — Review what will move

Site content

PivotTest-Alpha	218 bytes
-----------------	-----------

Total	99.59 KB
--------------	-----------------

☐ Include site content

Client data

Customer data folder	396 bytes
----------------------	-----------

☐ Include client data

The configuration itself — sites, bindings, certificates — always moves; it's small and not optional. Website files and any separate client data are shown here with their real size **before** you're asked whether to include them, so that decision is always made with full information, never blind.

Watching a migration run

Once started, the Active Migration screen shows exactly what's happening, step by step, in real time.

6 Step timeline and live log

Done	Read source configuration	100%
Active	Copy site content	63%
Waiting	Smoke test	—

```
[14:02:11] Step started: Copy site content
[14:02:14] Credential retrieved from vault [REDACTED]
[14:03:47] 1,204 of 1,910 files copied (63%)
```

Every step is listed with its current status, matching the same color language as the dashboard. The log panel underneath streams live detail — anything sensitive, like passwords or access keys, is automatically hidden and never shown on screen.

Only one person can act at a time: if a colleague is already driving a migration, you can still watch it live, but action buttons will be visibly disabled with a note showing who currently has control. This prevents two people accidentally issuing conflicting commands at once.

If something needs a second look

Network hiccups and timeouts happen. When a step fails, nothing is lost — the migration simply pauses at that exact point.

7 Resume / Retry

Migration failed at step 3 of 5

Resume from step 3

Opening a failed migration lands you directly on this screen. Steps already completed are shown as done and are not repeated — selecting **Resume** picks up exactly where things stopped, rather than starting the whole migration over.

History and housekeeping

8 Migration history

Every completed or attempted migration is listed here, along with who performed each action and when — useful for a record of exactly what happened during your engagement. This list can be filtered and exported.

9 Orphaned account check

A standalone check, available any time outside of an active migration, that looks for any leftover temporary accounts that may not have been cleaned up. Running it and seeing a clean result is a good habit at the end of an engagement.