

CCTNS V1 vs CCTNS V2 Column Comparison Report

Complete cross-reference of fields and data locations across CCTNS V1 and V2 datasets.

1. Direct Column Mapping (V1 Column → V2 Column)

Direct 1-to-1 matching columns present in both V1 and V2:

#	CCTNS V1 Column	CCTNS V2 Column	Data Description
1	FIR_REG_NUM	FIR_REG_NUM	13-digit state FIR registration number (e.g. 2011055160081)
2	FIR_NO	FIR_NUM	Police Station Case Number (e.g. 1161/2023, 197/2022)
3	REG_DT	FIR_DATE	FIR Registration Date & Timestamp
4	YEAR / REG_YEAR	OCCURRENCE_DATE (Year)	Registration Year of Crime
5	PS_NAME / PS	PS_NAME (PS_CODE)	Name of registering Police Station
6	DISTRICT / UNIT	DIST_NAME (DIST_CODE)	District / Police Commissionerate Name
7	ACT_SEC / SECTION_OF_LAW	ACTS_SECTIONS	Applied Sections of Law (e.g. 8c NDPSA, r/w 20(b))
8	FIR_CONTENTS	BRIEF_FACTS	Detailed complaint facts and narrative of the case
9	FIR_STATUS	CASE_STATUS	Current investigation status (PT Cases, Under Investigation)
10	MAJOR_HEAD / MINOR_HEAD	MAJOR_HEAD / MINOR_HEAD	Crime category classification headers
11	FROM_DT / TO_DT	FROM_DATE / TO_DATE	Date/Time range when offence occurred
12	PERSON_CODE	PERSON_ID	Unique Master Person Identifier (BigInt in V1 vs Mongo ID in V2)
13	ACCUSED_NAME	FULL_NAME / NAME	Full name of the accused person
14	ALIAS_NAME	ALIAS	Alias / Street moniker
15	FATHER_NAME	RELATIVE_NAME	Father / Relative Name (Relation: Father)
16	AGE / GENDER	AGE / GENDER	Accused Age and Gender
17	ACCUSED_OCCUPATION	OCCUPATION	Occupation / Profession (Driver, Labourer, Business)
18	CASTE / NATIONALITY	CASTE / NATIONALITY	Caste community and Nationality
19	DOB	DATE_OF_BIRTH	Date of Birth
20	MOBILE_1	PHONE_NUMBER	Primary contact phone number
21	EMAIL	EMAIL_ID	Email address
22	PRESENT_ADDRESS	PRESENT_ADDRESS	Present residential address
23	PERMANENT_ADDRESS	PERMANENT_ADDRESS	Permanent native address
24	ARREST_SURRENDER_DT	ARRESTED_DATE	Date and time of police arrest
25	IS_ARRESTED ('Y'/'N')	IS_ARRESTED (true/false)	Whether accused was arrested

#	CCTNS V1 Column	CCTNS V2 Column	Data Description
26	HEIGHT_LL_FEET / FROM_CM	HEIGHT	Height measurement / range
27	BUILD_TYPE / COMPLEXION	BUILD / COLOR	Physical build and skin complexion
28	EYE_COLOR / HAIR_COLOR	EYES / HAIR	Eye color and hair color
29	BEARD_TYPE / NOSE_TYPE	BEARD / NOSE	Facial beard status and nose description
30	OTHER_IDENTIFY_MARKS	IDENTIFICATION_MARKS	Moles, scars, or prominent bodily marks
31	MODUS_OPERANDI	MODUS_OPERANDI	Method and pattern of crime execution
32	DRUG_TYPE / DRUG_DESC	SUB_TYPE / DESCRIPTION	Contraband sub-type (Ganja, Hashish Oil) & description
33	CHARGESHEET_DT	chargeSheetDate	Date chargesheet was submitted to court
34	COURT_NAME	courtName	Designated Trial Magistrate / Sessions Court Name
35	COURT_CASE_NUM	courtCaseNo	Court Case Number (e.g. CC-306/2020, SC NDPS 03/2024)
36	COURT_DISPOSAL_TYPE	chargeSheetStatus	Court trial status (Taken on File, Conviction, Acquittal)
37	ATTACH_PATH / DMS_FILE_NAME	uploadChargeSheet.fileId	Scanned FIR copy / Chargesheet PDF document

2. V1 Data → V2 Data Location Mapping

The data exists in both systems. This table shows where each V1 field is stored in V2:

A. Identity & Utility Proofs (9 Fields)

#	V1 Column Name	Where this Data is Stored in V2
1	ELECTRICITY_CONNECTION	Stored inside IDENTITY_DETAILS array in V2.
2	TELEPHONE_CONNECTION	Stored inside IDENTITY_DETAILS array in V2.
3	GAS_CONNECTION	Stored inside IDENTITY_DETAILS array in V2.
4	RATION_CARD	Stored inside IDENTITY_DETAILS array in V2.
5	VOTER_CARD	Stored inside IDENTITY_DETAILS array in V2.
6	PASSPORT	Stored inside IDENTITY_DETAILS array in V2.
7	PAN_CARD	Stored inside IDENTITY_DETAILS and FINANCIAL_HISTORY.PAN_NO in V2.
8	DRIVING_LICENSE	Stored inside IDENTITY_DETAILS array in V2.
9	OTHER_PROOFS	Stored inside IDENTITY_DETAILS array in V2.

B. Facial & Physical Deformity Features (14 Fields)

#	V1 Column Name	Where this Data is Stored in V2
1	LIPS_TYPE	Stored inside PHYSICAL_FEATURES (FACE) in V2.
2	CHEEK_TYPE	Stored inside PHYSICAL_FEATURES (FACE) in V2.
3	TEETH_TYPE	Stored inside PHYSICAL_FEATURES.TEETH in V2.
4	EYE_BROW_THICKNESS	Stored inside PHYSICAL_FEATURES.EYES in V2.
5	EYE_TYPE	Stored inside PHYSICAL_FEATURES.EYES in V2.

6	EYE_BLIND	Stored inside PHYSICAL_FEATURES.DEFORMITIES in V2.
7	HAIR_STYLE	Stored inside PHYSICAL_FEATURES.HAIR in V2.
8	EARS_TYPE_CD	Stored inside PHYSICAL_FEATURES.EAR in V2.
9	EARS_MISSING	Stored inside PHYSICAL_FEATURES.DEFORMITIES in V2.
10	DEAF_DUMB	Stored inside PHYSICAL_FEATURES.DEFORMITIES in V2.
11	ARMS_MISSING	Stored inside PHYSICAL_FEATURES.DEFORMITIES in V2.
12	LEGS_MISSING	Stored inside PHYSICAL_FEATURES.DEFORMITIES in V2.
13	TOE_EXTRA	Stored inside PHYSICAL_FEATURES.DEFORMITIES in V2.
14	TOE_MISSING	Stored inside PHYSICAL_FEATURES.DEFORMITIES in V2.

C. Complete Catalog of All 60 Interrogation Relative Fields

In V1, these 60 fields were hardcoded as separate columns. In V2, all family members are stored in **FAMILY_HISTORY: []** and associates in **ASSOCIATE_DETAILS: []**.

Relation Group	Exact V1 Column Names (5 Columns per Group = 60 Total)	Where Stored in V2
1. Father	INT_RELATION_TYPE_FATHER, INT_FATHER_NAME, INT_FATHER_MOBILE_NO, INT_FATHER_OCCUPATION, INT_FATHER_ADDRESS	FAMILY_HISTORY / ASSOCIATE_DETAILS
2. Mother	INT_RELATION_TYPE_MOTHER, INT_MOTHER_NAME, INT_MOTHER_MOBILE_NO, INT_MOTHER_OCCUPATION, INT_MOTHER_ADDRESS	FAMILY_HISTORY / ASSOCIATE_DETAILS
3. Wife	INT_RELATION_TYPE_WIFE, INT_WIFE_NAME, INT_WIFE_MOBILE_NO, INT_WIFE_OCCUPATION, INT_WIFE_ADDRESS	FAMILY_HISTORY / ASSOCIATE_DETAILS
4. Son	INT_RELATION_TYPE_SON, INT_SON_NAME, INT_SON_MOBILE_NO, INT_SON_OCCUPATION, INT_SON_ADDRESS	FAMILY_HISTORY / ASSOCIATE_DETAILS
5. Daughter	INT_RELATION_TYPE_DAUGHTER, INT_DAUGHTER_NAME, INT_DAUGHTER_MOBILE_NO, INT_DAUGHTER_OCCUPATION, INT_DAUGHTER_ADDRESS	FAMILY_HISTORY / ASSOCIATE_DETAILS
6. Brother	INT_RELATION_TYPE_BROTHER, INT_BROTHER_NAME, INT_BROTHER_MOBILE_NO, INT_BROTHER_OCCUPATION, INT_BROTHER_ADDRESS	FAMILY_HISTORY / ASSOCIATE_DETAILS
7. Sister	INT_RELATION_TYPE_SISTER, INT_SISTER_NAME, INT_SISTER_MOBILE_NO, INT_SISTER_OCCUPATION, INT_SISTER_ADDRESS	FAMILY_HISTORY / ASSOCIATE_DETAILS
8. Father-in-Law	INT_RELATION_TYPE_FIL, INT_FIL_NAME, INT_FIL_MOBILE_NO, INT_FIL_OCCUPATION, INT_FIL_ADDRESS	FAMILY_HISTORY / ASSOCIATE_DETAILS
9. Mother-in-Law	INT_RELATION_TYPE_MIL, INT_MIL_NAME, INT_MIL_MOBILE_NO, INT_MIL_OCCUPATION, INT_MIL_ADDRESS	FAMILY_HISTORY / ASSOCIATE_DETAILS
10. Uncle	INT_RELATION_TYPE_UNCLE, INT_UNCLE_NAME, INT_UNCLE_MOBILE_NO, INT_UNCLE_OCCUPATION, INT_UNCLE_ADDRESS	FAMILY_HISTORY / ASSOCIATE_DETAILS
11. Aunt	INT_RELATION_TYPE_AUNT, INT_AUNT_NAME, INT_AUNT_MOBILE_NO, INT_AUNT_OCCUPATION, INT_AUNT_ADDRESS	FAMILY_HISTORY / ASSOCIATE_DETAILS
12. Friend / Associate	INT_RELATION_TYPE_FRIEND, INT_FRIEND_NAME, INT_FRIEND_MOBILE_NO, INT_FRIEND_OCCUPATION, INT_FRIEND_ADDRESS	FAMILY_HISTORY / ASSOCIATE_DETAILS

D. Seizures & Administrative Flags (14 Fields)

#	V1 Column Name	Where this Data is Stored in V2
1	DRUG_PARTICULARS	Stored inside mo_seizures.DESCRPTION in V2.
2	WEIGHT_GM	Stored inside mo_seizures.QUANTITY and TYPES_OF_DRUGS.QUANTITY in V2.
3	WEIGHT_KG	Stored inside mo_seizures.QUANTITY in V2.
4	DRUG_STATUS	Stored inside case_property.STATUS in V2.

5	ESTIMATED_VALUE	Stored inside TYPES_OF_DRUGS.PURCHASE_AMOUN_IN_INR in V2.
6	AREA_OPERATION	Stored inside mo_seizures.POS_ADDRESS1 / POS_CITY in V2.
7	LOCATION_TYPE	Stored inside mo_seizures.POS_DESCRIPTION in V2.
8	DRUG_PLACE_TYPE	Stored inside mo_seizures.POS_DESCRIPTION in V2.
9	PAKING_MAKING_DESC	Stored inside mo_seizures.DESCRPTION in V2.
10	PACKETS_COUNT	Stored inside mo_seizures.DESCRPTION in V2.
11	HISTORYSHEET_Y_N	Stored inside PREVIOUS_OFFENCES_CONFESSED in V2.
12	PHOTO_Y_N	Stored inside MEDIA: [fileId] attachments in V2.
13	TELEPHONE_RESIDENCE	Stored inside CONTACT_DETAILS.PHONE_NUMBER in V2.
14	SOCIAL_MEDIA_ACCNT	Stored inside CONTACT_DETAILS in V2.

3. CCTNS V2 Exclusive Columns (New in V2, Not in V1)

New intelligence fields and modules introduced in CCTNS V2:

Category	CCTNS V2 Column / Field Names	Description
Police Organization Hierarchy	ADG_NAME, ADG_CODE, SUB_ZONE_NAME, SUB_ZONE_CODE, SDPO_NAME, SDPO_CODE, CIRCLE_NAME, CIRCLE_CODE, PS_CODE	7-tier police organizational structure mapping Station to SDPO, Sub-Zone, Zone, and ADG.
Investigating Officer (IO)	IO_NAME, IO_RANK, IO_MOBILE	Designated IO name, rank (SI/Inspector), and official mobile number.
General Diary (GD) Entry	ENTRY_NUM, ENTRY_DATE, ENTRY_TYPE	Station General Diary entry logged prior to formal FIR registration.
Accused Code & Sequence	ACCUSED_CODE (A1, A2..), SEQ_NUM, ACCUSED_STATUS	Accused hierarchy (A1, A2..) and unique 18-digit sequence number.
Legal Compliance & Notices	IS_41A_CRPC, DATE_OF_ISSUE_41A, IS_41A_EXPLAIN_SUBMITTED, IS_CCL, IS_APPREHENDED, IS_ABSCONDING	Section 41A CrPC notice compliance, Child in Conflict with Law (CCL), and absconder tracking.
Seizure Geo-Location (GPS)	POS_LATITUDE, POS_LONGITUDE, POS_ADDRESS1, POS_CITY, POS_PINCODE, POS_DESCRIPTION	Exact GPS latitude and longitude coordinates of the seizure / crime scene.
Court Property & FSL Lab	CPR_NO, CPR_COURT_NAME, FSL_NO, FSL_DATE, FSL_REQUEST_ID, OPINION, DIRECTION_BY_COURT	Court Property Register (CPR) number and Forensic Science Laboratory (FSL) chemical reports.
ICJS & e-Governance	chargeSheetNoForIcjs, isEsigned, requestedForNBW, chargeStatus	National 15-digit ICJS code, digital e-Sign status, and Non-Bailable Warrant requests.
Court Case Numbers & Trial	takenOnFile.date, caseType (CC / SC NDPS), courtCaseNo	Judicial trial stage tracking with formal Court Case Number (CC / SC NDPS).
Telecom Intelligence	PHONE_NUMBER, IMEI, SDR, TRUE_CALLER_NAME, DOPAMS_LINKS	Handset IMEI, subscriber data records, TrueCaller names, and phone linkages.
Financial Intelligence	BANK_NAME, ACCOUNT_NUMBER, IFSC, UPI_ID, PAN_NO	Bank account numbers, IFSC codes, and UPI handles for asset tracing.
Drug Supply-Chain Graph	SUPPLIER_PERSON_ID, RECEIVERS_PERSON_ID, CONSUMER_PERSON_ID	Relational links connecting drug suppliers, receivers, and end consumers.