## **Image Generation and Analysis API Documentation**

This API take the requests from the streamlit frontend in the form of a JSON format and then communicates those requests to the generation and analysis models. The responses are then sent back to the frontend to be processed as per needed.

#### **Base URL of the Flask server:**

	localhost:5000/	
h++ h . / /	10001h00tth//////	
1111111//	IOCAIDOSE SUUUI	
	100011031.3000	

### **Endpoints:**

### 1. /generate (POST)

Generates an image based on a text prompt using Stable Diffusion and performs a basic analysis using CLIP based on the keywords provided by the user at runtime.

#### **Request Body:**

Parameter	Туре	Required	Description
prompt	string	yes	The text prompt to generate the
			image.
labels	string	no	Comma-separated list of labels
			for CLIP analysis.
samples	int	no	Number of inference steps
			(default: 30).
cfg	float	no	Guidance scale for image
			generation (default: 7.5).
height	int	no	Height of the generated image
			in pixels (default: 512).
width	int	no	Width of the generated image in
			pixels (default: 512).

### **Response Body:**

Field	Type	Description
request_id	string	Unique identifier for the request.
generated_image	string	Base64-encoded image generated using
		Stable Diffusion.

clip_analysis	object	Contains 'concepts' (list of concepts)
		and 'confidence_scores' (dict).

#### **Example Request:**

```
{
    "prompt": "A futuristic cityscape at sunset",
    "labels": "city, sunset, futuristic",
    "samples": 50,
    "cfg": 8.0,
    "height": 512,
    "width": 768
}
```

### **Example Response:**

```
{
    "request_id": "a1b2c3d4-5678-9101-1121-314151617181",
    "generated_image": "<base64-encoded-image>",
    "clip_analysis": {
        "concepts": ["city", "sunset", "futuristic"],
        "confidence_scores": {
            "city": 0.95,
            "sunset": 0.87,
            "futuristic": 0.76
        }
    }
}
```

## 2. /analyze (POST)

Analyse an existing image using CLIP based on the objects given in the *common\_objects.txt* file and SAM for basic segmentation.

# **Request Body:**

Parameter	Туре	Required	Description
1 didiliotoi	פקעי	rioquirou	Bosonption

image	string	yes	Base64-encoded image to be
			analysed.

### **Response Body:**

Field	Type	Description
request_id	string	Unique identifier for the request.
generated_image	string	Base64-encoded image generated using
		Stable Diffusion.
clip_analysis	object	Contains 'concepts' (list of concepts) and
		'confidence_scores' (dict).
basic_segmentation	object	Contains 'masks' (list) and 'polygons' (list)
		for segmented parts of the image.

### **Example Request:**

```
{
    "image": "<base64-encoded-image>"
}
```

### **Example Response:**

```
{
    "request_id": "b2a3d4c5-6789-0112-1324-253647580293",
    "generated_image": "<base64-encoded-image>",
    "clip_analysis": {
        "concepts": ["landscape", "river", "mountains"],
        "confidence_scores": {
            "landscape": 0.92,
            "river": 0.85,
            "mountains": 0.80
        }
    },
    "basic_segmentation": {
        "masks": [
        [[0, 0, 1, 1], [1, 0, 1, 1]],
        [[1, 0, 1, 1], [0, 1, 1, 1]]
```

```
],
"polygons": [ [ 100, 150], [ 300, 400], [ 250, 350],... ]
}
```

### **Error Handling:**

HTTP Status	Error Message	Description
Code		
400	"'prompt' is required	Missing or invalid prompt in the
	and must be a string."	/generate endpoint.
400	"'image' is required and	Missing or invalid image in the
	must be a string."	/analyze endpoint.
400	"'field' must be a	Invalid samples, cfg, height, or
	positive number."	width value.
500	{"error": "Description of	Generic server error message.
	the error."}	

# **Model Configurations**

Stable diffusion: stable-diffusion-v1-5

Clip analysis: ViT-L/14

SAM checkpoint: sam\_vit\_l\_0b3195.pth