Go to Dashboard

Question 1: [Skip](#)

You have an Amazon S3 bucket that you use to store objects. You'd like to encrypt some of the new objects you upload to this bucket. Which header do you need to use in order to request server-side encryption when using the REST API?

☐ x-amz-content-aes-256

☐ x-amz-ssc-s3

☒ x-amz-server-side-encryption (Correct)

☐ No header is required

Explanation
x-amz-server-side-encryption is used to initiate server-side encryption.

Question 2: [Skip](#)

What is the primary advantage of a conditional write?


☐ A change to a DynamoDB attribute will only be written if that attribute's value has not changed since it was last read. (Correct)

☐ An S3 object will be written to a bucket only if it is smaller than five gigabytes.

☐ A change to an attribute will occur only if no other users are accessing the table.

☐ Writes to the table will occur only if the item is encrypted.

Retake TestContinue >⚙️🔍

Go to Dashboard

Question 3: [Skip](#)

Which of the following best describes the messages SNS sends to endpoints:

☐ An XML document with parameters like Source, Destination, Message, and Type.

☐ An JSON document with parameters like Source, Destination, Message, and Type.

☒ A JSON document with parameters like Message, Signature, Subject, Type. (Correct)

☐ An XML document with parameters like Message, Signature, Subject, and Type.

Explanation
Amazon SNS messages do not publish the source and destination.

Question 4: [Skip](#)

While working with the S3 API you receive an error: 404 Not Found. What is the most likely cause for this error?

☐ BucketAlreadyExists

☐ OperationAborted

☐ AccessDenied

☒ NoSuchBucket (Correct)

Explanation
NoSuchBucket is the only error code listed that will produce a 404 HTTP Status Code.

Retake TestContinue >⚙️🔍

☰

Go to Dashboard

Question 5: [skip](#)

True or False: 10.4.120.24 is a valid S3 bucket name.

☐ TRUE

☒ FALSE (Correct)

Explanation

Bucket names may not be formatted as an IP address.

Question 6: [skip](#)

What is the Uptime SLA for Amazon EC2 and EBS within a given region?

☐ 99%

☐ 99.5%

☒ 99.95% (Correct)

☐ 100%

Explanation

Amazon's SLA guarantees a Monthly Uptime Percentage of at least 99.95% for Amazon EC2 and Amazon EBS within a Region.

Question 7: [skip](#)

Your application instance takes 40 seconds to process instructions received in an SQS message. Assuming the SQS queue is configured with the default Visibility Timeout, what is the best way to configure your application to ensure that no other instances retrieve a message that has already been processed or is currently being processed?

Retake Test

Continue >

⚙️ 🔍

☰

Go to Dashboard

Question 7: [skip](#)

Your application instance takes 40 seconds to process instructions received in an SQS message. Assuming the SQS queue is configured with the default Visibility Timeout, what is the best way to configure your application to ensure that no other instances retrieve a message that has already been processed or is currently being processed?

☒ Use the ReceiveMessage API call to retrieve the message, the ChangeMessageVisibility API call to increase the visibility timeout, and the DeleteMessage API call to delete the message. (Correct)

☐ Use the ReceiveMessage API call to retrieve the message, the ChangeMessageVisibility API call to decrease the visibility timeout, and the DeleteMessage API call to delete the message.

☐ Use the ReceiveMessage API call to retrieve the message and the DeleteMessage API call to delete the message.

☐ Use the ReceiveMessage API call to retrieve the message, the DeleteMessageVisibility API call to cancel the visibility timeout, and the DeleteMessage API call to delete the message.

Explanation

It's necessary to receive the message, extend the visibility timeout (so a single instance can take the time it needs to process the message), and delete the message upon the completion of processing.

Question 8: [skip](#)

Your AWS environment contains several reserved EC2 instances dedicated to a project that has just been cancelled. You need to recoup the cost of these reserved instances, and you need to preserve the data for future use. What can you do to minimize charges for these instances?

☒ Take snapshots of the EBS volumes and terminate the instances. (Correct)


☐ Contact AWS and ask them to release you from your Reserved Instance purchase.

☐ Stop the instances and retain them for future use.

Retake Test

Continue >

⚙️ 🔍

Go to Dashboard

Question 9: skipped

True or False: Amazon S3 does not generally handle error codes with HTTP responses.

☐ TRUE

☒ FALSE (Correct)

Explanation
Amazon S3 handles error codes with the customary HTTP response codes.

Question 10: skipped

Your EC2 instance has an IAM role that allows it to write to an SQS queue. The instance is attempting to write a 512KB message to the SQS queue. What will the result of this attempt be?

☐ It will succeed. Amazon SQS will break the message into eight chunks of 64KB each.


☐ It will succeed without further action.

☒ It will fail. The 512KB message size exceeds the size limit of 256KB. (Correct)

☐ It will fail because EC2 requires the use of access keys, not IAM roles.

Explanation
The maximum message size in SQS is 256KB. The message will fail.

Retake TestContinue >⚙️🔍

Go to Dashboard

Question 11: skipped

When using the Ref function in CloudFormation, what do we get back if we pass in the logical ID of an AWS::EC2::Instance object?

☐ The object's creation status.

☐ All the attributes associated with the EC2 instance.

☐ Nothing. AWS::EC2::Instance is not a valid resource type.

☒ The object's InstanceId. (Correct)

Explanation
If we pass in the logical ID of an AWS::EC2::Instance object, we will get the object's InstanceId.

Question 12: skipped

Your "forums" table has a primary key of "id". Using DynamoDB, you're able to query the data based on the "id" primary key. You need to be able to query the forums table by userid. What would you add to the table during table creation time?


☒ Create a secondary index. (Correct)

☐ Create a partition/sort primary key.

☐ Create a second table ordered by userid.

☐ None of the above.

Retake TestContinue >⚙️🔍

Go to Dashboard

Question 13: skipped

Your app requires 600 eventually consistent reads of 9KB per minute. How many read capacity units should you provision?

☐ 10

☒ 15 (Correct)

☐ 30

☐ 60

Explanation

600 reads per minute = 10 reads/second. 9KB rounds-up to 12. 12KB/4=3 read capacity units. 3 read capacity units * 10 reads/second = 30 strongly consistent reads. 30/2 = 15 eventually consistent reads.

Question 14: skipped



Your application is trying to upload a 6TB file to S3 and you receive an error message telling you that your proposed upload exceeds the maximum allowed object size. What is the best way to accomplish this file upload?


☒ You cannot fix this, as the maximum size of an S3 object is 5TB. (Correct)

☐ Use the Multipart Upload API for this object.

☐ Use the S3 LargeObjectUpload API.

☐ Contact AWS support to increase the maximum size of your S3 object.

Retake Test Continue >  

Go to Dashboard

Question 15: skipped

True or False: You can use your existing Microsoft Windows Server licenses with an Amazon EC2 shared tenancy instance

☐ TRUE

☒ FALSE (Correct)

Explanation

FALSE. A Dedicated Host is required if you want to use your existing Windows Server licenses with EC2.

Question 16: skipped

Your supervisor calls you wanting to know why she has not been receiving email notifications for AWS billing alerts. What do you suspect the problem might be? (Choose 3 answers.)

☒ Your supervisor has not responded to the confirmation email sent from SNS when you added a subscription for her email address. (Correct)



☒ Billing alerts are not configured. (Correct)


☐ The SNS queue is not scaling properly.

☒ The SNS subscription is not configured for email alerts. (Correct)

Explanation

Billing alerts must be configured, the subscription must be configured with email endpoints, and the subscriber must confirm the subscription.

Retake Test Continue >  

Go to Dashboard

Question 17: skipped

Which of the following services can be used to host a static web site?

☐ AWS StaticWeb

☐ CloudFront

☒ S3 (Correct)

☐ AWS Managed Hosting

Explanation

To host your static website, you configure an Amazon S3 bucket for website hosting and then upload your website content to the bucket.

Question 18: skipped



Which of these CloudFormation snippets of code will return an address that can be used to access our application from our browser if we're using a resource type of AWS::ElasticLoadBalancing::LoadBalancer with Logical ID "ElasticLoadBalancer"?


☒ Fn::Join : ["", ["http://", { "Fn::GetAtt" : ["ElasticLoadBalancer", "DNSName"] }]] (Correct)

☐ Fn::Join : ["", ["http://", { "Fn::GetAtt" : ["ElasticLoadBalancer", "URL"] }]]

☐ Fn::Join : ["", ["http://", { "Ref" : ["ElasticLoadBalancer", "DNSName"] }]]

☐ Fn::Join : ["", ["http://", { "Ref" : ["ElasticLoadBalancer", "URL"] }]]

Retake Test Continue >  

Go to Dashboard

Question 19: skipped

You are a system administrator and you need to take a consistent snapshot of your EC2 instance. Your application holds large amounts of data in cache that is not written to disk automatically. What would be the best approach to taking an application consistent snapshot?

☐ Take a snapshot in real time using the EC2 API.

☒ Shutdown the EC2 instance and detach the EBS volume, then take the snapshot. (Correct)

☐ Take a snapshot using the AWS CLI.

☐ In the AWS console, take a snapshot and ensure that the "application consistent" check box is ticked.

Explanation

As you need an application consistent snapshot, your best option would be to shutdown the EC2 instance and detach the EBS volume, then take the snapshot.

Question 20: skipped



You've enabled website hosting on a bucket named "acloud.guru" in the US-East-1 (US standard region). Select the URL you'll receive from AWS as the URL for the bucket.


☒ acloud.guru.s3-website-us-east-1.amazonaws.com (Correct)

☐ acloud-guru.s3-website-us-east-1.amazonaws.com

☐ acloud.guru.us-east-1-s3-website.amazonaws.com

☐

Retake Test Continue >  

Go to Dashboard

Question 21: Skipped

Which of the following is NOT a valid EC2 instance type?

☐ D2

☐ C4

☐ M3

☒ Z2 (Correct)

Explanation

D2, C4, M3 are all valid EC2 instances. <https://aws.amazon.com/ec2/instance-types/>

Question 22: Skipped

Your supervisor is upset about the fact that SNS topics that he subscribed to are now cluttering up his email inbox. How can he stop receiving email from SNS without disrupting other usersâ€™ ability to receive email from SNS? (Choose two.)

☐ You can delete the entire SNS topic.


☒ You can delete the subscription from the SNS topic responsible for the emails. (Correct)

☒ He can use the unsubscribe information provided in the emails. (Correct)

☐ You can delete the endpoint from the SNS subscription responsible for the emails.

Explanation

Retake TestContinue >⚙️🔍

Go to Dashboard

Question 23: Skipped

By default, how many Elastic IP addresses are you limited to per region?

☒ 5 (Correct)

☐ 10

☐ 15

☐ 20

Explanation

By default, all accounts are limited to 5 Elastic IP addresses per region.

Question 24: Skipped

You are working with the S3 API and receive an error: 409 Conflict. What is a possible cause of this error?

☒ You're attempting to delete a bucket without first removing the contents of the bucket. (Correct)

☐ Amazon S3 is having system issues.


☐ You have failed to use Multipart Upload for an object greater than 100 megabytes.

☐ Your request lacks the required metadata.

Explanation

A 409 HTTP Status Code can indicate a BucketNotEmpty error code. This error will arise if you try to delete a bucket that's not

Retake TestContinue >⚙️🔍

Go to Dashboard

Question 25: skipped

It is best practice to use Access Keys whenever possible, rather than IAM Roles.

☐ TRUE

☒ FALSE (Correct)

Explanation
It is always better to assign roles. Following the "least privilege" model, IAM Roles grant each user a unique set of security credentials.

Question 26: skipped

What is the default limit for CloudFormation templates per region?



☐ 50


☐ 75

☐ 100

☒ There is no limit to the number of CloudFormation Templates per Region. (Correct)

Explanation
There is no limit to the number of cloud formation templates you can have in a region.

Retake Test [Continue >](#)  

Go to Dashboard

Question 27: skipped

True or False: You should store your Access Keys in an AML.

☐ TRUE

☒ FALSE (Correct)

Explanation
Access keys should *never* be stored on an AML

Question 28: skipped

If you have an item that is 4KB in size and you want to provision read capacity units for 100 requests per second, how many read capacity units do you need to provision?

☐ 50



☒ 100 (Correct)


☐ 150

☐ 200

Explanation
 $4/4 * 100 = 100$. Unless Amazon explicitly mention an "eventually" consistent read, they are referring to a strongly consistent read.

Question 29: skipped

Retake Test [Continue >](#)  

Go to Dashboard

Question 29: Skipped

Each AWS account can own a maximum of how many buckets?

☐ 50

☐ 75

☒ 100 (Correct)

☐ 1000

Explanation

By default, an account may have a maximum of 100 buckets. However, you can increase your Amazon S3 bucket limit by visiting the AWS Support Center and requesting a limit increase.

Question 30: Skipped

Which of the following AWS services can be used to record logs of API calls

☐ IAM


☐ SNS

☒ CloudTrail (Correct)

☐ CloudWatch

Explanation

Retake TestContinue >⚙️🔍

Go to Dashboard

Question 31: Skipped

True or False: S3 does not support website redirects.

☐ TRUE

☒ FALSE (Correct)

Explanation

S3 does support website redirects.

Question 32: Skipped

Which of the following can be increased by contacting AWS support:

☐ S3 buckets per region

☐ DynamoDB secondary indexes per table

☒ S3 buckets per account (Correct)


☒ DynamoDB tables per account (Correct)

Explanation

The numbers of S3 buckets per account and DynamoDB tables per account can be increased by AWS Support.

Question 33: Skipped

Retake TestContinue >⚙️🔍



Go to Dashboard

Question 33: skipped

Which HTTP response code indicates that an API call was successful?

☒ 200 (Correct)

☐ 300

☐ 400

☐ 500

Explanation

A 200 HTTP response code indicates a successful API call.

Question 34: skipped



One of your junior developers has never had AWS Access before, and he needs access to an Elastic Load Balancer in your custom VPC. This is the first and only time he will need access. Which of the following choices is the most secure way to grant this access?


☒ Create a new IAM user with the required credentials and delete that user after the developer has finished his work. (Correct)

☐ Let them log in with Admin credentials and change the Admin password when he is finished.

☐ Add that developer to a Group with the requisite access.

☐ None of the above

Retake Test Continue >  



Go to Dashboard

Question 35: skipped

Which of the following statements are true?

☒ S3-Standard provides 11-nines durability. (Correct)

☐ S3-Standard provides 11-nines availability

☒ S3-RRS provides 99.99% durability (Correct)

☒ S3-Standard provides 99.99% availability. (Correct)

Explanation

S3-Standard provides 99.99% availability and eleven-nines durability. S3-RRS provides 99.99% durability

Question 36: skipped

True or False: Classic ELB's support IPv6 as well as IPv4.



☒ TRUE (Correct)


☐ FALSE

Explanation

Each Classic Load Balancer has an associated IPv4, IPv6, and dualstack (both IPv4 and IPv6) DNS name. However, IPv6 is not supported in VPC at this time.

Question 37: skipped

Retake Test Continue >  

Go to Dashboard

Question 37: skipped

Which of the following bucket names are invalid (Choose 2.)

☐ .acloud.guru (Correct)

☒ Acloud.guru (Correct)

☐ acloud.guru

☐ acloud-guru

Explanation

S3 bucket names cannot contain capital letters, and they may not begin with a period.

Question 38: skipped

Which of the following statements about amazon SWF is not true?


☐ Decision tasks occur when the state of the workflow changes.

☒ Humans can perform a decision task. (Correct)

☐ A server living outside AWS can perform a worker task.

☐ Amazon EC2 instances can perform a worker task.

Retake TestContinue >⚙️🔍

Go to Dashboard

Question 39: skipped

True or False: A Region is another name for an Edge Location.

☐ TRUE

☒ FALSE (Correct)

Explanation

Regions and Availability Zones are not the same thing: An AWS Region is a geographic area, comprising two or more Availability Zones (data centers.) An Edge Location is simply a content delivery network endpoint.

Question 40: skipped

By default, how many S3 buckets can you have with a new AWS account?

☐ 25

☐ 50


☒ 100 (Correct)

☐ 200

Explanation

By default, customers can provision up to 100 buckets per AWS account. However, you can increase your Amazon S3 bucket limit by visiting AWS Service Limits.

Retake TestContinue >⚙️🔍

Go to Dashboard

Question 41: skipped

If your table item's size is 3KB and you want to have 90 eventually consistent reads per second, how many read capacity units will you need to provision on the table?

☐ 24

☒ 45 (Correct)

☐ 48

☐ 90

Explanation

3 rounds up to 4, $4/4=1$, $90*1/2=45$

Question 42: skipped

What is the size of one unit of read capacity?

☐ 1KB


☐ 3KB

☒ 4KB (Correct)

☐ 5KB

Explanation

Retake TestContinue >⚙️🔍

Go to Dashboard

Question 43: skipped

You need to announce an emergency downtime for a production AWS web application. This downtime notification requires different sets of instructions for different devices. All of the application users signed up to receive SNS notifications from the `aws:downtime:us-east-1` topic when they began using the application and they are currently subscribed to this topic. What are appropriate ways for you to provide timely, device-specific instructions to end users when announcing this downtime?

☐ Send multiple messages to the topic and ask users to please ignore message formats that don't pertain to them.

☒ Send a single message, but customize the text in the SNS message field so that each device gets only the information that is appropriate for them. (Correct)

☐ Create a different topic for each subscription type, then send one topic to SMS endpoints and the other topic to email endpoints.

☐ It's not possible to send SNS messages manually.

Explanation

Using the SNS JSON message generator, you can choose the appropriate endpoint types and edit the generated code to send different text to the different endpoint types.

Question 44: skipped


What is the availability of S3 - IA

☒ 99.9% (Correct)

☐ 99%

☐ 100%

Retake TestContinue >⚙️🔍

Go to Dashboard

Question 45: skipped

From the command line, which of the following should you run to get the public hostname of an EC2 instance?

☒ curl http://169.254.169.254/latest/meta-data/public-hostname (Correct)

☐ curl http://254.169.254.169/latest/user-data/public-hostname

☐ curl http://254.169.254.169/latest/meta-data/public-hostname

☐ curl http://169.254.169.254/latest/user-data/public-hostname

Explanation

You would use the command curl http://169.254.169.254/latest/meta-data/public-hostname

Question 46: skipped

Can you use IPv6 with Amazon S3?


☒ Yes (Correct)

☐ Yes however you need IPv4 to IPv6 Translation Software

☐ Yes however you need IPv6 to IPv4 Translation Software

☐ No

Retake TestContinue >⚙️🔍

Go to Dashboard

Question 47: skipped

True or False: A global secondary index is an index with a primary key that differs from that of the table.

☒ TRUE (Correct)

☐ FALSE

Explanation

A global secondary index is an index with a primary key that can be different from the table's primary key. A global secondary index is considered global because queries on the index can span all of the data in a table, across all partitions.

Question 48: skipped

Amazon S3 bucket names are stored in alphabetical order, or lexicographically.

☒ TRUE (Correct)

☐ FALSE

Explanation


S3 buckets are stored lexicographically.

Question 49: skipped

Which AWS service should you use to host MySQL, MariaDB, Oracle, SQL Server, or PostgreSQL database where you do not need to manage the underlying operating system?

☐ DynamoDB

Retake TestContinue >⚙️🔍

Go to Dashboard

Question 49: Skipped

Which AWS service should you use to host MySQL, MariaDB, Oracle, SQL Server, or PostgreSQL database where you do not need to manage the underlying operating system?

☐ DynamoDB

☒ RDS (Correct)

☐ Aurora

☐ EC2 with EBS

Explanation

RDS

Question 50: Skipped



True or False: there is a cost associated with transferring from Amazon S3 to an EC2 instance in the same Region.


☐ TRUE

☒ FALSE (Correct)

Explanation

There is no cost associated with moving data from S3 to EC2 if both are in the same Region.

Retake Test Continue >  

Go to Dashboard

Question 51: Skipped

Ajax, Inc. provides an online image recognition service and utilizes SQS to decouple system components. The SQS consumers poll the imaging queue as often as possible to keep end-to-end throughput as high as possible. However, Ajax, Inc. is realizing that polling in tight loops is burning CPU cycles and that empty responses are increasing costs. How can Ajax, Inc. reduce the number of empty responses?

☐ Set the imaging queue MessageRetentionWaitTime attribute to 20 seconds.

☒ Set the imaging queue ReceiveMessageWaitTimeSeconds attribute to 20 seconds. (Correct)

☐ Set the imaging queue VisibilityTimeout attribute to 20 seconds.

☐ Set the imaging queue DelaySeconds attribute to 20 seconds.

Explanation

When ReceiveMessageWaitTimeSeconds is set to a value greater than zero, long polling is enabled. Long polling allows Amazon SQS to wait until a message is available in the queue before sending a response. Short polling continuously polls a queue and can have false positives. Enabling long polling reduces the number of poll requests, false positives, and empty responses.

Question 52: Skipped



True or False: The only SNS notification event supported by S3 is S3:ReducedRedundancyLostObject.


☐ TRUE

☒ FALSE (Correct)

Explanation

Notifications are also available for HTTP PUT and POST, S3 copy actions, and S3 CompleteMultipartUpload.

Retake Test Continue >  

Go to Dashboard

Question 53: skipped

Your new web app is deployed within an Amazon VPC, and is connected to your corporate data center via IPsec VPN. The application must authenticate against the on-premise LDAP server to give authenticated, logged-in users access to an S3 keypace specific to the user. Which two of the following methods will give your users the access they need?

☐ The application authenticates against LDAP, and retrieves the name of an IAM role associated with the user. The application then calls the IAM Security Token Service to assume that IAM Role. The application can use the temporary credentials to access the S3 keypace. (Correct)

☐ Develop an identity broker which authenticates against LDAP, and then calls IAM Security Token Service to get IAM federated user credentials. The application calls the identity broker to get IAM federated user credentials with access to the appropriate keypace. (Correct)

☐ Develop an identity broker which authenticates against Amazon STS to grant the user a temporary IAM role that will grant access to the keypace.

☐ The application authenticates against LDAP and the IAM Security Service to allow login with the LDAP credentials. The application can use the temporary credentials to access the S3 bucket.



Explanation
Please see <https://aws.amazon.com/iam/details/manage-federation/> | http://docs.aws.amazon.com/IAM/latest/UserGuide/id_credentials_temp.html for details


Question 54: skipped

True or False: S3 bucket names are transferrable.

☐ TRUE

☒ FALSE (Correct)

Retake Test Continue >  

Go to Dashboard

Question 55: skipped

A recent increase in the amount of users of an application hosted on an EC2 instance that you manage has caused the instance's OS to run out of CPU resources and crash. The crash caused several users' unsaved data to be lost and your supervisor wants to know how this problem can be avoided in the future. Which of the following would you not recommend?

☐ Rewrite the application so that users' unsaved data is frequently written to disk.

☐ Take a snapshot of the EBS volume and re-deploy as a larger instance type.

☐ Create an auto-scaling group to add more servers when demand is high.

☒ Take frequent snapshots of the EBS volume during business hours to ensure users' data is backed up. (Correct)

Explanation
Frequent snapshots are not recommended, as they can result in performance degradation. Additionally, these snapshots will not capture users' unsaved data that lives in the instance's memory.



Question 56: skipped

You have designed an application that stores large videos in S3. These videos are usually larger than 100Mb in size. You need to maximize upload performance. Select two answers that will achieve this end.

☐ Design the application to use multipart upload, so that the file is split in to multiple parts which are then uploaded simultaneously. (Correct)

☐ Require the users to use Direct Connect in order to use to application so as to maximize the upload bandwidth.

☒ Utilize S3 Transfer Acceleration. (Correct)

Retake Test Continue >  

Go to Dashboard

Question 57: skipped

Which of the following methods will allow you to *securely* upload/download your data to the S3 service? Pick all that apply.

☒ SSL endpoints using the HTTPS protocol (Correct)

☐ SSL endpoints using HTTP protocol

☒ HTTP endpoints using HTTPS protocol (Correct)

☐ HTTP endpoints using HTTP protocol

Explanation

You can securely upload/download your data to Amazon S3 via SSL endpoints using the HTTPS protocol.

Question 58: skipped

While working with the S3 API, you receive an error: 409 Conflict. What is the most likely cause?

☒ BucketAlreadyExists (Correct)

☐ ObjectNotFound



☐ PermissionsIssue

☐ AccessDenied

Explanation

Retake Test

Continue >



Go to Dashboard

Question 59: skipped

You would like to set up a static website on S3 with the least possible effort. The URL of the website is unimportant to you. Which of the following steps are necessary?

☒ Upload an index document to your S3 bucket. (Correct)

☒ Enable static website hosting in your S3 bucket properties. (Correct)

☒ Select the `MakePublic` permission for your bucket's objects. (Correct)

☐ Create the necessary records in Route53.

Explanation

Route53 is unnecessary for an S3 static website if the URL of the website is unimportant to you.

Question 60: skipped

What is the maximum size of an S3 object?

☐ 1GB

☐ 1TB

☐ 5GB

☒ 5TB (Correct)

Explanation

Retake Test

Continue >

