Cookbook | PUBLIC

Document Version: 2025

PHOTON INTEGRATION GUIDE

Avocado Digital Logistics Pvt. Ltd. All rights reserved

PHOTON TM INTEGRATION COOKBOOK

Edition for Digital Shipping & Logistics Management

Photon is a modern, high-speed logistics and supply chain management platform designed to simplify, automate, and optimize end-to-end shipping operations. Built for businesses that demand accuracy, real-time visibility, and fast decision-making, Photon enables teams to manage orders, shipments, warehouses, carriers, and dispatches with ease.

Photon supports a wide range of logistics workflows, including:

- Manual & Mass shipment creation
- Carrier rate comparison
- Label & AWB generation
- Manifest generation
- Shipment tracking

> i Note
>
> This cookbook provides practical, scenario-driven guidance for using the PHOTON platform to manage end-to-end shipping and logistics operations. The workflows, examples, and configurations illustrated in this guide are intended to help users understand how Photon simplifies, automates, and optimizes order, shipment, warehouse, carrier, and dispatch management.

PHOTON ROLE HIERARCHY:

Global Admin
↓
Business Admin
↓
Business User = Database Admin

This guide is organized into recipes—each representing a real operational workflow such as:

- User-management
- Carrier-integration
- Rate-calculation
- Shipment-creation
- Shipment-tracking
- Reporting



Recipe	About
USER MANAGEMENT	Centralized control to create, manage, and assign roles and permissions for system users.
CARRIER INTEGRATION	Seamless connection with multiple carriers to enable rate fetching, label generation, and real-time shipment updates.
RATE CALCULATION	Automatically determines shipping charges based on carrier rates, shipment details, and applicable surcharges.
SHIPMENT CREATION	Process of creating and booking a shipment by entering order, pickup, delivery, and package details.
SHIPMENT TRACKING	Real-time monitoring of shipment status and location from pickup to final delivery.
REPORTING	Access to operational reports such as daily shipments, end-of-day summaries, and shipment tracking analytics.

1. User Management

The **User Management** recipe explains how administrators configure, control, and maintain user access within PHOTON. This recipe focuses on managing who can access the system, what they can see, and which actions they are authorized to perform—ensuring operational security and role clarity across the platform.

Functionalities:

Functionality	Description
View User List	Displays all users with details such as name, email, mobile number, user group, and status
Search Users	Allows searching users by name
Filter by User Group	Filters users based on assigned user groups
Add User	Adds a new user to PHOTON from within the Users Page
Edit User	Updates details, roles, or permissions of an existing user
Lock User	Prevents a user from logging in to PHOTON
Unlock User	Restores login access for a locked user
Delete User	Completely removes a user from the system
Export Users	Exports user data to Excel or PDF

User Management actions are not limited to a single screen. They are executed across the following pages within

Use this recipe when you need to:

- Add new users to the system
- Assign or update user roles (Global Admin, Business Admin, Business User, Database Admin)
- Control access to shipping, reporting, and configuration modules
- Activate, deactivate, or review user accounts
- Maintain compliance and traceability through structured access control



2. CARRIER INTEGRATION

The **Carrier Integration** recipe explains how external carriers are connected and configured within PHOTON to enable rate retrieval, shipment booking, label generation, and tracking. This recipe focuses on establishing reliable, scalable, and compliant carrier connectivity to support day-to-day shipping operations.

Where This Recipe Applies

Carrier Integration activities are performed across the following administrative and configuration pages:

- **Manual Shipping** – Integrated carriers appear for service selection during shipment creation.
- **View Quotation** – Carrier integrations determine which carriers return rates.
- **Rate Request** – Only integrated and enabled carriers to respond to rate requests.
- **Spot Rate Request** - Enable user to request spot rates based on defined shipment parameters.
- **Shipment Tracking** – Tracking updates are fetched from integrated carriers after shipment creation.
- **Ship A Box** – Used to ship a box with box number created in **SAP**
- **Ship A Delivery** - Used to make a shipment with the delivery number and the delivery details fetch from **SAP**

These pages together ensure carriers are correctly integrated before being exposed to operational workflows.

Use this recipe to enable and manage carrier connectivity in PHOTON. This recipe helps administrators to:

- Connect carriers to **PHOTON** using configuration and credentials
- Make carriers available for rate calculation and shipment creation
- Control which carriers respond to domestic and international shipments
- Ensure carrier services appear correctly across operational workflows
- Enable tracking updates from carrier systems
- Maintain stable carrier connectivity without disrupting operations



3. RATE CALCULATION

The **Rate Calculation** recipe explains how shipping rates are generated in **PHOTON** based on shipment details, carrier configurations, and applicable commercial rules. This recipe focuses on helping users compare costs, validate charges, and select the most optimal rate before proceeding with shipment execution.

Where this recipe applies:

Rate Calculation is a shared capability and can be performed from multiple pages depending on the operational flow:

- **View Quotation Page** – Used to fetch and compare carrier rates before shipment creation.
- **Rate Request Page** – Enables users to request real-time rates based on defined shipment parameters.
- **Spot Rate Request Page** – Enable user to request spot rates based on defined shipment parameters.
- **Manual Shipping Page** – Automatically calculates rates during shipment creation once shipment details are entered.
- **Ship A Box** – Used to ship a box with box number created in **SAP**
- **Ship A Delivery Page** – Used to make a shipment with the delivery number and the delivery details fetch from **SAP**

Together, these pages ensure rate visibility at every critical decision point in the shipping journey.

Use this recipe when you need to:

- Retrieve real-time carrier rates
- Compare multiple carrier and service-level options
- Validate pricing before confirming a shipment
- Optimize shipping cost based on delivery timelines and service types
- Ensure accurate rate application during manual shipment creation



4. SHIPMENT CREATION

The **Shipment Creation** recipe explains how users create and confirm shipments in **PHOTON** by capturing shipment details, validating data, calculating rates, and generating shipping artifacts. This recipe represents the core operational workflow where planning turns into execution.

Where this recipe applies:

Shipment Creation can be initiated or completed from multiple pages based on the user's operational flow:

- **Manual Shipping Page** – Primary page used to create shipments by manually entering shipments and package details.
- **Mass Shipping** – Used to create multiple shipments simultaneously via excel file upload.
- **Ship A Box** – Used to ship a box with box number created in **SAP**
- **Ship A Delivery** – Used to make a shipment with the delivery number and the delivery details fetch from **SAP**

These pages together support both **ad-hoc** and **high-volume shipment** creation scenarios.

Use this recipe when you need to:

- Create domestic or international shipments
- Trigger carrier booking and downstream workflows
- Validate shipper, consignee, and package details before confirmation
- Convert planned shipping data into an **executable shipment record**
- Assign a carrier and service while creating the shipment
- Reduce manual errors during shipment entry
- Standardize shipment creation across teams and business units



5. SHIPMENT TRACKING

The **Shipment Tracking** recipe explains how users monitor the movement and status of shipments after creation. This recipe focuses on providing visibility into shipment progress using tracking data received from integrated carriers, enabling users to stay informed and respond to exceptions in a timely manner.

Where this recipe applies:

Shipment Tracking is available through dedicated and contextual tracking access within PHOTON:

- **Shipment Tracking Page** – Primary interface where users search and view shipment status. This area provides end-to-end shipment visibility.

Use this recipe to track shipments after creation. This recipe helps users to:

- Track shipments using tracking number and carrier.
- View current shipment status and movement updates
- Monitor delivery progress for domestic and international shipments
- Identify delays, exceptions, or failed delivery attempts
- Access carrier-provided tracking information in one place
- Reduce dependency on external carrier portals



6. REPORTING

The **Reporting** recipe explains how users review shipment activity and operational outcomes through predefined reports in PHOTON. This recipe focuses on providing end-of-day visibility, daily shipment summaries, and shipment tracking insights to support monitoring and reconciliation.

Where this recipe applies:

Reporting in PHOTON is available through the **Reports** section and includes the following report views:

- **End of Day (EOD) Shipment Report** – Displays all shipments processed within a business day.
- **Daily Shipment Report** – Provides a consolidated view of shipments created on a selected date.
- **Shipment Tracking Report** – Shows tracking status and movement details for created shipments.

These reports give users a complete picture of shipment activity and progress.

Use this recipe to review shipment activity and status through reports. This helps users to:

- View all shipments processed at the end of the day
- Analyze daily shipment volumes and trends
- Track shipment progress and delivery status in report format
- Support operational reconciliation and validation
- Maintain visibility without navigating individual shipment records



7. CORE OPERATIONAL PAGES

These pages support critical workflows such as shipment creation, rate calculation, carrier selection, tracking, pickup scheduling, and reporting.

Below are the pages of Photon

7.1 Dashboard:

The Dashboard provides a centralized, visual overview of shipment activity and carrier performance in Photon. It enables users to quickly monitor shipment volumes, cost distribution, and operational trends across multiple carriers.

Key Capabilities:

Capabilities	Description	Details
Weekly Shipment Volume	Displays shipment counts for the current and previous weeks	Helps track workload trends over time
Carrier Usage Analysis	Shows how shipments are distributed across carriers	Identifies dominant carriers and dependency risks
Volume Fluctuation Detection	Highlights spikes or drops in shipment activity	Enables early operational intervention
Historical Trends	Provides past performance visibility	Supports data-driven planning

> **i** Note
>
> The dashboard updates in real time—every shipment booking is immediately reflected in charts and metrics.

What this Shows:

Metric	What it indicates
Daily Shipment Count	Number of shipments processed each day
Top Carriers This Week	Most-used carriers for the current week
Weekly Load Forecast	Expected shipment volume and carrier spend

What makes the Photon dashboard powerful:

Our dashboard offers:

1. **Multi carrier comparison**
   Users instantly see which carriers are taking the largest share of shipments and spend.

2. **Weekly vs. Monthly visibility**

Both short-term (this week) and medium-term (past 4 weeks) insights help team maintain shipping discipline.

3. **Volume vs. Cost analytics**
   Photon highlights not just how many shipments were sent—but how much they cost.

4. **Visual clarity**
   Bar charts show trends over time, while pie charts show carrier share.

5. **Real-time updates**
   Every booking flows instantly into the dashboard.

7.2 Get Quote:

The **Get Quote** page is one of the core features of Photon. It allows users to instantly fetch shipping rates from multiple carriers by simply entering shipment details such as addresses, weight, and dimensions. Warehouse staff and Business Admins can use this page daily to compare prices.

Purpose:

The Get Quote page helps users:

Objective	Description
Rate Comparison	Compare real-time shipping rates across multiple carriers
Delivery Visibility	View estimated delivery dates and transit times
Service Selection	Choose services based on speed, cost, and priority
Process Automation	Eliminate manual rate-card and spreadsheet checks

Fields:

1. Ship from Details:
1.1 Postal Code
1.2 Country
1.3 City

2. Ship to Details:
2.1 Postal Code
2.2 Country
2.3 City

> **i** Note
>
> Photon automatically fills the city name after postal code and country entry in ship from and ship to fields.

3. Package Details:
3.1 Weight
3.2 Weight UOM (Kg/Lb)
3.3 Dimensions (Length*Width*Height)
3.4 Length UOM (Cm/In)

Get Quote Action:

Once all mandatory details are entered, the user clicks the **Get Quote** button.

System Action	Description
Carrier Request	Sends shipment details to all integrated carriers
Weight Calculation	Calculates volumetric and chargeable weight
Rate Retrieval	Fetches rates instantly using carrier APIs
Service Listing	Displays all available shipping services

> **i** Note
>
> Each carrier may offer multiple service levels such as Surface, Express, Ground, Air, B2B, and B2C, allowing users to choose suitable option based on cost efficiency and delivery priority.

Workflow Diagram:



7.3 Rate Request:

The **Rate Request Page** in PHOTON enables **Business Users** and **Business Admins** to request, compare, and select shipping rates from multiple sources before creating a shipment. Users enter shipment details, save them in a rate table, retrieve rates through PHOTON APIs, client-provided rates, or contracted carrier rates, and then proceed to shipment creation via the Manual Shipping flow. This page ensures flexibility, transparency, and controlled shipping execution across different rate sources.

Purpose:

Objective	Description
Enable rate comparison	Allow users to shop and compare rates from photon, client, and contracted sources
Support multiple rate sources	Provide flexibility to choose between API-based, client-provided, and contractor-managed rates
Reduce manual data entry	Save rate request details and reuse them during shipment creation
Ensure data consistency	Maintain the same shipment data from rate request through shipment creation
Support automated shipping	Enable instant shipment creation and tracking for PHOTON and client rates
Carrier Finalization	Allow users to select the final carrier and booking amount

Who uses this Page:



Rate Request Input Details:

Business Users and Business Admins enter shipment details to generate rates. Once entered, these details are **saved automatically in the Rate Table**.

Field	Description
Ship From Address	Origin address of the shipment
Ship To Address	Destination address of the shipment
Product	Product or commodity being shipped
Number of Boxes	Total number of packages
Dimensions	Length × Width × Height of each box
Weight	Weight of the shipment
Weight UOM	Unit of measure (kg / lb)
Invoice Amount	Declared invoice value
Currency	Currency of the invoice amount

> **i** Note
> Rateshop retrieves live rates through APIs and external contractor inputs.

Auto Generated Rate Table:

After processing the request, Photon displays a **Rate Table** containing:

Column	Description
Order id	Shipment reference number
Date and Time	Rate request date and time
Location	Ship From and Ship To details
Shipment Description	Description of the shipment (Product, No. of Box, Dimension, Total weight, invoice amount)
Rates	Carrier name, carrier source name, charges
Shipment	Status of the shipment
Actions	Rate shopping and Ship buttons

Rate Sources:

1. **Photon Rates**: Rates fetched automatically through PHOTON carrier APIs
2. **Client Rates**: Rates provided by the client and passed through PHOTON
3. **Contracted Rates**: Rates received from contractors who obtain pricing directly from carriers

FLOW DIAGRAM TO UNDERSTAND THE PROCESS



7.4 Spot Rate Request

The **Spot Rate Request** page allows customers to request ad-hoc or special shipping rates for a shipment.
Customers enter shipment details, save the request, receive carrier rates via WhatsApp, compare options, and proceed to shipping.
This page bridges **rate discovery**, **manual carrier negotiation (via WhatsApp)**, and **shipment creation**.

Purpose:

- Capture shipment details for spot rate quotation
- Allow **manual rate updates** received via WhatsApp from carrier agents
- Enable customers to compare rates and select the best carrier
- Seamlessly move to **Manual Shipping** with prefilled data

Input Fields:

Section	Field Name	Description
Order Info	Order Id	Unique reference number for the shipment
Ship From	Consignor (Ship From)	Warehouse or sender name
	Ship From Pin code	Origin postal code
	Ship From Country / State / City	Origin location details
Ship To	Customer (Ship To)	Receiver name
	Ship To Pin code	Destination postal code
	Ship To Country / State / City	Destination location details
Shipment Description	Product Description	Description of goods
	No. of Box	Number of packages
	Quantity	Number of items
Dimensions	Length / Width / Height	Package dimensions
	Dimension UOM	Unit of measurement (CM / IN)
Weight	Weight	Weight per box
	Total Weight	Auto-calculated total weight
	Weight UOM	Unit of Weight (KG / LB)
Invoice	Invoice Amount	Declared shipment value
	Currency	Invoice amount currency
Action Button	Save For Rate Button	Submit Details in rate table
	Clear	To erase all the details

Rate Request Table Fields:

Once the request is saved, it appears in the **Rate Request Details** table.

Column Group	Details
Order Id	Unique Order Number
Date and Time	The shipment date and time
Location	Ship From and Ship To
Shipment Description	Product, Number of box, Dimension, Total weight, Invoice amount
Rates	Carriers, Names, Charges
Status	Shipped / Not Shipped
Actions	Rate , Ship

> **i** Note
> The error come if the ship from and ship to pin codes are same and not same for multiple packages

Freight Forward Rates

- A **WhatsApp message** sent to the carrier agent
- Agent Replies with
  - Order ID
  - Carrier Name
  - Rate
  - Currency
  - Transit Days
  - Rate Validity

These details are then **updated against the same Order ID in the rate table**

Rate selection and shipping behavior

User selects freight carrier rate

- Rate shopping option is hidden
- User clicks **ship**
- Shipment is processed directly
- Manual shipping page opens with all fields auto-filled

> **i** Note
> Only those fields are auto filled in manual shipping page which are filled in rate table in spot rate request.

FLOW DIAGRAM TO UNDERTAND SPOT RATE REQUEST PAGE PROCESS:



7.5 Ship A Delivery

The **Ship A Delivery** page allows users to validate delivery information, select a carrier and service, define package and item details, and finally execute the shipment. It acts as a **final confirmation and execution screen** before a delivery is shipped.

Purpose:

- Retrieve delivery details using a delivery number
- Verify **Ship-From** and **Ship-To** addresses
- Select carrier and service options
- Define package-level and item-level information
- Apply shipment options such as COD, signature, and insurance
- Submit and confirm the shipment

Page Sections and controls:

Ship From Address:

- Postal / Zip: Origin PIN / ZIP
- City: Origin city
- State: Origin state
- Country: Country code
- Name: Warehouse name
- Address: Warehouse address
- Phone no.: Contact number
- Fax no.: Optional
- Email Address: Contact email

Ship To Address:

- Postal / Zip: Destination PIN / ZIP
- City: Destination city
- State: Destination State
- Country: Country Code
- Name: Consignee Name
- Address: Delivery address
- Phone no.: Consignee contact
- Fax no.: Optional
- Email Address: Consignee email

Carrier / Service Selection:

- Carrier: Selected logistics provider
- Service: Shipping service type
- Requested Delivery Date: Preferred delivery date
- Requested Delivery Time: Preferred delivery time
- Additional Text: Free-text reference fields

Packed Content:

- Packaging Material: Box, carton, pallet, etc.

- Weight: Total package weight
- Weight UOM: KG, LB, etc.
- Length / Width / Height: Package dimensions
- Length UOM: CM, IN, etc.
- Declared Value: Commercial value for customs
- Currency DV: Declared value currency
- Insured Value: Insurance-covered value
- Currency IV: Insurance currency

Item Details:

- Item: Line-item number
- Material No.: Product identifier
- UOM: Unit of measure
- Description: Item description
- Quantity: Packed quantity
- Amount: Item value
- Currency: Item value currency
- Weight: Item-level weight
- Weight UOM: Item weight unit
- DG: Dangerous Goods indicator
- Regulation Authority: DG regulatory body

Process Flow:

Step No.	Actions
1.	Delivery is created in the system
2.	User enters the Delivery Number
3.	System fetches delivery and address details
4.	User verifies Ship From and Ship To information
5.	User selects Carrier and Service
6.	User reviews or enters package and item details
7.	User selects shipment options (COD / Signature / Insurance)
8.	System validates weight, value, and dimensions
9.	User clicks **Ship**
10.	Shipment is confirmed and tracking number is generated

> **i** Note
>
> Shipment processing continues only if all required fields and validations are completed successfully.

FLOW DIAGRAM TO UNDERSTAND SHIP A DELIVERY



7.6 Ship A Box:

The **Ship a Box** page is used to ship a single package (box) independently or as part of a delivery. It captures box-level shipment details, including ship-from and ship-to addresses, carrier selection, shipment options, and packed content information.

Purpose:

- To ship an individual box using a selected carrier and service
- To record box-specific dimensions, weight, and value
- To enable rate shopping and carrier selection
- To capture COD and signature requirements
- To confirm shipment and update shipment status

Fields available on ship a box page:

Header Section

- **Box Number**: The unique identifier for the box
- **Get Data:** Allows to fetch existing box details
- **Clear:** resets all entered data
- **Rate Shopping Button:** Fetch available carrier rates
- **Ship Button:** Confirm and ship the box

Delivery Details

- **Ship Date:** Displays or allows editing of the shipment date
- **Ship Time:** Displays or allows editing of the shipment time

Ship from Address: Details of the origin warehouse

- **Postal/Zip:** Origin PIN/ZIP code
- **City:** Origin city
- **State:** Origin state
- **Country:** Country code
- **Name:** Shipper name
- **Address 1–3:** Address lines
- **Phone No.:** Contact number
- **Fax No.:** Optional
- **Email Address:** Contact email

Ship to Address: Details of the consignee

- **Postal / Zip:** Destination PIN/ZIP code
- **City:** Delivering city
- **State:** Delivering state
- **Country:** Country code
- **Name:** Consignee name
- **Address 1-3:** Delivery address
- **Phone No.:** Consignee contact
- **Fax No.:** Optional
- **Email Address:** Contact email

Carrier / Service

- **Carrier:** Selected logistics Partner
- **Service:** Shipping service type
- **Requested Delivery Date:** Desired delivery date
- **Requested Delivery Time:** Desired delivery time
- **Additional Text 1 & 2:** Shipment remarks or instructions

Packed Content (Box Level): It represents the physical box being shipped.

- **Packaging Material:** Type of packaging used
- **Weight:** Total weight of the box
- **Weight UOM:** Unit of measure for weight (e.g., KG, LB)
- **Length / Width / Height:** Physical dimensions of the box
- **Length UOM:** Unit of measure for dimensions (e.g., IN, CM)
- **Declared Value:** Commercial value of the box
- **Currency DV:** Currency of the declared value
- **Insured Value:** Insurance coverage value
- **Currency IV:** Currency of the insured value

Item Details (Inside the box)

- **Item:** Line Item Number
- **Material No.:** Unique material or product identifier
- **UOM:** Unit of measure
- **Description:** Item description
- **Quantity:** Quantity in the box
- **Comm / Import Code:** Commodity or import code
- **ECCN:** Export Control Classification Number
- **Country of Origin:** Manufacturing origin
- **Amount:** Item value
- **Currency:** Currency of the item value

FLOW DIAGRAM TO UNDERSTAND THE PROCESS:



7.7 Manual Shipping:

The **Manual Shipping** page in Photon allows users to manually create and book shipments when automation or pre-generated orders are not used.

This page gives full control over:

- Sender and Receiver details
- Package specifications and declared value
- Invoice and compliance documents
- Carrier and service selection
- Rate comparison and final shipment booking

Purpose:

Objective	Purpose
Manual Shipment Creation	Allows global admins to create shipments manually
Full Shipment Control	Enables complete control over shipment data
Rate Comparison	Fetches and compares carrier rates in real time
Tracking Generation	Generates tracking numbers within Photon

Fields:

SHIP FROM ADDRESS

- Name
- Address
- Postal Code
- Country
- City
- State
- Phone Number
- Email

SHIP TO ADDRESS

- Name
- Address
- Postal Code
- Country
- City
- State
- Phone Number
- Email

Invoice Details:

- Invoice Number
- Invoice Amount
- Upload Invoice File
- E-way Bill Number
- Upload E-way Bill Document

> **i** Note
> E-way Bill document and number is only mandatory for delhivery carrier if the invoice amount is greater than 50,000 Rupees

Order Information:

- Order ID

Package Details:

- Packaging Material
- Weight
- Weight UOM (Kg/Lb)
- Length
- Width
- Height
- Dimension UOM (CM/IN)
- Number of Boxes
- Declared Value (DV)
- DV Currency

Line-Item Details (for each product):

- Item
- Material Number
- UOM
- Description
- Quantity
- Country of Origin
- Amount
- Weight

RateShop:

After completing all shipment details, the user clicks **Rateshopping** button.

Photon then:

- Validates all entered data
- Sends rate requests to all integrated carriers

- Fetches rates and delivery ETA
- Displays the Rate Table at the top of the page

Rate Table:

Column	Description
Carrier	Carrier Name
Service	Service Type
Delivery Date	Expected Delivery
Rate	Shipping Cost

Shipping:

After selecting a rate:

- Upload the invoice file (if missing)
- Click **Ship**

Possible Outcomes:

- **Tracking Number Generated Immediately**
  Shipment is booked and the tracking number is displayed.
- **Tracking Pending**
  Carrier approval required. Photon displays:
  "Please go to Pending Request page to generate tracking number."

FLOW DIAGRAM TO UNDERSTAND THE PROCESS:



7.8 Mass Shipping:

The Mass Shipping page allows business users to upload a bulk-shipment file containing multiple shipment records at once. Users simply select and upload the predefined Excel sheet that includes all shipment details, and the system automatically validates the file, processes each shipment entry, and generates shipping data in bulk. This helps users save time by avoiding manual entry and enables quick creation of multiple shipments in a single step.

Process Flow:

Step	System/User Action
1	User Opens the mass shipping page
2	Uploads the mass shipment Excel file
3	System checks the file format against the required template
4	System validates shipment data (pin codes, weight, quantity, etc.)
5	If validation fails, error messages are displayed
6	If validation passes, system starts file processing
7	System creates all mass shipments
8	Success message is displayed confirming shipment creation

> **i** Note
> E-way Bill number is important if the invoice amount is greater than 50K INR and only mandatory for Delhivery Carrier.

Purpose:

Objective	Description
Bulk Shipment Creation	Allows multiple shipments to be created in one upload
Time Saving	Eliminates manual entry of individual shipments
Operational Efficiency	Supports high-volume warehouse operations
Data Accuracy	Uses standardized Excel template to reduce errors
Faster Processing	Automatically validates and generates shipments
Scalability	Handles paperless entry automations

7.9 Pickup Request:

The **Pickup Request Page** in Photon enables users to schedule pickups for shipments created through **Manual Shipping** or **Mass Shipping**. This page ensures that carriers receive formal pickup instructions with the correct shipment details, time slots, and warehouse information.

Purpose:

Objective	Description
Pickup Scheduling	Request carrier pickups for existing shipments
Instruction Accuracy	Send correct pickup date, time slot, and warehouse details
Centralized Control	Manage all pickup requests from a single page

Fields:

Carrier:

- Select the carrier for which the pickup needs to be scheduled.

Warehouse:

- Choose the warehouse from which shipments must be picked up.

Shipment Date:

- Select the date on which the shipments were created.
- Based on this date, all shipments from that day appear automatically.

Requested Pickup Date:

- Date on which the user wants the carrier to come for pickup.

Requested Pickup Time Slot:

- Select a time slot (Morning 12:00 – 06:00 or Evening 14:00 – 18:00) based on warehouse/carrier availability.

> **i** Note
> Based on the selected **Shipment Date**, Photon automatically displays all shipments created on that date.

Shipment Selection:

- Photon fetches and displays all shipments created on the selected date
- Each shipment is shown with its **tracking number**
- Users can select **one or multiple shipments** for pickup

Process:

1. Carrier Selection
2. Warehouse Selection
3. Shipment Date Selection

4. Shipment Selection
5. Requested Pickup Date
6. Requested Time Slot
7. Pickup Button Clicked
8. Pickup Made

FLOW DIAGRAM TO UNDERSTAND THE PROCESS:



7.10 Pending Request:

The **Pending Request** page displays all shipments for which **tracking number generation is still pending**, based on the user's workflow.

Shipments appear here if they are created through:

- Manual Shipping
- Mass Shipping
- Ship a Box
- Ship a Delivery

Until the tracking number is generated:

- The shipment **does not appear in reports**
- The **shipping label cannot be printed**

Purpose:

Objective	Description
Processing Queue	Acts as a queue for shipments without tracking numbers
Tracking Completion	Ensures every shipment gets a valid carrier tracking number
Job ID Conversion	Converts temporary Job ID into actual carrier tracking number
Shipment Readiness	Prepares shipments for label printing and reporting

> **i** Note
> Shipments remain in this page only until the tracking number is generated.

Page Controls:

- **Refresh**
  Fetches the latest list of pending shipments

- **Toggle Columns**
  Show or Hide columns for better visibility

- **Export to Excel**
  Downloads the visible table view in excel format

- **Export to Pdf**
  Exports the visible table view as a PDF

> **i** Note
> Excel and PDF exports follow the column visibility selected using **Toggle Columns**

Tracking Number Generation:

The **Manifest icon** is the **most critical action** on this page.

How it works:

- User clicks the **Manifest** icon for a shipment
- System sends shipment data to the carrier
- Temporary **Job ID is replaced** with actual tracking number
- Confirmation message displays the generated tracking number
- Shipment is **removed from the Pending Request list**

Process:

Step	Action
1	Shipment is created (Manual / Mass / Ship a Box / Ship a Delivery)
2	Shipment appears with temporary Job ID
3	User clicks Manifest icon
4	System sends data to carrier
5	Tracking number is generated
6	Shipment is removed from Pending Request
7	Shipment becomes available for labels and reports

7.11 End of Day:

The **End of Day (EOD)** page allows users to view and manage all shipments created on a selected date. It provides a **daily operational summary** and supports **closure, auditing, and reporting** activities.

Purpose:

Objective	Description
Daily View	Shows shipments date-wise and carrier-wise
Filtering	Allows filtering shipments by specific carrier
Reconciliation	Helps verify completed vs non-closed shipments
Reporting	Enables export for audit and business review
Accountability	Acts as a daily closure and tracking tool

What users can do:

- Select a **date** to view shipments created on that day
- Filter shipments by **carrier**
- View **closed and not-closed** shipments
- Search within shipment data
- Export shipment data to **Excel** or **PDF**

Page Filters & Controls:

Field	Function
Carrier	Select a specific carrier (Delhivery, Trackon, Bluedart, etc.)
Date	Displays shipments created on the selected date
Account	Optional carrier account filter
Search	Search across table data (tracking no., weight, state, carrier, etc.)
Toggle Columns	Show or hide table columns
Export to Excel	Download shipment list in Excel format
Export to PDF	Download shipment list in PDF format

> **i** Note
> If **no carrier is selected**, shipments from **all carriers** for the chosen date are displayed.

Column Type	Information Displayed
Shipment ID / Tracking No.	Unique shipment identifier
Carrier	Carrier handling the shipment
Service	Shipping service type
Ship From	Origin state & country
Ship To	Destination state & country
Weight	Shipment weight & unit
Shipment Status	Closed / Not Closed
Created Date	Shipment creation date

Key Notes:

- EOD is a **view-only** and reporting page
- It does **not create or modify shipments**
- Closed shipments indicate successful processing
- Non-closed shipments help identify pending operational actions

FLOW DIAGRAM TO UNDERSTAND:



7.12 Shipment Tracking:

The **Shipment Tracking** page allows users to monitor and manage all shipments created in Photon. It provides a consolidated view of shipment status, carrier details, and movement history across domestic and international carriers—ensuring complete visibility from booking to delivery.

Purpose:

Objective	Description
Real-time Tracking	Monitor current shipment status
Easy Search	Quickly find shipments using filters
Visibility	View shipment lifecycle and movement events
Detailed Access	Open shipment-level tracking details
Reporting	Export shipment data for reconciliation

Filters and Page Control:

Field/Control	Description
Tracking Number	Search for a specific shipment using tracking ID
Carrier	Filter shipments by selected carrier
Date	View shipments created on a selected date
Search	Global search across all table data
Toggle Columns	Show or hide shipment table columns
Export to Excel	Download shipment data in Excel format
Export to PDF	Download shipment data in PDF format

> **i** Note
> Search works across all visible columns such as tracking number, carrier, state, weight, and charges

Shipment Tracking Table Field:

Column Name	Description
Tracking ID	Unique tracking number (clickable)
User ID	User who created the shipment
Carrier Name	Carrier handling the shipment
Service Description	Service type (Surface, Express, etc.)
Delivery Date	Scheduled or actual delivery date
Parcel Count	Total number of parcels
Total Weight	Combined shipment weight
Shipping Charges	Total shipping cost
Last Changed	Last status update date
Ship From (State/Country)	Origin location
Ship To (State/Country)	Destination location

FLOW DIAGRAM TO UNDERSTAND PROCESS:



7.13 Daily Shipment Report:

The **Daily Shipment Report** page provides a consolidated view of all shipments created within a selected time period. It allows users to monitor daily shipment activity across one or multiple carriers in a single report.

Purpose:

- Consolidated view of shipments for **today and previous days**
- Monitor shipment **volume, weight, and charges**
- Filter shipments by **date range, carrier, and status**
- Support **daily reconciliation and operational monitoring**
- Visibility for **domestic and international shipments**

Filters And Controls:

Field	Description
Carrier	Filter shipments by a specific carrier (optional)
Select Days	Predefined ranges: Last 7 Days, Last 30 Days, Custom
Status	Filter by shipment status (Closed / Not Closed)
From Date	Start date (auto-filled for Custom selection)
To Date	End date (auto-filled for Custom selection)
View Report	Generates report based on selected filters
Toggle Columns	Show or hide table columns
Export to Excel	Download report in Excel format
Export to PDF	Download report in PDF format
Search	Search within table using any shipment detail

> **i** Note
> If **Carrier** is not selected, shipments from **all carriers** are displayed.

Shipment Report Table Fields:

Column Name	Description
Sr No	Sequential number
Tracking Number	Unique shipment tracking ID
Name	User who created the shipment
Carrier Name	Carrier used
Service Description	Shipping service type
Shipping Date	Shipment creation date
Total Weight	Combined shipment weight
Ship From City / State (Country)	Origin details
Ship To City / State (Country)	Destination details
Status	Current shipment status
Final Charges	Total shipment cost

User Actions:

- Select predefined or custom **date range**
- Apply **carrier and status** filters
- Click **View Report**
- Search within the report table
- Toggle columns for cleaner view
- Export report to **Excel or PDF**

> **i** Note
> Default date is today

> **i** Note
> Exported files follow Toggle Column visibility

7.14 Reprint Label:

The Re-Print Label page allows users to generate and download shipping labels for shipments that were already created earlier. Labels can be reprinted using tracking numbers generated through Manual Shipping, Mass Shipping, Ship A Box, Ship A Delivery or Pending Requests.

Purpose:

- Generate shipping labels for **already created shipments**
- Reprint labels using **tracking number or box number**
- Support smooth **warehouse, packing, and dispatch operations**
- Avoid rebooking shipments for label generation

Supported Shipment Sources:



> **ℹ Note**
> Labels can only be printed after a valid tracking number or box number is entered

FLOW DIAGRAM TO UNDERSTAND PROCESS:



7.15 Payment List:

The **Payment List** page provides a consolidated view of all shipment-related payment transactions. It allows users to track payment status and amounts paid. This page also helps users identify failed or disputed payments and raise queries directly from the report.

Purpose:

- View all **shipment-related payment transactions** in one place
- Track **successful, failed, and attempted** payments
- Identify cases where **amount deducted but payment failed**
- Raise and track **payment-related queries**
- Support **accounting, reconciliation, and audits**

Page Controls:

Control	Description
Toggle Column	Show or hide required columns in the table
Export to Excel	Download payment data in Excel format
Export to Pdf	Download payment data in PDF format
Search	Search by name, order number, tracking number, payment ID, or status

Payment Report Table Fields:

Column Name	Description
Sr No	Sequential record number
Name	User who created the shipment
Order No	Shipment order reference number
Tracking Number	Shipment tracking number (if available)
Order ID	System-generated internal order ID
Payment ID	Payment gateway transaction reference
Total Weight	Shipment weight
Amount	Amount charged
Status	Payment status
Order Date	Date & time of payment
Action	Raise Query button

Payment Status Indicator:

Status Type	Visual Indicator	Meaning
Successful	Green	Payment completed successfully
Paid	Red background strip	Payment failed but amount deducted
Attempted	Red text	Payment failed and amount not deducted

> ℹ Note
> Paid (Red Strip) requires immediate attention as the amount is deducted.

Raise Query (Action):

- Available via **Raise Query** button in each payment record
- Used to report **payment discrepancies or failures**
- Opens a popup with full transaction details

Raise Query Popup Fields:

Field	Description
Name	User who raised the query
Order No	Unique shipment order reference
Tracking Number	Shipment tracking number
Order ID	System-generated internal order ID
Payment ID	Payment gateway transaction reference
Total Weight	Shipment weight
Amount	Amount charged
Status	Current payment status (Paid / Failed / Attempted)
Role	Role of the person who posted the message
Query	Message content
Timestamp	Date & time of message

> ℹ Note
> These fields are **read-only** and auto-filled based on the selected payment record.

7.16 Error Log:

The Error Log page provides a centralized view of all system errors and validation issues encountered by users while using Photon. It captures errors occurring during critical operations such as shipment creation, payment processing, authentication, and API interactions, helping users and support teams quickly identify and analyze issues.

Purpose:

- To display system and validation errors generated during user activities
- To help users understand why an action failed
- To provide transparency for API requests and responses

Search Error Log – Filters:

Field	Description
Date	Select the date for which error logs need to be viewed
Number of Items	Select number of error records to display
Show Error Log	Fetches error logs based on selected filters

Page Controls:

Control	Description
Toggle Columns	Show or hide columns in the error log table
Export to Excel	Download error logs in Excel format
Export to PDF	Download error logs in PDF format
Search	Search within the error log table

> ℹ Note
> Exported files follow the column visibility selected via **Toggle Columns**.

Error Log Table Fields:

Column Name	Description
Sr. no.	Sequential error record number
Created By	User or system that triggered the request
Reference	API or module reference name
URL	API endpoint where the error occurred
Request Payload	Request data sent to the API
Response Payload	Error message or response received

7.17 Users:

The **Users page** displays a centralized list of all users configured in **PHOTON**, including **Global Admin, Business Admin, Business User, and Database Admin**. This page allows administrators to manage user details, roles, access, and status.

Purpose:

- To view and manage all users registered in PHOTON
- To control user roles and access levels
- To edit user information and preferences
- To allocate warehouses to users
- To enable or restrict user login access
- To permanently remove users from the system

User Page Features:

- Filter users by **User Group**
- Search users by **Name**
- View users in a tabular format
- Toggle table column
- Export user list to **Excel** or **PDF**
- Add new user
- Edit existing user details
- Lock or delete users

User List Table Fields:

Field Name	Description
Sr No	Sequential record number
Name	User's full name
E-Mail ID	Registered email address
Mobile Number	User's contact number
User Group Name	Assigned role (Global Admin, Business Admin, etc.)
Status	Active/Locked status
Action	Edit, Lock/Unlock, Delete options

Action Options:

1. **Edit User**

   - Opens the **Edit User** page
   - Allows modification of user information and settings

2. **Lock / Unlock User**
3. - Lock the selected user's account
   - A locked user **cannot log in** to PHOTON

- Can be applied to any user, including self

4. **Delete User**
   - Permanently Deletes the user
   - Deleted users can’t login again

Edit Users Page

Fields:

Personal Information:
- First Name
- Middle Name
- Last Name
- Date of Birth
- Gender
- User Group
- Mobile Number
- Email Id
- Password / New Password

Address Information:
- Address Line 1
- Address Line 2
- City
- State
- Zip Code
- Country

Preferences:
- Date Format
- Number Format
- Currency Format
- Weight UOM
- Length UOM

Warehouse Allocation:
- Assign warehouse to users
- Global Admin can allocate specific warehouses to business admins
- Users can access only assigned warehouses

Declaration Form:
- Use warehouse default address in manual shipping and get quote pages
- Allow Payment through card for the user

Add User:

- Similar to edit user page but used to create new users.
- All sections are blank by default
- User details, preferences, warehouse allocation, and declaration options must be configured before saving



7.18 Masters:

The **Masters page** contains configuration options used across PHOTON to maintain standardized system data. One of the options under **Masters** is **Conversion**, which opens the **Conversion table** used to manage unit and currency conversions applied throughout the application.

Fields:

Conversion Table:

- **Sr. No.:** Sequential number of the conversion record.
- **From:** Source unit or currency (e.g., USD, INR, LB, IN).
- **To:** Target unit or currency (e.g., INR, EUR, KG, CM).
- **Value:** Conversion factor used to convert the "From" value into the "To" value.
- **Edit:** Modify the existing conversion value.
- **Delete:** Remove the conversion entry from the system.
- **Toggle Columns:** Show or hide table columns.
- **Export to Excel:** Download conversion data in Excel format.
- **Export to Pdf:** Download conversion data in PDF format.

8.Profile:

The **Profile option**, available in the top-right corner of PHOTON, allows users to view and manage their own account information. This section is user-specific and provides controlled access to personal details, preferences, and saved operational data.

Fields:

Personal Information:

- **First Name** – User's first name
- **Middle Name** – User's middle name (optional)
- **Last Name** – User's last name
- **Mobile No** – User's contact number
- **Email ID** – Registered email address
- **Gender** – User's gender
- **User Group** – Assigned role
- **On-Site Warehouse** – Default warehouse assigned to the user

Preferences:

- **Date Format** – Preferred date display format
- **Number Format** – Preferred number format
- **Weight UOM** – Preferred Unit of measurement for weight
- **Length UOM** – Preferred Unit of measurement for dimensions
- **Currency** – Preferred currency

Ship To Address:

This section displays a table of all **Ship-To addresses saved by the logged-in user** on Manual Shipping. Users can only view and manage addresses created by them.

Field Name	Description
Sr. No.	Sequential record number
Name	Ship-To name
Full Address	Complete address details
Postal Zip	ZIP / postal code
City	City name
State	State code / state name
Country	Country code
Phone No.	Contact number
Email	Email address (if provided)
Action	Edit or Delete the Ship-To address

> **i** Note
> If the changes made in profile section first logout and then login again to see the changes in **Photon**.

9. Change Password:

The **Change Password** page allows logged-in users to securely update their current login password. This feature ensures account security by enabling users to periodically change passwords or reset them if they believe their credentials have been compromised. The change is applied only to the logged-in user and does not impact any other user accounts.

Fields:

- **User Name :** Display's the logged in user's name.
- **Old Password**: Current password of the user for authentication
- **New Password**: New password to be set by the user
- **Confirm Password**: Re-enter the new password to avoid errors