

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%>
<%@ page import="com.Dbconnection.*" %>
<%@ page import="com.Elements.*" %>
<%@ page import="com.Element.Operation.*" %>
<%@ page import="java.util.*" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>ADD CLASS</title>
<style>
* {
box-sizing: border-box;
}
.row {
margin-left:-5px;
margin-right:-5px;
}
.column {
float: left;
width: 50%;
padding: 5px;
}
/* Clearfix (clear floats) */
.row::after {
content: "";
clear: both;
display: table;
}
table {
border-collapse: collapse;
border-spacing: 0;
width: 100%;
border: 1px solid #ddd;
}
th, td {
text-align: left;
padding: 16px;
}
tr:nth-child(even) {
background-color: #f2f2f2;
}
.button {
background-color: #4CAF50;
border: none;
color: white;
padding: 15px 32px;
text-align: center;
text-decoration: none;
display: inline-block;
font-size: 16px;
margin: 4px 2px;
cursor: pointer;
}
</style>
<jsp:include page="Links.jsp"/>
</head>
<body>
<form name="frmcls" method="post" action="ClassFun.jsp">
<div class="row">
<div class="column">
<table width="75%" border="1">
<tr>
<td>Class Id : </td>
<td><input type="text" name="clsid" required/></td>
</tr>
<tr>
<td>Class Name : </td>
```

```

<td><input type="text" name="clsname" required/></td>
</tr>
<tr>
<td><input type="submit" value="Add Class" class="button"></td>
<td><input type="reset" value="Clear" class="button"/></td>
</tr>
<tr>
<td colspan="2">
<%
if(session.getAttribute("info")!=null)
{
String str = (String)session.getAttribute("info");
%>
<p> <%=str %></p>
<%
}
%>
</td>
</tr>
</table>
</div>
<div class="column">
<table width="75%" border="1">
<tr>
<th>Class ID</th>
<th>Class Name</th>
<th>Operations</th>
</tr>
<%
ClassOperation clsop = new ClassOperation();
List<Classes> clsinfo = clsop.ShowAllcls();
for(Classes cls : clsinfo)
{
%>
<tr>
<td><%=cls.getClassid() %></td>
<td><%=cls.getClassName() %></td>
<td><a href="DeleteClass.jsp?classid=<%=cls.getClassid() %>" >Delete</a></td>
</tr>
<%
}
%>
</table>
</div>
</div>
</form>
</body>
</html>

```

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%>
<%@ page import="com.Dbconnection.*" %>
<%@ page import="com.Elements.*" %>
<%@ page import="com.Element.Operation.*" %>
<%@ page import="java.util.*" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Assign Subject Class</title>
<style>
* {
box-sizing: border-box;
}
.row {
margin-left:-5px;
margin-right:-5px;
}
.column {
float: left;
width: 50%;
padding: 5px;
}
/* Clearfix (clear floats) */
.row::after {
content: "";
clear: both;
display: table;
}
table {
border-collapse: collapse;
border-spacing: 0;
width: 100%;
border: 1px solid #ddd;
}
th, td {
text-align: left;
padding: 16px;
}
tr:nth-child(even) {
background-color: #f2f2f2;
}
.button {
background-color: #4CAF50;
border: none;
color: white;
padding: 10px 25px;
text-align: center;
text-decoration: none;
display: inline-block;
font-size: 16px;
margin: 4px 2px;
cursor: pointer;
}
</style>
<jsp:include page="Sublink.jsp"/>
</head>
<body>
<form name="frmass" method="post" action="AssignclsSubFun.jsp">
<div class="row">
<div class="column">
<table width="75%" border="1">
<tr>
<td>Class ID : </td>
<td><input type="text" name="clsid" required/></td>
</tr>
<tr>
<td>Subject ID : </td>
```

```

<td><input type="text" name="subid" required/></td>
</tr>
<tr>
<td><input type="submit" value="Assign Sub" class="button"></td>
<td><input type="reset" value="Clear" class="button"/></td>
</tr>
<tr>
<td colspan="2">
<%
if(session.getAttribute("info")!=null)
{
String str = (String)session.getAttribute("info");
}%>
<p> <%=str %></p>
<%
}
}%>
</td>
</tr>
</table>
</div>
<div class="column">
<table width="75%" border="1">
<tr>
<th>Class ID</th>
<th>SubjectID</th>
<th>Operations</th>
</tr>
<%
AssignOperation assop = new AssignOperation();
List<Assign> assinfo = assop.ShowAllAssignClsSub();
for(Assign ass : assinfo)
{
}%>
<tr>
<td><%=ass.getClassid() %></td>
<td><%=ass.getSubid() %></td>
<td><a href="DeleteAssignSubCls.jsp?clsid=<%=ass.getClassid() %>" >Delete</a></td>
<%
}
}%>
</table>
</div>
</div>
</form>
</body>
</html>

```

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%>
<%@ page import="com.Dbconnection.*" %>
<%@ page import="com.Elements.*" %>
<%@ page import="com.Element.Operation.*" %>
<%@ page import="java.util.*" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Student Details</title>
<style>
* {
box-sizing: border-box;
}
.row {
margin-left:-5px;
margin-right:-5px;
}
.column {
float: left;
width: 50%;
padding: 5px;
}
/* Clearfix (clear floats) */
.row::after {
content: "";
clear: both;
display: table;
}
table {
border-collapse: collapse;
border-spacing: 0;
width: 100%;
border: 1px solid #ddd;
}
th, td {
text-align: left;
padding: 16px;
}
tr:nth-child(even) {
background-color: #f2f2f2;
}
body{
background-image: url("23.png");
background-repeat: no-repeat;
}
.button {
background-color: #4CAF50;
border: none;
color: white;
padding: 15px 32px;
text-align: center;
text-decoration: none;
display: inline-block;
font-size: 16px;
margin: 4px 2px;
cursor: pointer;
}
</style>
<jsp:include page="Links.jsp"/>
</head>
<body class="body">
<form name="frmstd" method="post" action="StudentFun.jsp">
<div class="row">
<div class="column">
<table width="25%" border="1">
<tr>
```

```

<td>Student RollNo : </td>
<td><input type="text" name="stdroll" required/></td>
</tr>
<tr>
<td>Student Name : </td>
<td><input type="text" name="stdname" required/></td>
</tr>
<tr>
<td>Student Class: </td>
<td><input type="text" name="sclass" required/></td>
</tr>
<tr>
<td><input type="submit" value="Add Student" class="button"></td>
<td><input type="reset" value="Clear Form" class="button"/></td>
</tr>
<tr>
<td colspan="2">
<%
if(session.getAttribute("info")!=null)
{
String str = (String)session.getAttribute("info");
%>
<p> <%=str %></p>
<%
}
%>
</td>
</tr>
</table>
</div>
<div class="column">
<table width="75%" border="1">
<tr>
<th>Student RollNumber</th>
<th>Student Name</th>
<th>Student ClassID</th>
<th>Operations</th>
</tr>
<%
StudentOperation stdd = new StudentOperation();
List<Student> stdinfo = stdd.ShowAllStd();
for(Student std : stdinfo)
{
%>
<tr>
<td><%=std.getStdroll() %></td>
<td><%=std.getStdname() %></td>
<td><%=std.getStdclsid() %></td>
<td><a href="DeleteStudnet.jsp?stdroll=<%=std.getStdroll() %>" >Delete</a></td>
</tr>
<%
}
%>
</table>
</div>
</div>
</form>
</body>
</html>

```

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%>
<%@ page import="com.Dbconnection.*" %>
<%@ page import="com.Elements.*" %>
<%@ page import="com.Element.Operation.*" %>
<%@ page import="java.util.*" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Subject's</title>
<style>
* {
box-sizing: border-box;
}
.button {
background-color: #4CAF50;
border: none;
color: white;
padding: 15px 32px;
text-align: center;
text-decoration: none;
display: inline-block;
font-size: 16px;
margin: 4px 2px;
cursor: pointer;
}
.row {
margin-left:-5px;
margin-right:-5px;
}
.column {
float: left;
width: 50%;
padding: 5px;
}
/* Clearfix (clear floats) */
.row::after {
content: "";
clear: both;
display: table;
}
table {
border-collapse: collapse;
border-spacing: 0;
width: 100%;
border: 1px solid #ddd;
}
th, td {
text-align: left;
padding: 16px;
}
tr:nth-child(even) {
background-color: #f2f2f2;
}
</style>
<jsp:include page="Links.jsp"/>
</head>
<body>
<form name="frmsub" method="post" action="SubFun.jsp">
<div class="row">
<div class="column">
<table width="75%" border="1">
<tr>
<td>Subject ID : </td>
<td><input type="text" name="subid" required/></td>
</tr>
```

```

<tr>
<td>Subject name : </td>
<td><input type="text" name="subname" required/></td>
</tr>
<tr>
<td><input type="submit" value="Add Subject" class="button"></td>
<td><input type="reset" value="Clear" class="button"/></td>
</tr>
<tr>
<td colspan="2">
<%
if(session.getAttribute("info")!=null)
{
String str = (String)session.getAttribute("info");
%>
<p> <%=str %></p>
<%
}
%>
</td>
</tr>
</table>
</div>
<div class="column">
<table width="75%" border="1">
<tr>
<th>Subject ID</th>
<th>Subject Name</th>
<th>Operations</th>
</tr>
<%
SubOperation subop = new SubOperation();
List<Subjects> subinfo = subop.ShowAllSub();
for(Subjects sub : subinfo)
{
%>
<tr>
<td><%=sub.getSubid()%></td>
<td><%=sub.getSubname()%></td>
<td><a href="DeleteSubject.jsp?subid=<%=sub.getSubid()%>" >Delete</a></td>
</tr>
<%
}
%>
</form>
</body>
</html>

```



```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%>
<%@ page import="com.Dbconnection.*" %>
<%@ page import="com.Elements.*" %>
<%@ page import="com.Element.Operation.*" %>
<%@ page import="java.util.*" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Teacher's</title>
<style>
* {
box-sizing: border-box;
}
.row {
margin-left:-5px;
margin-right:-5px;
}
.column {
float: left;
width: 50%;
padding: 5px;
}
.button {
background-color: #4CAF50;
border: none;
color: white;
padding: 15px 32px;
text-align: center;
text-decoration: none;
display: inline-block;
font-size: 16px;
margin: 4px 2px;
cursor: pointer;
}
/* Clearfix (clear floats) */
.row::after {
content: "";
clear: both;
display: table;
}
table {
border-collapse: collapse;
border-spacing: 0;
width: 100%;
border: 1px solid #ddd;
}
th, td {
text-align: left;
padding: 16px;
}
tr:nth-child(even) {
background-color: #f2f2f2;
}
.button {
background-color: #21C1E8;
border: none;
color: white;
padding: 15px 32px;
text-align: center;
text-decoration: none;
display: inline-block;
font-size: 16px;
margin: 4px 2px;
cursor: pointer;
}
</style>
```

```

<jsp:include page="Links.jsp"/>
</head>
<body>
<form name="frmteacher" method="post" action="TeacherFun.jsp">
<div class="row">
<div class="column">
<table width="75%" border="1">
<tr>
<td>Teacher ID : </td>
<td><input type="text" name="teaaid" required/></td>
</tr>
<tr>
<td>Teacher Name : </td>
<td><input type="text" name="teaname" required/></td>
</tr>
<tr>
<td>Teacher Email : </td>
<td><input type="email" name="teaemail" required/></td>
</tr>
<tr>
<td>Teacher PhoneNo : </td>
<td><input type="text" name="teaphone" required/></td>
</tr>
<tr>
<td><input type="submit" value="Add Teacher" class="button"></td>
<td><input type="reset" value="Clear" class="button"/></td>
</tr>
<tr>
<td colspan="2">
<%
if(session.getAttribute("info")!=null)
{
String str = (String)session.getAttribute("info");
}%>
<p> <%=str %></p>
<%
}
}%>
</td>
</tr>
</table>
</div>
<div class="column">
<table width="75%" border="1">
<tr>
<th>Teacher ID</th>
<th>Teacher Name</th>
<th>Teacher Email</th>
<th>Teacher Phone</th>
<th>Operations</th>
</tr>
<%
TeacherOperation teaop = new TeacherOperation();
List<Teachers> teainfo = teaop.ShowAllTea();
for(Teachers tea : teainfo)
{
}%>
<tr>
<td><%=tea.getTeaid() %></td>
<td><%=tea.getTeaname() %></td>
<td><%=tea.getTeaemail() %></td>
<td><%=tea.getTeaphone() %></td>
<td><a href="DeleteTeacher.jsp?teaaid=<%=tea.getTeaid() %>" >Delete</a></td>
</tr>
<%
}
}%>
</table>
</div>

```

```
</div>
</form>
</body>
</html>
```

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Dashboard</title>
<jsp:include page="Links.jsp"/>
<style>
body{
padding: 25px;
background-image: url("23.png");
background-repeat: no-repeat;
background-size: 100%;
}
</style>
</head>
<body class="body" >
<h1>Devloper Name </h1>
<h2>Ashish Sanjay Bhatarkar</h2>
<h3>-----</h3>
<h2>Learner's Academy Online Management System</h2>
<p>Learner's Academy Is A School That Has An Online Management System. The System
Keeps Track Of Its Classes, Subjects,
Students, And Teachers. It Has A Back-Office Application With A Single Administrator
Login.</p>
<h4> There Are Multiple Options To Manage Academy Classes And There Teachers</h4>
<p><h4>In First Option We Can See </h4>
<br>Classes :- In This Option We Add Academy Classes.
<br>
<br>Subjects :- In This Option We Add Multiple Subjects
<br>
<br>Teachers :- In This Option We Add Teachers
<br>
<br>Assign :- In This Option We Can Assign Two Multiple Operations
<br>
<br>a) First Is Assign Teacher For A Class For Different Multiple Subjects
<br>
<br>b) Second Option Is Assign Subject For A Class
<br>
<br>Student :- In This Option We Add Student Of Our Academy
<br>
<br>Class Report :- In This Option We Can See Which Class Has Assign Teacher For A
Subject.</p>
<br>
<p><h4>It Is Very Useful Management System For Academy To Manage There Student, Teachers,
Classes And View Class Report Also.</h4></p>
<p></p>
</body>
</html>
```

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%>
<%@ page import="com.Dbconnection.*" %>
<%@ page import="com.Elements.*" %>
<%@ page import="com.Element.Operation.*" %>
<%
String classid = request.getParameter("clsid");
String subid = request.getParameter("subid");
Assign ass = new Assign();
ass.setClassid(Integer.parseInt(classid));
ass.setSubid(Integer.parseInt(subid));
AssignOperation AssOp = new AssignOperation();
String str = AssOp.AssignClsSub(ass);
if(str.equals("Success"))
{
session.setAttribute("info", "Assign Successfully.....");
response.sendRedirect("AddclsSub.jsp");
}
else
{
session.setAttribute("info", "Assign Not Possible.....");
response.sendRedirect("AddclsSub.jsp");
}
%>
```

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%>
<%@ page import="com.Dbconnection.*" %>
<%@ page import="com.Elements.*" %>
<%@ page import="com.Element.Operation.*" %>
<%
String teaid = request.getParameter("teaid");
String classid = request.getParameter("classid");
String subid = request.getParameter("subid");
Assign ass = new Assign();
ass.setTeaid(Integer.parseInt(teaid));
ass.setClassid(Integer.parseInt(classid));
ass.setSubid(Integer.parseInt(subid));
AssignOperation AssOp = new AssignOperation();
String str = AssOp.Assign(ass);
if(str.equals("Success"))
{
session.setAttribute("info", "Assign Successfully.....");
response.sendRedirect("Assin.jsp");
}
else
{
session.setAttribute("info", "Assign Not Possible.....");
response.sendRedirect("Assin.jsp");
}
%>
```

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%>
<%@ page import="com.Dbconnection.*" %>
<%@ page import="com.Elements.*" %>
<%@ page import="com.Element.Operation.*" %>
<%@ page import="java.util.*" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Assign</title>
<style>
* {
box-sizing: border-box;
}
.row {
margin-left:-5px;
margin-right:-5px;
}
.column {
float: left;
width: 50%;
padding: 5px;
}
/* Clearfix (clear floats) */
.row::after {
content: "";
clear: both;
display: table;
}
.button {
background-color: #4CAF50;
border: none;
color: white;
padding: 15px 32px;
text-align: center;
text-decoration: none;
display: inline-block;
font-size: 16px;
margin: 4px 2px;
cursor: pointer;
}
table {
border-collapse: collapse;
border-spacing: 0;
width: 100%;
border: 1px solid #ddd;
}
th, td {
text-align: left;
padding: 16px;
}
tr:nth-child(even) {
background-color: #f2f2f2;
}
</style>
<jsp:include page="Sublink.jsp"/>
</head>
<body>
<form name="frmass" method="post" action="AssignFun.jsp">
<div class="row">
<div class="column">
<table width="75%" border="1">
<tr>
<td>Teacher ID : </td>
<td><input type="text" name="teaid" required/></td>
</tr>
```

```

<tr>
<td>Class ID : </td>
<td><input type="text" name="classid" required/></td>
</tr>
<tr>
<td>Subject ID : </td>
<td><input type="text" name="subid" required/></td>
</tr>
<tr>
<td><input type="submit" value="Assign" class="button"></td>
<td><input type="reset" value="Clear" class="button"/></td>
</tr>
<tr>
<td colspan="2">
<%
if(session.getAttribute("info")!=null)
{
String str = (String)session.getAttribute("info");
%>
<p> <%=str %></p>
<%
}
%>
</td>
</tr>
</table>
</div>
<div class="column">
<table width="75%" border="1">
<tr>
<th>Teacher ID</th>
<th>Teacher Name</th>
<th>Class ID</th>
<th>Operations</th>
</tr>
<%
AssignOperation assop = new AssignOperation();
List<Assign> assinfo = assop.ShowAllAssign();
for(Assign ass : assinfo)
{
%>
<tr>
<td><%=ass.getTeaid() %></td>
<td><%=ass.getClassid() %></td>
<td><%=ass.getSubid() %></td>
<td><a href="DeleteAssignTeacher.jsp?teaid=<%=ass.getTeaid() %>" >Delete</a></td>
<%
}
%>
</table>
</div>
</div>
</form>
</body>
</html>

```

```

<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%>
<%@ page import="com.Dbconnection.*" %>
<%@ page import="com.Elements.*" %>
<%@ page import="com.Element.Operation.*" %>
<%
String clsid = request.getParameter("clsid");
String clsname = request.getParameter("clsname");
Classes cls = new Classes();

```

```
cls.setClassid(Integer.parseInt(clsid));
cls.setClassname(clsname);
ClassOperation Cops = new ClassOperation();
String str = Cops.Addcls(cls);
if(str.equals("Success"))
{
    session.setAttribute("info", "Class Added Successfully.....");
    response.sendRedirect("Addclass.jsp");
}
else
{
    session.setAttribute("info", "Class Not Added");
    response.sendRedirect("Addclass.jsp");
}
%>
```

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%>
<%@ page import="com.Dbconnection.*" %>
<%@ page import="com.Elements.*" %>
<%@ page import="com.Element.Operation.*" %>
<%@ page import="java.util.*" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>ADD CLASS</title>
<style>
* {
box-sizing: border-box;
}
.row {
margin-left:-5px;
margin-right:-5px;
}
.column {
float: left;
width: 100%;
padding: 5px;
}
/* Clearfix (clear floats) */
.row::after {
content: "";
clear: both;
display: table;
}
table {
border-collapse: collapse;
border-spacing: 0;
width: 100%;
border: 1px solid #ddd;
}
th, td {
text-align: left;
padding: 16px;
}
tr:nth-child(even) {
background-color: #f2f2f2;
}
</style>
<jsp:include page="Links.jsp"/>
</head>
<body>
<form name="frmcls" method="post" action="ClassFun.jsp">
<div class="row">
```

```

<div class="column">
<table width="100%" border="1">
<tr>
<th>Student RollNumber</th>
<th>Student Name</th>
<th>Student Classname</th>
<th>Student Subject</th>
<th>Student Assign Teacher</th>
</tr>
<%
AssignOperation AssOp = new AssignOperation();
List<ClassReport> clsrp = AssOp.ClsReport();
for(ClassReport clsRT : clsrp)
{
%>
<tr>
<td><%=clsRT.getStdroll() %></td>
<td><%=clsRT.getStdname() %></td>
<td><%=clsRT.getClassname() %></td>
<td><%=clsRT.getSubname() %></td>
<td><%=clsRT.getTeaname() %></td>
</tr>
<%
}
%>
</table>
</div>
</div>
</form>
</body>
</html>

```

```

<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%>
<%@ page import="com.Dbconnection.*" %>
<%@ page import="com.Elements.*" %>
<%@ page import="com.Element.Operation.*" %>
<%
String eno = request.getParameter("clsid");
AssignOperation AssOp = new AssignOperation();
String res = AssOp.DeleteAssignClsSub(Integer.parseInt(eno));
if(res.equals("Success"))
response.sendRedirect("AddclsSub.jsp");
%>

```

```

<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%>
<%@ page import="com.Dbconnection.*" %>
<%@ page import="com.Elements.*" %>
<%@ page import="com.Element.Operation.*" %>
<%
String eno = request.getParameter("teaid");
AssignOperation AssTeaOp = new AssignOperation();
String res = AssTeaOp.DeleteAssignTea(Integer.parseInt(eno));
if(res.equals("Success"))
response.sendRedirect("Assin.jsp");
%>

```



```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%>
<%@ page import="com.Dbconnection.*" %>
<%@ page import="com.Elements.*" %>
<%@ page import="com.Element.Operation.*" %>
<%
String eno = request.getParameter("classid");
ClassOperation ClssOp = new ClassOperation();
String res = ClssOp.DeleteCls(Integer.parseInt(eno));
if(res.equals("Success"))
response.sendRedirect("Addclass.jsp");
%>
```

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%>
<%@ page import="com.Dbconnection.*" %>
<%@ page import="com.Elements.*" %>
<%@ page import="com.Element.Operation.*" %>
<%
String eno = request.getParameter("stdroll");
StudentOperation StdOp = new StudentOperation();
String res = StdOp.Deletestd(Integer.parseInt(eno));
if(res.equals("Success"))
response.sendRedirect("AddStudent.jsp");
%>
```

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%>
<%@ page import="com.Dbconnection.*" %>
<%@ page import="com.Elements.*" %>
<%@ page import="com.Element.Operation.*" %>
<%
String eno = request.getParameter("subid");
SubOperation SubOp = new SubOperation();
String res = SubOp.DeleteSub(Integer.parseInt(eno));
if(res.equals("Success"))
response.sendRedirect("AddSub.jsp");
%>
```

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%>
<%@ page import="com.Dbconnection.*" %>
<%@ page import="com.Elements.*" %>
<%@ page import="com.Element.Operation.*" %>
<%
String eno = request.getParameter("teaid");
TeacherOperation TeaOp = new TeacherOperation();
String res = TeaOp.DeleteTea(Integer.parseInt(eno));
if(res.equals("Success"))
response.sendRedirect("AddTeacher.jsp");
%>
```



```
response.sendRedirect("Welcome.jsp");
}
%>
```

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%>
<%@ page import="com.Dbconnection.*" %>
<%@ page import="com.Elements.*" %>
<%@ page import="com.Element.Operation.*" %>
<%
String stdroll = request.getParameter("stdroll");
String stdname = request.getParameter("stdname");
String stdclsid = request.getParameter("sclass");
Student std = new Student();
std.setStdroll(Integer.parseInt(stdroll));
std.setStdname(stdname);
std.setStdclsid(Integer.parseInt(stdclsid));
StudentOperation StdOp = new StudentOperation();
String str = StdOp.Addstd(std);
if(str.equals("Success"))
{
session.setAttribute("info", "Student Added Successfully.....");
response.sendRedirect("AddStudent.jsp");
}
else
{
session.setAttribute("info", "Student Not Added");
response.sendRedirect("AddStudent.jsp");
}
%>
```

```
@charset "ISO-8859-1";
@import url("https://fonts.googleapis.com/css?family=Lato:400,700");
#bg {
background-image: url('img/background.jpg');
position: fixed;
left: 0;
top: 0;
width: 100%;
height: 100%;
background-size: cover;
filter: blur(5px);
}
body {
font-family: 'Lato', sans-serif;
color: #4A4A4A;
display: flex;
justify-content: center;
align-items: center;
min-height: 100vh;
overflow: hidden;
margin: 0;
padding: 0;
}
form {
width: 350px;
position: relative;
}
form .form-field::before {
```

```

font-size: 20px;
position: absolute;
left: 15px;
top: 17px;
color: #888888;
content: " ";
display: block;
background-size: cover;
background-repeat: no-repeat;
}
form .form-field:nth-child(1)::before {
background-image: url(img/user-icon.png);
width: 20px;
height: 20px;
top: 15px;
}
form .form-field:nth-child(2)::before {
background-image: url(img/lock-icon.png);
width: 16px;
height: 16px;
}
form .form-field {
display: -webkit-box;
display: -ms-flexbox;
display: flex;
-webkit-box-pack: justify;
-ms-flex-pack: justify;
justify-content: space-between;
-webkit-box-align: center;
-ms-flex-align: center;
align-items: center;
margin-bottom: 1rem;
position: relative;
}
form input {
font-family: inherit;
width: 100%;
outline: none;
background-color: #fff;
border-radius: 4px;
border: none;
display: block;
padding: 0.9rem 0.7rem;
box-shadow: 0px 3px 6px rgba(0, 0, 0, 0.16);
font-size: 17px;
color: #4A4A4A;
text-indent: 40px;
}
form .btn {
outline: none;
border: none;
cursor: pointer;
display: inline-block;
margin: 0 auto;
padding: 1rem 1.2rem;
text-align: center;
background-color: #47AB11;
color: #fff;
border-radius: 10px;
box-shadow: 0px 3px 5px rgba(0, 0, 0, 0.16);
font-size: 17px;
}

```



```
<body class="body">
</body>
</html>
```

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%>
<%@ page import="com.Dbconnection.*" %>
<%@ page import="com.Elements.*" %>
<%@ page import="com.Element.Operation.*" %>
<%
String teaid = request.getParameter("teaid");
String teaname = request.getParameter("teaname");
String teaemail = request.getParameter("teaemail");
String teaphone = request.getParameter("teaphone");
Teachers tea = new Teachers();
tea.setTeaid(Integer.parseInt(teaid));
tea.setTeaname(teaname);
tea.setTeaemail(teaemail);
tea.setTeaphone(Integer.parseInt(teaphone));
TeacherOperation teaOp = new TeacherOperation();
String str = teaOp.AddTea(tea);
if(str.equals("Success"))
{
session.setAttribute("info", "Teacher Added Successfully.....");
response.sendRedirect("AddTeacher.jsp");
}
else
{
session.setAttribute("info", "Teacher Not Added");
response.sendRedirect("AddTeacher.jsp");
}
%>
```

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%>
<%@ page import="com.Dbconnection.*" %>
<%@ page import="com.Elements.*" %>
<%@ page import="com.Element.Operation.*" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Learner's Academy</title>
<link rel="stylesheet" href="./Style.css">
</head>
<body>
<div id="bg"></div>
<form style="text-align:center;" action="LoginCheck.jsp" method="post">
<h1>Lerner's Academy</h1>
<br>
<h1 >Admin Login</h1>
<div class="form-field" >
<input type="text" name="Username" placeholder="Username"/>
</div>
<div class="form-field" >
<input type="password" name="password" placeholder="Password"/>
</div>
<div class="form-field">
```

```
<input type="submit" name="Login" value="Submit" class="btn" />
<input type="reset" name="Reset" value="Reset" class="btn"/>
</div>
</form>
</body>
</html>
```

```
package com.Dbconnection;
import java.sql.*;
public class Dbconnection {
public static Connection GetConnection()
{
Connection con = null;
try
{
Class.forName("com.mysql.cj.jdbc.Driver");
con = DriverManager.getConnection("jdbc:mysql://localhost:3306/academy", "root",
"Vishu@687");
}
catch(Exception ex)
{
System.out.println(ex);
}
return con;
}
}
```

```
package com.Element.Operation;

import java.sql.*;
import java.util.ArrayList;
import java.util.List;

import com.Dbconnection.*;
import com.Elements.*;

public class AssignOperation {

    private Connection con;
    private PreparedStatement ps;

    public AssignOperation()
    {
        con = Dbconnection.GetConnection();
    }

    public String Assign(Assign ass)
    {
        String chk="err";

        try {

            ps = con.prepareStatement("insert into assignteacher(teaid, classid,
subid) value(?,?,?)");

            ps.setInt(1, ass.getTeaid());
            ps.setInt(2, ass.getClassid());
            ps.setInt(3, ass.getSubid());
```

```

        int res = ps.executeUpdate();

        if(res>=1)
            chk = "Success";

    }
    catch(Exception ex)
    {
        chk = ex.getMessage();

    }
    return chk;

}

public List<Assign> ShowAllAssign()
{
    List<Assign> assinfo = new ArrayList<Assign>();
    Assign ass = null;

    try
    {
        ps = con.prepareStatement("select * from assignteacher order by teaid
desc");

        ResultSet rs = ps.executeQuery();

        while(rs.next())
        {
            ass = new Assign();
            ass.setTeaid(rs.getInt("teaid"));
            ass.setClassid(rs.getInt("classid"));
            ass.setSubid(rs.getInt("subid"));
            assinfo.add(ass);

        }
    }
    catch(Exception ex)
    {
    }
    return assinfo;
}

public String AssignClsSub(Assign ase)
{
    String chk="err";

    try {

        ps = con.prepareStatement("insert into assignclass(classid,
subid)value(?,?)");

        ps.setInt(1, ase.getClassid());
        ps.setInt(2, ase.getSubid());

        int res = ps.executeUpdate();

        if(res>=1)
            chk = "Success";

    }
    catch(Exception ex)
    {
        chk = ex.getMessage();

    }
    return chk;

}

```



```

public List<Assign> ShowAllAssignClsSub()
{
    List<Assign> assigninfo = new ArrayList<Assign>();
    Assign ass = null;

    try
    {
        ps = con.prepareStatement("select * from assignclass order by classid
desc");

        ResultSet rs = ps.executeQuery();

        while(rs.next())
        {
            ass = new Assign();
            ass.setClassid(rs.getInt("classid"));
            ass.setSubid(rs.getInt("subid"));
            assigninfo.add(ass);

        }
    }
    catch(Exception ex)
    {

    }
    return assigninfo;
}

public String DeleteAssignTea(int eno)
{
    String chk="err";

    try {

        ps = con.prepareStatement("delete from assignteacher where teaid=?");
        ps.setInt(1, eno);

        int res = ps.executeUpdate();

        if(res>=1)
            chk = "Success";

    }
    catch(Exception ex)
    {
        chk = ex.getMessage();
    }
    return chk;
}

public String DeleteAssignClsSub(int eno)
{
    String chk="err";

    try {

        ps = con.prepareStatement("delete from assignclass where classid=?");
        ps.setInt(1, eno);

        int res = ps.executeUpdate();

        if(res>=1)
            chk = "Success";

    }
    catch(Exception ex)
    {

```

```

        chk = ex.getMessage();
    }
    return chk;
}

public List<ClassReport> ClsReport()
{
    List<ClassReport> clsrpt = new ArrayList<ClassReport>();
    ClassReport clsR = null;

    try {

        ps = con.prepareStatement("select student.stdroll, student.stdname,
sclass.classname, subjects.subname, teachers.teaname\r\n"
                                + "from teachers inner join assignteacher\r\n"
                                + "on teachers.teaid = assignteacher.teaid\r\n"
                                + "inner join subjects on assignteacher.subid =
subjects.subid\r\n"
                                + "inner join sclass on assignteacher.classid =
sclass.classid\r\n"
                                + "inner join student on sclass.classid =
student.stdclsid");

        ResultSet rs = ps.executeQuery();

        while(rs.next())
        {

            clsR = new ClassReport();

            clsR.setStdroll(rs.getInt("student.stdroll"));
            clsR.setStdname(rs.getString("student.stdname"));
            clsR.setClassname(rs.getString("sclass.classname"));
            clsR.setSubname(rs.getString("subjects.subname"));
            clsR.setTeaname(rs.getString("teachers.teaname"));
            clsrpt.add(clsR);

        }
    }

    catch(Exception ex)
    {

    }

    return clsrpt;
}
}

```

```

package com.Element.Operation;
import com.Dbconnection.*;
import com.Elements.*;
import java.sql.*;
import java.util.ArrayList;
import java.util.List;

```

```
public class ClassOperation {

    private Connection con;
    private PreparedStatement ps;

    public ClassOperation()
    {
        con = Dbconnection.GetConnection();
    }

    public String Addcls(Classes cls)
    {
        String chk="err";

        try {

            ps = con.prepareStatement("insert into sclass(classid,
classname)value(?,?)");

            ps.setInt(1, cls.getClassid());
            ps.setString(2, cls.getClassName());

            int res = ps.executeUpdate();

            if(res>=1)
                chk = "Success";

        }
        catch(Exception ex)
        {
            chk = ex.getMessage();
        }

        return chk;
    }

    public List<Classes> ShowAllcls()
    {
        List<Classes> clsinfo = new ArrayList<Classes>();
        Classes cls = null;

        try
        {
            ps = con.prepareStatement("select * from sclass order by classid desc");
            ResultSet rs = ps.executeQuery();

            while(rs.next())
            {
                cls = new Classes();

                cls.setClassid(rs.getInt("classid"));
                cls.setClassname(rs.getString("classname"));
                clsinfo.add(cls);

            }
        }
        catch(Exception ex)
        {
        }

        return clsinfo;
    }

    public String DeleteCls(int eno)
    {

```

```

        String chk="err";

        try {

            ps = con.prepareStatement("delete from sclass where classid=?");
            ps.setInt(1, eno);

            int res = ps.executeUpdate();

            if(res>=1)
                chk = "Success";

        }
        catch(Exception ex)
        {
            chk = ex.getMessage();
        }

        return chk;
    }

}

```

```

package com.Element.Operation;
import java.sql.*;
import java.util.ArrayList;
import java.util.List;

import com.Dbconnection.*;
import com.Elements.*;

public class StudentOperation {

    private Connection con;
    private PreparedStatement ps;

    public StudentOperation()
    {
        con = Dbconnection.GetConnection();
    }

    public String Addstd(Student std)
    {
        String chk="err";

        try {

            ps = con.prepareStatement("insert into student(stdroll, stdname,
stdclsid) value(?,?,?)");

            ps.setInt(1, std.getStdroll());
            ps.setString(2, std.getStdname());
            ps.setInt(3, std.getStdclsid());

            int res = ps.executeUpdate();

            if(res>=1)
                chk = "Success";

```

```

    }
    catch(Exception ex)
    {
        chk = ex.getMessage();

    }
    return chk;
}

public List<Student> ShowAllStd()
{
    List<Student> stdinfo = new ArrayList<Student>();
    Student std = null;

    try
    {
        ps = con.prepareStatement("select * from student order by stdroll
desc");

        ResultSet rs = ps.executeQuery();

        while(rs.next())
        {
            std = new Student();
            std.setStdroll(rs.getInt("stdroll"));
            std.setStdname(rs.getString("stdname"));
            std.setStdclsid(rs.getInt("stdclsid"));
            stdinfo.add(std);

        }
    }
    catch(Exception ex)
    {
    }
    return stdinfo;
}

public String Deletestd(int eno)
{
    String chk="err";

    try {

        ps = con.prepareStatement("delete from student where stdroll=?");
        ps.setInt(1, eno);

        int res = ps.executeUpdate();

        if(res>=1)
            chk = "Success";

    }
    catch(Exception ex)
    {
        chk = ex.getMessage();

    }
    return chk;
}

}

```

```
package com.Element.Operation;
import com.Dbconnection.*;
import com.Elements.*;
import java.sql.*;
import java.util.ArrayList;
import java.util.List;

public class SubOperation {

    private Connection con;
    private PreparedStatement ps;

    public SubOperation()
    {
        con = Dbconnection.GetConnection();
    }

    public String Addsub(Subjects subs)
    {
        String chk="err";

        try {

            ps = con.prepareStatement("insert into Subjects(subid,
subname) value(?,?)");

            ps.setInt(1, subs.getSubid());
            ps.setString(2, subs.getSubname());

            int res = ps.executeUpdate();

            if(res>=1)
                chk = "Success";

        }
        catch(Exception ex)
        {
            chk = ex.getMessage();
        }
        return chk;
    }

    public List<Subjects> ShowAllSub()
    {
        List<Subjects> subinfo = new ArrayList<Subjects>();
        Subjects sub = null;

        try
        {
            ps = con.prepareStatement("select * from Subjects order by subid desc");
            ResultSet rs = ps.executeQuery();

            while(rs.next())
            {
                sub = new Subjects();

                sub.setSubid(rs.getInt("subid"));
                sub.setSubname(rs.getString("subname"));

                subinfo.add(sub);

            }

        }
    }
}
```

```

        catch(Exception ex)
        {

        }
        return subinfo;
    }

    public String DeleteSub(int eno)
    {
        String chk="err";

        try {

            ps = con.prepareStatement("delete from Subjects where subid=?");
            ps.setInt(1, eno);

            int res = ps.executeUpdate();

            if(res>=1)
                chk = "Success";

        }
        catch(Exception ex)
        {
            chk = ex.getMessage();

        }
        return chk;
    }

}

```

```

package com.Element.Operation;
import java.sql.*;
import java.util.ArrayList;
import java.util.List;

import com.Dbconnection.*;
import com.Elements.*;

public class TeacherOperation {

    private Connection con;
    private PreparedStatement ps;

    public TeacherOperation()
    {
        con = Dbconnection.GetConnection();
    }

    public String AddTea(Teachers tea)
    {
        String chk="err";

        try {

            ps = con.prepareStatement("insert into teachers(teaid, teaname,
teaemail, teaphone)value(?,?,?,?)");

            ps.setInt(1, tea.getTeaid());
            ps.setString(2, tea.getTeaname());
            ps.setString(3, tea.getTeaemail());
            ps.setInt(4, tea.getTeaphone());

```

```

        int res = ps.executeUpdate();

        if(res>=1)
            chk = "Success";

    }
    catch(Exception ex)
    {
        chk = ex.getMessage();

    }
    return chk;
}

public List<Teachers> ShowAllTea()
{
    List<Teachers> teainfo = new ArrayList<Teachers>();
    Teachers tea = null;

    try
    {
        ps = con.prepareStatement("select * from teachers order by teaid desc");
        ResultSet rs = ps.executeQuery();

        while(rs.next())
        {
            tea = new Teachers();
            tea.setTeaid(rs.getInt("teaid"));
            tea.setTeaname(rs.getString("teaname"));
            tea.setTeaemail(rs.getString("teaemail"));
            tea.setTeaphone(rs.getInt("teaphone"));
            teainfo.add(tea);

        }
    }
    catch(Exception ex)
    {
    }
    return teainfo;
}

public String DeleteTea(int eno)
{
    String chk="err";

    try {

        ps = con.prepareStatement("delete from teachers where teaid=?");
        ps.setInt(1, eno);

        int res = ps.executeUpdate();

        if(res>=1)
            chk = "Success";

    }
    catch(Exception ex)
    {
        chk = ex.getMessage();

    }
    return chk;
}

public List<Teachers> ShowTeaname()

```



```

    {
        List<Teachers> teainfo = new ArrayList<Teachers>();
        Teachers tea = null;

        try
        {
            ps = con.prepareStatement("select teaname from teachers where teaid=?");
            ResultSet rs = ps.executeQuery();

            while(rs.next())
            {
                tea = new Teachers();

                tea.setTeaname(rs.getString("teaname"));
                teainfo.add(tea);

            }
        }
        catch(Exception ex)
        {

        }
        return teainfo;
    }
}

```

```

package com.Elements;
public class Assign {
private int teaid;
private int classid;
private int subid;
public int getTeaid() {
return teaid;
}
public void setTeaid(int teaid) {
this.teaid = teaid;
}
public int getClassid() {
return classid;
}
public void setClassid(int classid) {
this.classid = classid;
}
public int getSubid() {
return subid;
}
public void setSubid(int subid) {
this.subid = subid;
}
}

```

```

package com.Elements;
public class Classes {
private int classid;
private String classname;
public int getClassid() {
return classid;
}
public void setClassid(int classid) {
this.classid = classid;
}
}

```

```
public String getClassname() {  
    return classname;  
}  
public void setClassname(String classname) {  
    this.classname = classname;  
}  
}
```

```
package com.Elements;
```

```
import java.sql.ResultSet;  
import java.util.ArrayList;  
import java.util.List;
```

```
public class ClassReport {  
  
    private int stdroll;  
    private String stdname;  
    private String classname;  
    private String subname;  
    private String teaname;  
  
    public int getStdroll() {  
        return stdroll;  
    }  
    public void setStdroll(int stdroll) {  
        this.stdroll = stdroll;  
    }  
    public String getStdname() {  
        return stdname;  
    }  
    public void setStdname(String stdname) {  
        this.stdname = stdname;  
    }  
    public String getClassname() {  
        return classname;  
    }  
    public void setClassname(String classname) {  
        this.classname = classname;  
    }  
    public String getSubname() {  
        return subname;  
    }  
    public void setSubname(String subname) {  
        this.subname = subname;  
    }  
    public String getTeaname() {  
        return teaname;  
    }  
    public void setTeaname(String teaname) {  
        this.teaname = teaname;  
    }  
  
}
```

```
package com.Elements;  
public class Student {
```

```
private int stdroll;
private String stdname;
private int stdclsid;
private int stdsubid;
public int getStdroll() {
return stdroll;
}
public void setStdroll(int stdroll) {
this.stdroll = stdroll;
}
public String getStdname() {
return stdname;
}
public void setStdname(String stdname) {
this.stdname = stdname;
}
public int getStdclsid() {
return stdclsid;
}
public void setStdclsid(int stdclsid) {
this.stdclsid = stdclsid;
}
public int getStdsubid() {
return stdsubid;
}
public void setStdsubid(int stdsubid) {
this.stdsubid = stdsubid;
}
}
```

```
package com.Elements;
public class Subjects {
private int subid;
private String subname;
public int getSubid() {
return subid;
}
public void setSubid(int subid) {
this.subid = subid;
}
public String getSubname() {
return subname;
}
public void setSubname(String subname) {
this.subname = subname;
}
}
```

```
package com.Elements;
public class Teachers {
private int teaid;
private String teaname;
private String teaemail;
private int teaphone;
public int getTeaid() {
return teaid;
}
public void setTeaid(int teaid) {
this.teaid = teaid;
}
public String getTeaname() {
return teaname;
}
public void setTeaname(String teaname) {
```

```
this.teaname = teaname;
}
public String getTeaemail() {
return teaemail;
}
public void setTeaemail(String teaemail) {
this.teaemail = teaemail;
}
public int getTeaphone() {
return teaphone;
}
public void setTeaphone(int teaphone) {
this.teaphone = teaphone;
}
}
```