

Instructions on RAG Pipeline

Crucial Grading Note: Only code within `start_rag_here.py` will be graded.

- Do **not** create new files or use other folders for your solution.
- The autograder *only* checks `start_rag_here.py`. Any code outside of this file will result in a **score of 0**.

Prerequisites: Install Required Packages before you start coding

1. Open a terminal (Use shortcut: Ctrl + `).
2. Run the command: `pip install -r requirements.txt`
3. This installation may take up to 5 minutes. Use this time to read all instructions carefully.

Note: "LLM and embeddings are already provided and tested in the `start_rag_here.py` file using a version of the libraries. However, due to rapid library updates, you may install, uninstall, or modify libraries as needed, and you have full control over the `start_rag_here.py` file."

Allowed Libraries and Resources

Action	Status	Details
Use RAG libraries	✓ MUST	You must use specified RAG libraries (e.g., LangChain/LlamaIndex/Langgraph).
Consult documentation/open web for reference	✓ MAY	You can use external references.
Modify requirements.txt	✗ DO NOT	Do not install extra-heavy packages; they can destabilize the environment.
Place code in new files	✗ DO NOT	Keep all solution code in <code>start_rag_here.py</code> .
Modify "DO NOT MODIFY" files	✗ DO NOT	Do not change any files with the comment # IMPORTANT! DO NOT MODIFY THIS FILE.
Use .ipynb files	CONDITIONAL	You can create notebook files for testing, but you must remove them before submission.

Testing and Verification (Highly Recommended)

- **Primary Test Command:** Run `pytest tests/test_main.py` from the terminal to sanity-check your solution before submission.
- Alternatively, you can execute each task file individually.

Common Mistakes Resulting in a 0 Score:

1. Writing the solution outside of `start_rag_here.py`.
2. Installing extra large libraries that overload or crash the environment.
3. **Skipping the installation command:** `pip install -r requirements.txt`.
4. Failing to run `pytest tests/test_main.py` to verify the code before submission.

APT Pre-Test Candidate Instructions

Please follow these guidelines to ensure a smooth and continuous testing experience.

1. Application Settings

- **Close Other Applications:** Verify that no other applications are currently using your **microphone**, **camera**, or **screen share** functionality.
- **Importance:** Running conflicting applications can disrupt the test and cause functional issues.

2. Troubleshooting Guide

Issue Category	Recommended Action	Details
General Problems	Contact support immediately.	Applies to "Flow has been completed" or other unexpected messages.
Connection/Screen Share Errors	Switch Browsers.	Recommended browser: Latest versions of Chrome.
Blank Screen	1. Clear Your Browser Cache. 2. Reload the Page (F5/Ctrl+R). 3. Hard Reload (if persists).	Hard Reload Commands: - Mac: CMD + Shift + R Windows/Linux: Ctrl + Shift + R

3. Changing Default Browser Settings (Highly Recommended)

For the best experience, set your default browser to **Google Chrome** or **Mozilla Firefox**.

For Windows

1. **Open Settings:** Click the **Start** menu, then select the **Settings** gear icon.
2. **Navigate:** Go to **Apps**.
3. **Default Apps:** Select **Default apps** on the left sidebar.
4. **Set Web Browser:** Click on your current default browser under "Web browser" and select **Google Chrome** or **Mozilla Firefox**.

For macOS

1. **Open System Preferences:** Click the **Apple** menu, then select **System Preferences**.
2. **Navigate:** Click on **General**.
3. **Set Default:** Locate the **Default web browser** dropdown menu and choose **Google Chrome** or **Mozilla Firefox**.

Please complete all steps before beginning the test. Good luck!