

C2_04 Gate A Protected Review - Astra RC4

SaaS Revenue & Customer Success. Open only after a saved independent Gate A attempt; close this review before changed repair proof.

1. Objective controls

Control	Expected	Why it matters
Core grains	110 subscriptions 330 monthly billing rows	Billing has exactly 3 rows/subscription; subscription and billing grains are not interchangeable.
Subscription status	73 Active 37 Churned	Any churn/active-rate denominator must be written explicitly.
MRR control	All subscription MRR 368,806.60 Active MRR 242,025.86	Shows why status filter changes the business population.
Billing by month	Apr 368,806.60 May 376,182.70 Jun 365,118.49	Period measure must respect BillingDate context.
Payment status	219 Paid 111 Failed	A paid-rate numerator/denominator must reconcile to 330.
Targets	9 Plan-Month rows Apr/May/Jun targets 186,000 / 193,500 / 201,000	Higher-grain target; do not repeat under subscription/billing detail.
Active snapshot	3 Plan rows/date; totals Apr 291, May 300, Jun 309	Semi-additive: "latest active" is 309, not the 900 sum across all snapshots.
RLS mapping	multi.cs@example.com -> East + South	Dynamic RLS must allow the union of both mapped regions, not one arbitrary row.

2. Expected reasoning path

Start by separating facts: Subscription is one subscription, Billing is one subscription-month invoice, MonthlyTargets is one Plan-Month, and ActiveSnapshot is one Plan-SnapshotDate. Measures must name the fact/grain they summarize.

A naive SUM of ActiveAccounts over the snapshot fact returns 900 across all nine rows. The latest overall snapshot is 309 on 2026-06-28. The correct measure therefore needs a latest-date/semi-additive contract, not just SUM.

The three monthly target totals rise from 186,000 to 201,000. “Current target,” “period target,” and “cumulative target” are different measures; totals must follow the chosen definition instead of whatever the matrix grand total happens to do.

Billing has exactly three rows for each subscription, and April billed amount happens to equal the all-subscription MRR control. That coincidence does not make Subscription MRR and Billing Amount the same measure across all periods.

Dynamic RLS user multi.cs@example.com has two mapping rows (East and South). The intended security result is the union of allowed regions. Test single-region users, the multi-region user, and an unmapped identity before release.

3. Critical failures

- Sums all snapshots and reports 900 as current active accounts.
- Repeats Plan-Month target at billing/subscription detail and trusts the visual total.
- Computes churn/paid rate without stating denominator and blank/failed treatment.
- Creates a total-only DAX fix that breaks row/slicer behavior.
- Hides critical conclusion only in color/tooltip or leaves navigation without reset/back path.
- Tests RLS only as one easy user and never tests the multi-region identity or denied case.
- Publishes without refresh/change/security ownership.

4. Competency floors

Competency	Required proof
DAX context / totals	Detail, subtotal/grand-total and changed-filter behavior match the written measure contract.
Time / semi-additivity	Period boundaries and snapshots/targets use correct grain; current/latest vs cumulative behavior is explicit.
Report / interactions	Decision hierarchy plus drill/tooltip/bookmark state tests; no essential conclusion is hover-only.
Accessibility / RLS	Meaning survives non-color/keyboard use; each relevant identity (including multi-mapped and denied cases) is tested.
Lifecycle / release	Owner, distribution, refresh/change/security evidence and RELEASE/BLOCK decision are explicit.

Changed repair proof

This protected review opens only after a saved genuine Gate A attempt. Close the review, complete a changed fresh retry on new SaaS evidence for the named weak competency, and save the retry evidence. Gate B is a different Support Operations full reassessment and opens only when explicitly assigned after repair.