

C2_07 Gate B - Protected Review RC4

Education Enrollment. Fresh remediation reassessment only when explicitly assigned after Gate A repair; open review only after saved Gate B attempt.

Page 1 - Objective scenario controls

Control area	Gate evidence
Domain	Education Enrollment
Workspaces	Enrollment DEV Enrollment TEST Enrollment PROD Student Data Platform PROD
Personas	edu-builders: build/edit DEV/TEST school-leads: consume PROD app district-auditor: item/model access only spn-edu-deploy: deployment pipeline
Sources / freshness	Student SaaS: cloud, no gateway, expected 04:30 LegacyAdmissionsDB: on-prem, gateway required, expected 04:00 Budget Targets: cloud, no gateway, expected 05:00
Passed change	New enrollment segment: PASS, DEV -> TEST
Blocking change	School ownership mapping: FAIL, TEST -> PROD - must block
Incidents	I-B1 Medium: app inaccessible - group removed from audience I-B2 High: model refresh failed - Legacy DB credential expired

What a strong attempt must prove

Architecture/workspace boundary, least privilege, source connectivity/gateway choice, source-specific freshness, release blocking, incident diagnosis/ownership, recovery validation and consumer communication where needed.

Page 2 - Expected reasoning and traps

Expected reasoning / diagnostic control
A passed segment change may move DEV -> TEST, but the failed school ownership mapping blocks TEST -> PROD.
LegacyAdmissionsDB needs the gateway and valid credentials; an expired credential is a different failure from an app audience group removal.
district-auditor needs specific item/model access, not broad workspace editing rights.
Student SaaS can be current at 04:30 while Budget Targets is only expected by 05:00; freshness is source-specific.
Audience configuration can make an otherwise healthy report inaccessible; troubleshoot identity/audience separately from refresh.

Common failure patterns

Looks plausible	Why it fails
Green refresh/pipeline means data is correct	Execution state does not prove upstream completeness, correct security or business freshness.
Give broad workspace role because it is easier	It violates least privilege and expands build/share/admin capability beyond the business need.
Promote because most tests passed	A designated blocking security/logic control must pass before TEST -> PROD promotion.
Use one freshness timestamp for all sources	Cloud/on-prem/stream/reference sources have different availability and dependencies.
Fix symptom and close incident	Recovery is incomplete until downstream access/freshness/business behavior is validated.

Page 3 - Repair and fresh retry

Use this review only after a saved genuine Gate attempt. Do not copy these controls into the attempt.

Repair step	Required evidence
1. Diagnose	Name the exact failed competency: architecture boundary, permission scope, gateway/credential, freshness, release gate or incident reasoning.
2. Repair	Revisit only the named lesson/practice control. Write one corrected decision and why the previous decision was unsafe/incomplete.
3. Close review	Do not keep the worked review visible during the reassessment.
4. Changed fresh retry	Solve a new domain/source/persona/release/incident case. Fresh B/C evidence must not reuse the prior Gate answer.
5. Save evidence	Store retry decision table/diagram, assumptions, validation checks, incident/release result and own-words explanation as a new artifact.

Pass standard

The learner can make the new decisions without the review open, justify least privilege and environment boundaries, distinguish execution from business correctness, block unsafe promotion, and explain what evidence would prove recovery.