

C2_07 Gate A - Protected Review RC4

Fleet Maintenance. Normal Gate after CLD1-CLD10 mastery and Northstar Mini-Lab; open review only after a saved genuine Gate A attempt.

Page 1 - Objective scenario controls

Control area	Gate evidence
Domain	Fleet Maintenance
Workspaces	Fleet DEV Fleet TEST Fleet PROD Fleet Data Platform PROD
Personas	fleet-bi-builders: build/edit Fleet DEV/TEST fleet-managers: consume Fleet App fleet-vendor: one report, temporary, Fleet PROD item only spn-fleet-deploy: deploy DEV/TEST/PROD
Sources / freshness	Telemetry API: cloud, no gateway, expected 05:30 OnPremMaintenanceSQL: on-prem, gateway required, expected 05:15 Excel Targets: SharePoint cloud, no gateway, expected 05:45
Passed change	New downtime measure: PASS, TEST -> PROD
Blocking change	Maintenance Status logic change: FAIL, TEST -> PROD - must block
Incidents	I-A1 High: stale report - Gateway service unavailable I-A2 High: pipeline green but vehicle count low - late telemetry partition

What a strong attempt must prove

Architecture/workspace boundary, least privilege, source connectivity/gateway choice, source-specific freshness, release blocking, incident diagnosis/ownership, recovery validation and consumer communication where needed.

Page 2 - Expected reasoning and traps

Expected reasoning / diagnostic control
Fleet PROD is a consumer production boundary; Fleet Data Platform PROD is a separate platform-owned production workspace.
The report cannot be certified fresh earlier than every required input satisfies its own availability/freshness rule; Excel Targets is latest at 05:45 if all three are required.
Only OnPremMaintenanceSQL requires the on-premises gateway in this fixture.
The failed Maintenance Status logic change blocks promotion even though the downtime measure passed.
A green pipeline plus low vehicle count proves execution status and business completeness are different controls.
fleet-vendor should not receive broad workspace build rights for a temporary single-report need.

Common failure patterns

Looks plausible	Why it fails
Green refresh/pipeline means data is correct	Execution state does not prove upstream completeness, correct security or business freshness.
Give broad workspace role because it is easier	It violates least privilege and expands build/share/admin capability beyond the business need.
Promote because most tests passed	A designated blocking security/logic control must pass before TEST -> PROD promotion.
Use one freshness timestamp for all sources	Cloud/on-prem/stream/reference sources have different availability and dependencies.
Fix symptom and close incident	Recovery is incomplete until downstream access/freshness/business behavior is validated.

Page 3 - Repair and fresh retry

Use this review only after a saved genuine Gate attempt. Do not copy these controls into the attempt.

Repair step	Required evidence
1. Diagnose	Name the exact failed competency: architecture boundary, permission scope, gateway/credential, freshness, release gate or incident reasoning.
2. Repair	Revisit only the named lesson/practice control. Write one corrected decision and why the previous decision was unsafe/incomplete.
3. Close review	Do not keep the worked review visible during the reassessment.
4. Changed fresh retry	Solve a new domain/source/persona/release/incident case. Fresh B/C evidence must not reuse the prior Gate answer.
5. Save evidence	Store retry decision table/diagram, assumptions, validation checks, incident/release result and own-words explanation as a new artifact.

Pass standard

The learner can make the new decisions without the review open, justify least privilege and environment boundaries, distinguish execution from business correctness, block unsafe promotion, and explain what evidence would prove recovery.