

C2-01 Protected Practice Review

OPEN ONLY AFTER THE MATCHING GENUINE ATTEMPT

HOW TO USE

Compare your reasoning and controls, not your exact formula text. If your attempt is weak, tag the failed competency, close this review, repair that competency, then solve the changed retry without reopening the review.

CRITICAL ANTI-CHEAT RULE

Do not edit the original attempt until it looks like the review. Preserve the first attempt as evidence. A reviewed formula/query is not mastery; transfer on changed data is the mastery test.

CORE SAFETY SIGNALS

No hidden hard-coded business constants; no dirty lookup key accepted silently; no spill result trusted without count control; no Pivot trusted without refresh/reconciliation; no folder combine trusted without file scope; no merge trusted without grain/key checks; no month-end report released with failed critical controls.

AX1 protected review signals

Close this page before the changed retry

Strong signal

Assumptions live once, calculations reference them, output reconciles, and at least one control is independent of the business-output formula.

COMMON FAILURE PATTERN

The tool produced a plausible output, but the learner did not prove key/source/grain/row/total behavior independently. Treat this as Developing even when the visible result looks correct.

Changed retry

Replace the fuel surcharge with a RemoteAreaFee and a different free-shipping rule. Do not copy the original formula structure blindly.

AX2 protected review signals

Close this page before the changed retry

Strong signal

You test key quality before lookup, use exact-match logic, keep no-match visible, and prove source row count is unchanged.

COMMON FAILURE PATTERN

The tool produced a plausible output, but the learner did not prove key/source/grain/row/total behavior independently. Treat this as Developing even when the visible result looks correct.

Changed retry

Employee -> Department lookup: one duplicated employee master key and one missing department mapping.

AX3 protected review signals

Close this page before the changed retry

Strong signal

The spill result is understood as an array, count parity is proven, #SPILL! is recovered deliberately, and source expansion is tested.

COMMON FAILURE PATTERN

The tool produced a plausible output, but the learner did not prove key/source/grain/row/total behavior independently. Treat this as Developing even when the visible result looks correct.

Changed retry

Create a sorted unique product-region exception list with two conditions and a different sort order.

AX4 protected review signals

Close this page before the changed retry

Strong signal

Numerator, denominator, population, exclusions and date boundaries are explicit; one manual/filter or alternate calculation reconciles the KPI.

COMMON FAILURE PATTERN

The tool produced a plausible output, but the learner did not prove key/source/grain/row/total behavior independently. Treat this as Developing even when the visible result looks correct.

Changed retry

Build Refund Rate where eligible population excludes test orders and cancelled-before-fulfillment orders.

AX5 protected review signals

Close this page before the changed retry

Strong signal

The Pivot answers a written business question, aggregation is intentional, refresh is proven and the grand total reconciles to source.

COMMON FAILURE PATTERN

The tool produced a plausible output, but the learner did not prove key/source/grain/row/total behavior independently. Treat this as Developing even when the visible result looks correct.

Changed retry

Orders by Category and Channel; use a different aggregation and a month slicer.

AX6 protected review signals

Close this page before the changed retry

Strong signal

Applied Steps are readable; types are deliberate; source row count is known; row-changing steps are explained; refresh reproduces the output.

COMMON FAILURE PATTERN

The tool produced a plausible output, but the learner did not prove key/source/grain/row/total behavior independently. Treat this as Developing even when the visible result looks correct.

Changed retry

Import a service log with mixed date formats and inconsistent status text.

AX7 protected review signals

Close this page before the changed retry

Strong signal

Expected file scope is explicit; backup file contributes zero; Source.Name is retained; per-file contributions reconcile; schema drift is surfaced.

COMMON FAILURE PATTERN

The tool produced a plausible output, but the learner did not prove key/source/grain/row/total behavior independently. Treat this as Developing even when the visible result looks correct.

Changed retry

Use a folder where one expected month is missing and one unexpected extra file exists.

AX8 protected review signals

Close this page before the changed retry

Strong signal

Append behavior is predicted, right-side merge key is unique before expansion, unmatched keys are visible, and fact row count/total do not multiply.

COMMON FAILURE PATTERN

The tool produced a plausible output, but the learner did not prove key/source/grain/row/total behavior independently. Treat this as Developing even when the visible result looks correct.

Changed retry

Merge customer attributes where one source customer has no master match and justify the join kind.

AX9 protected review signals

Close this page before the changed retry

Strong signal

Parameter purpose/type/owner is documented, only one value changes, query dependencies are predictable and before/after controls prove intended effect.

COMMON FAILURE PATTERN

The tool produced a plausible output, but the learner did not prove key/source/grain/row/total behavior independently. Treat this as Developing even when the visible result looks correct.

Changed retry

Use a Text Region parameter or FolderPath parameter instead of a Date parameter.

AX10 protected review signals

Close this page before the changed retry

Strong signal

A successful refresh is only one step. Release requires input scope, key/error checks, critical totals, report reconciliation, owner/status and rerun evidence.

COMMON FAILURE PATTERN

The tool produced a plausible output, but the learner did not prove key/source/grain/row/total behavior independently. Treat this as Developing even when the visible result looks correct.

Changed retry

Quarter-end case with schema drift and a late expected file; decide whether to block or escalate.