

C2-03 Protected Practice Review

OPEN ONLY AFTER THE MATCHING MODEL ATTEMPT IS SAVED

HOW TO USE

Compare model reasoning and evidence, not screenshots. Preserve the first PBIX/design attempt. If a competency is weak, close the review, repair it, then complete the changed retry on a different business case.

CRITICAL FAILURES

Mixed/unstated fact grain; duplicate one-side key ignored; M:M or Both direction used as a shortcut; ambiguous filter path; unknown facts silently filtered away; date-role behavior not tested; source/model totals not reconciled; performance claim without observed evidence; review opened before genuine attempt.

MODEL-SAFETY PRINCIPLE

A relationship icon is not validation. For material models, prove source shape, one-side key quality, filter propagation and measure totals separately.

PBM-A1 protected review signals

Close this page before the changed retry

Strong signal

The process, business questions, facts, dimensions, fact grains and initial controls are explicit before any relationship line is drawn.

IF THE MODEL LOOKS RIGHT BUT THIS EVIDENCE IS MISSING

Treat the lesson as Developing. A visually tidy star without key, filter and reconciliation evidence is not senior-level model mastery.

Changed retry

Support operations: define process, fact grains, dimensions and QA controls before opening Model view.

PBM-A2 protected review signals

Close this page before the changed retry

Strong signal

Facts/dimensions are classified by row meaning and relationship role; supposed one-side keys are actually tested for uniqueness/nonblank values.

IF THE MODEL LOOKS RIGHT BUT THIS EVIDENCE IS MISSING

Treat the lesson as Developing. A visually tidy star without key, filter and reconciliation evidence is not senior-level model mastery.

Changed retry

Clinic encounters, billing events, provider and patient dimensions.

PBM-A3 protected review signals

Close this page before the changed retry

Strong signal

Facts remain separate by process/grain and are filtered through conformed dimensions; no casual fact-to-fact many-to-many shortcut.

IF THE MODEL LOOKS RIGHT BUT THIS EVIDENCE IS MISSING

Treat the lesson as Developing. A visually tidy star without key, filter and reconciliation evidence is not senior-level model mastery.

Changed retry

Support tickets + staffing targets star.

PBM-A4 protected review signals

Close this page before the changed retry

Strong signal

Cardinality, active state and cross-filter direction are deliberate; one tiny visual proves expected propagation and reconciles totals.

IF THE MODEL LOOKS RIGHT BUT THIS EVIDENCE IS MISSING

Treat the lesson as Developing. A visually tidy star without key, filter and reconciliation evidence is not senior-level model mastery.

Changed retry

Customer -> Orders with an alternative Region path.

PBM-A5 protected review signals

Close this page before the changed retry

Strong signal

You diagnose why keys repeat before choosing M:M. Dirty dimension duplicates are repaired; genuine dimension M:M uses a bridge with unique pairs.

IF THE MODEL LOOKS RIGHT BUT THIS EVIDENCE IS MISSING

Treat the lesson as Developing. A visually tidy star without key, filter and reconciliation evidence is not senior-level model mastery.

Changed retry

Higher-grain Region-Month target instead of a bridge.

PBM-A6 protected review signals

Close this page before the changed retry

Strong signal

Report requirements determine active/inactive or duplicated role dimensions; simultaneous filtering and field naming are addressed.

IF THE MODEL LOOKS RIGHT BUT THIS EVIDENCE IS MISSING

Treat the lesson as Developing. A visually tidy star without key, filter and reconciliation evidence is not senior-level model mastery.

Changed retry

Departure Airport versus Arrival Airport roles.

PBM-A7 protected review signals

Close this page before the changed retry

Strong signal

Date key is unique, nonblank and continuous; MonthName sort and fiscal/calendar definitions are explicit; zero-event dates can appear.

IF THE MODEL LOOKS RIGHT BUT THIS EVIDENCE IS MISSING

Treat the lesson as Developing. A visually tidy star without key, filter and reconciliation evidence is not senior-level model mastery.

Changed retry

Apr-Mar fiscal date dimension with role-specific labels.

PBM-A8 protected review signals

Close this page before the changed retry

Strong signal

Power Query responsibilities are separated into source/staging/model-ready layers; types, row changes, load settings and connector-aware folding expectations are documented.

IF THE MODEL LOOKS RIGHT BUT THIS EVIDENCE IS MISSING

Treat the lesson as Developing. A visually tidy star without key, filter and reconciliation evidence is not senior-level model mastery.

Changed retry

Shipment CSV + SQL customer master query architecture.

PBM-A9 protected review signals

Close this page before the changed retry

Strong signal

QA covers source controls, dimension keys, unmatched facts, relationship configuration, tiny propagation tests, date roles and measure reconciliation.

IF THE MODEL LOOKS RIGHT BUT THIS EVIDENCE IS MISSING

Treat the lesson as Developing. A visually tidy star without key, filter and reconciliation evidence is not senior-level model mastery.

Changed retry

Clinic model with a genuine many-to-many bridge.

PBM-A10 protected review signals

Close this page before the changed retry

Strong signal

Correctness is proven before optimization; model width/cardinality/relationship complexity is inspected; one measured change preserves result parity.

IF THE MODEL LOOKS RIGHT BUT THIS EVIDENCE IS MISSING

Treat the lesson as Developing. A visually tidy star without key, filter and reconciliation evidence is not senior-level model mastery.

Changed retry

Diagnose a relationship-driven slowdown rather than wide text columns.