

Remediation 1 - Workload / warehouse purpose

Use only for the weak architecture competency

WHEN TO USE

System placement is based on vendor labels or warehouse is only copied source tables.

TARGETED REPAIR

Take a fresh insurance case. Classify operational/analytical workloads, then design subject areas, history/freshness, owners and consumers.

PASS SIGNAL

Pass when every placement follows workload needs and warehouse responsibilities are explicit.

Remediation 2 - Fact grain / conformed model

Use only for the weak architecture competency

WHEN TO USE

Different processes or target grains are mixed.

TARGETED REPAIR

Use parcel Shipments, Events and Hub-Month Targets. Declare grains first, separate facts, design conformed dimensions and test five questions.

PASS SIGNAL

Pass when no measure/target can multiply because of grain confusion.

Remediation 3 - Keys / SCD history

Use only for the weak architecture competency

WHEN TO USE

Business/surrogate key roles or historical effective ranges are wrong.

TARGETED REPAIR

Build Employee history with two changes. Assign surrogate versions, effective intervals/current flag and map events to historical versions.

PASS SIGNAL

Pass when exactly one valid version resolves per event date and no ranges overlap.

Remediation 4 - ETL/ELT / layers / replay

Use only for the weak architecture competency

WHEN TO USE

Architecture has fashionable labels but unclear transform/replay responsibilities.

TARGETED REPAIR

Draw source -> landing -> staging -> core -> presentation. Mark transformation, validation, retention, owner and replay point at each stage.

PASS SIGNAL

Pass when a downstream bug can be reprocessed from an earlier trustworthy layer.

Remediation 5 - Store / latency decision

Use only for the weak architecture competency

WHEN TO USE

Warehouse/lakehouse/streaming chosen by prestige.

TARGETED REPAIR

Use mixed relational + JSON + hourly/daily/real-time decisions. Choose store and batch/micro/stream from workload/latency/cost/recovery.

PASS SIGNAL

Pass when every technology choice has a business/workload reason.

Remediation 6 - Lineage / quality

Use only for the weak architecture competency

WHEN TO USE

KPI source path or failure-routing cannot be explained.

TARGETED REPAIR

Trace one KPI end-to-end, then add freshness/completeness/uniqueness/history/FK/reconciliation checks with severity and owners.

PASS SIGNAL

Pass when a failed check identifies first broken layer, owner and release behavior.