

C2-07 Cloud / Fabric / Enterprise BI - Start Here

Begin here before CLD1

WHY THIS MODULE EXISTS

A senior BI analyst must understand what happens after the model/report is built: cloud boundaries, Fabric workloads, enterprise Power BI distribution, controlled release, scheduled refresh/gateway, permissions/governance, monitoring and engineer collaboration.

EXACT ROUTE

CLD lesson -> matching P_CLD workbook sheet -> save genuine design/evidence -> failure/change case -> explain-back -> protected review -> close review -> changed retry. Repeat CLD1-CLD10. Then NorthStar Enterprise Deployment Mini-Lab -> Gate A.

TENANT OPTIONAL

You do not need to buy Fabric or obtain a company tenant to master this module. If a current trial is available to you, it can provide extra live practice; it never replaces or blocks the deterministic workbook/Gate path.

C2-07 prerequisites and live-environment boundary

New enterprise terms are still taught from zero

YOU SHOULD ALREADY KNOW

Basic Power BI, C2-04 lifecycle/RLS and C2-06 analytical-platform architecture. If one is weak, repair only that prerequisite.

YOU NEED

The supplied workbook/fixtures. Optional: Power BI Service/Fabric access. Tenant restrictions, licenses, capacities and preview features may differ, so screenshots are not treated as universal truth.

ENVIRONMENT BLOCKED

If your tenant lacks deployment pipelines, Fabric capacity, gateway access or governance views, record ENVIRONMENT BLOCKED for the live step and complete the deterministic design/incident evidence. Do not mark live PASS from theory.

C2-07 mastery / Gate contract

No admin-everywhere shortcuts and no percentage gaming

LESSON PASS

Fresh enterprise design + minimum-access/ownership/failure evidence + independent validation + explain-back + changed retry. Clicking a Service/Fabric screen is not mastery.

GATE A

Fresh integrated enterprise deployment plan covering Fabric/Power BI topology, identities, DEV/TEST/PROD, refresh, governance, monitoring and team handoff.

B/C RETEST

Different domains, sources, personas and incidents. Any unresolved unsafe access, missing refresh ownership, unvalidated deployment or unowned incident blocks pass.