

Remediation 1 - Cloud / identity boundaries

Use only for the weak competency

WHEN TO USE

Tenant/workspace/capacity or identity/permission roles are confused.

TARGETED REPAIR

Redraw one Finance topology using Tenant -> Workspaces -> Items, Capacity as compute, OneLake as storage foundation, plus identity/action/permission matrix.

PASS SIGNAL

Pass when each boundary/failure cause is distinct.

Remediation 2 - Fabric / OneLake topology

Use only for the weak competency

WHEN TO USE

Too many workloads or uncontrolled copies.

TARGETED REPAIR

Use IoT + Finance + BI case. Select only needed Fabric workloads, name authoritative item owners and justify copy/shortcut/share paths.

PASS SIGNAL

Pass when every workload/copy has a business reason.

Remediation 3 - Power BI distribution / deployment

Use only for the weak competency

WHEN TO USE

Consumers are builders or changes go straight to PROD.

TARGETED REPAIR

Design builder workspace + semantic model + app route and DEV/TEST/PROD checklist with failed-TEST block and rollback.

PASS SIGNAL

Pass when consumer access and release control are separated.

Remediation 4 - Refresh / gateway

Use only for the weak competency

WHEN TO USE

Gateway/credential/freshness ownership is weak.

TARGETED REPAIR

Use SaaS + on-prem SQL + SharePoint. Map connectivity, gateway, credentials, schedule, owners and post-refresh business freshness controls.

PASS SIGNAL

Pass when technical and business freshness failures route correctly.

Remediation 5 - Permissions / governance

Use only for the weak competency

WHEN TO USE

Admin everywhere or RLS used as the only security layer.

TARGETED REPAIR

Build group-based least-privilege matrix for builders, managers, executives and auditor plus quarterly access review/catalog/sensitivity/endorsement policy.

PASS SIGNAL

Pass when every access path is minimum and reviewable.

Remediation 6 - Monitoring / collaboration

Use only for the weak competency

WHEN TO USE

Incident or engineer ticket lacks reproducible evidence.

TARGETED REPAIR

Diagnose a stale-report incident to first broken dependency, rerun downstream validation, then write a handoff with expected/observed, item/grain/lineage/action/acceptance.

PASS SIGNAL

Pass when another owner can act without rediscovery.