

C2-09 PL-300 40Q Protected Review

Open only after the complete closed-book attempt is saved

PROTECTED

Do not use this file while answering the assessment. After review, classify wrong or low-confidence responses by objective and repair them. Retaking the same question immediately after reading this answer is not changed evidence.

C2-09 PL-300 40Q Protected Review

Original course-written questions; not Microsoft exam items

Q01 - Prepare - Correct: B

A Fabric lakehouse stores Delta tables in OneLake. You want a Power BI model to query them without importing a separate copy and the scenario supports the mode.

A Import | B DirectLake | C Live connection to Excel | D Paginated report

Why:

DirectLake is designed for supported OneLake/Delta scenarios without a traditional Import copy.

Objective: Choose DirectLake/DirectQuery/Import

Q02 - Prepare - Correct: B

A semantic model cannot refresh because the source password changed. Which area should you fix first?

A Change visual interactions | B Data source credentials/settings | C Create a calculation group | D Add a bookmark

Why:

Authentication is a data-source setting problem, not a report/model presentation problem.

Objective: Change source settings/credentials

C2-09 PL-300 40Q Protected Review

Original course-written questions; not Microsoft exam items

Q03 - Prepare - Correct: A

A Power Query solution must switch between DEV and PROD server names without editing many query steps. Best approach?

A Create a parameter | B Duplicate every query | C Use a measure | D Create an app audience

Why:

A parameter centralizes a changing value such as server/database/path.

Objective: Create/modify parameters

Q04 - Prepare - Correct: A

Before cleaning a new customer column, you want to see nulls, distinct values and distribution clues. What should you use?

A Data profiling/statistics | B RLS | C Deployment pipeline | D Dashboard alerts

Why:

Profiling helps evaluate quality and column properties before transformation.

Objective: Evaluate data/statistics/properties

C2-09 PL-300 40Q Protected Review

Original course-written questions; not Microsoft exam items

Q05 - Prepare - Correct: B

An Amount column contains 'N/A' and numeric text, causing import/type errors. Best first response?

A Silently convert every error to 0 | B Profile and resolve invalid values/types according to business rules | C Delete the column | D Make it bidirectional

Why:

Data-quality/type errors should be investigated and handled deliberately, not hidden.

Objective: Resolve inconsistencies/import errors/types

Q06 - Prepare - Correct: B

A file has columns Jan, Feb, Mar but the desired grain is one row per Product-Month. Which transformation best reshapes it?

A Pivot | B Unpivot | C Merge | D Group only

Why:

Unpivot turns repeated month columns into attribute/value rows.

Objective: Pivot/unpivot/transpose

C2-09 PL-300 40Q Protected Review

Original course-written questions; not Microsoft exam items

Q07 - Prepare - Correct: A

A JSON API returns orders with nested item arrays. You need one row per item while preserving OrderID. What should you do?

A Convert semi-structured data to a table and expand the nested items | B Use RLS | C Create a quick measure | D Apply a theme

Why:

Nested JSON must be normalized/expanded while preserving parent keys and declared output grain.

Objective: Semi-structured data

Q08 - Prepare - Correct: B

A model receives a flat sales export. Which preparation best supports a star model?

A Keep one giant table regardless of reuse | B Separate fact rows and reusable descriptive dimensions with appropriate keys | C Create a dashboard first | D Use many-to-many for all tables

Why:

Fact/dimension preparation and keys support reliable modeling.

Objective: Create fact/dimension tables and keys

C2-09 PL-300 40Q Protected Review

Original course-written questions; not Microsoft exam items

Q09 - Prepare - Correct: B

Query CleanSales contains common cleaning steps. You want a second query that starts from CleanSales and continues with region-specific steps so upstream changes flow through. Use:

A Duplicate | B Reference | C Append | D Bookmark

Why:

Reference starts from another query's result/steps; Duplicate creates an independent copy of the current steps.

Objective: Reference vs duplicate query

Q10 - Prepare - Correct: B

You have January and February files with the same columns and need one combined table. Use:

A Merge | B Append | C Drillthrough | D Calculation group

Why:

Append stacks rows from similar schemas; Merge joins columns based on keys.

Objective: Merge vs append

C2-09 PL-300 40Q Protected Review

Original course-written questions; not Microsoft exam items

Q11 - Prepare - Correct: A

A staging query is used only to feed two final fact/dimension queries and should not create a separate model table. What is appropriate?

A Configure the staging query not to load to the model | B Delete the query | C Turn on bidirectional filters | D Create an app

Why:

Helper/staging queries can have load disabled while downstream final queries remain loaded.

Objective: Configure query loading

Q12 - Model - Correct: A

DimCustomer has one unique row per CustomerID and FactSales has many rows per CustomerID. Relationship cardinality should normally be:

A One-to-many from DimCustomer to FactSales | B Many-to-many | C One-to-one | D No relationship

Why:

Unique dimension key to repeated fact foreign key is the standard one-to-many pattern.

Objective: Relationship cardinality

C2-09 PL-300 40Q Protected Review

Original course-written questions; not Microsoft exam items

Q13 - Model - Correct: B

FactSales has OrderDate and ShipDate but one Date table. Most visuals use OrderDate; one measure must analyze ShipDate. A sound design is:

A Create two unrelated fact tables | B Use role-playing date relationships and activate the appropriate relationship in the measure when needed | C Make every relationship bidirectional | D Convert dates to text

Why:

Role-playing dimensions support multiple date roles with explicit relationship logic.

Objective: Role-playing dimensions

Q14 - Model - Correct: B

Why create a common Date table?

A To make every report use today's date only | B To provide consistent date attributes/relationships for time analysis | C To replace all fact tables | D To avoid DAX entirely

Why:

A proper Date table supports consistent filtering and time intelligence.

Objective: Common date table

C2-09 PL-300 40Q Protected Review

Original course-written questions; not Microsoft exam items

Q15 - Model - Correct: B

Total Revenue must recalculate when users filter Region and Product. Best implementation?

A Calculated column on each sales row | B Measure | C Static text box | D Sensitivity label

Why:

Measures evaluate in filter context and are suited to aggregations that respond to report filters.

Objective: Measures vs calculated columns

Q16 - Model - Correct: A

A measure must calculate revenue only for Premium customers while respecting the current Date filter. Which DAX concept is central?

A CALCULATE modifying filter context | B UNPIVOT | C Gateway | D App audience

Why:

CALCULATE evaluates an expression under modified filter context.

Objective: CALCULATE

C2-09 PL-300 40Q Protected Review

Original course-written questions; not Microsoft exam items

Q17 - Model - Correct: A

You need current sales compared with the same period last year. What is required before using standard time-intelligence patterns reliably?

A A valid Date table and correct date relationship | B A dashboard alert | C A sensitivity label | D A many-to-many relationship

Why:

Time intelligence depends on a correct date model and date context.

Objective: Time intelligence

Q18 - Model - Correct: A

Month-end inventory should sum across warehouses but should not sum January ending balance + February ending balance as if both existed simultaneously. This is:

A Semi-additive measure behavior | B Append behavior | C RLS | D Conditional formatting

Why:

Ending balance is additive across some dimensions but not across time.

Objective: Semi-additive measures

C2-09 PL-300 40Q Protected Review

Original course-written questions; not Microsoft exam items

Q19 - Model - Correct: A

A quick measure generates DAX for a common calculation. What is the best professional behavior?

A Use it and understand/validate the generated DAX | B Assume quick measures are always optimal | C Convert it to a column automatically | D Disable relationships

Why:

Quick measures can accelerate authoring but the analyst must understand and validate the result.

Objective: Quick measures

Q20 - Model - Correct: A

A model has 35 measures that repeat the same Current/Prior/YoY time patterns. Which current modeling feature can reduce repeated calculation logic?

A Calculation groups | B Bookmarks | C Gateways | D Apps

Why:

Calculation groups centralize reusable calculation transformations such as time intelligence.

Objective: Calculation groups

C2-09 PL-300 40Q Protected Review

Original course-written questions; not Microsoft exam items

Q21 - Model - Correct: A

A report page is slow and you need to identify which visual/measure is expensive, then inspect model/DAX behavior. Useful tools include:

A Performance Analyzer and DAX query view | B Theme gallery only | C Sensitivity labels only | D PowerPoint export

Why:

These tools help identify and investigate poor-performing visuals/measures/model queries.

Objective: Optimize model performance

Q22 - Model - Correct: A

A fact table contains second-level telemetry but reports only need daily summaries. One potential model optimization is:

A Reduce granularity to the required level after validating business need | B Add every telemetry column to the model | C Make all relationships bidirectional | D Duplicate the fact

Why:

Reducing unnecessary granularity/rows/columns can improve model performance when detail is not needed.

Objective: Reduce granularity

C2-09 PL-300 40Q Protected Review

Original course-written questions; not Microsoft exam items

Q23 - Visualize - Correct: A

You need to show revenue trend across 18 months. Most appropriate starting visual?

A Line chart | B Pie chart | C Card only | D Gauge only

Why:

A line chart is appropriate for continuous time trend comparison.

Objective: Select appropriate visual

Q24 - Visualize - Correct: B

You color SLA failures red. What makes the design more accessible and meaningful?

A Use color alone | B Pair color with labels/icons/clear threshold meaning and adequate contrast | C Hide the threshold | D Use random colors per page

Why:

Accessible status should not rely on color alone and must communicate the rule.

Objective: Conditional formatting/accessibility

C2-09 PL-300 40Q Protected Review

Original course-written questions; not Microsoft exam items

Q25 - Visualize - Correct: A

Users need a guided flow between Overview and Detailed Analysis states while preserving a designed experience. Which feature can help?

A Bookmarks/navigation buttons | B Data source privacy levels | C Gateway cluster | D Calculation group only

Why:

Bookmarks and navigation can create controlled report journeys/states.

Objective: Bookmarks/navigation

Q26 - Visualize - Correct: A

A manager clicks a Region and wants a dedicated page showing detailed customers for that selected Region. Use:

A Drillthrough | B Append | C Sensitivity label | D Workspace role

Why:

Drillthrough passes context to a detailed page.

Objective: Drillthrough navigation

C2-09 PL-300 40Q Protected Review

Original course-written questions; not Microsoft exam items

Q27 - Visualize - Correct: B

Executives frequently consume the report on phones. What should you do?

A Rely on desktop layout only | B Design/test a mobile layout and prioritize essential visuals | C Increase canvas width indefinitely | D Use a paginated report automatically

Why:

Current objectives include mobile report design.

Objective: Mobile report design

Q28 - Visualize - Correct: A

Which action directly supports report accessibility?

A Configure reading order/alt text and usable contrast | B Use more decorative shapes | C Hide titles | D Disable keyboard-friendly navigation

Why:

Accessibility includes descriptions, order and contrast/interaction considerations.

Objective: Accessibility

C2-09 PL-300 40Q Protected Review

Original course-written questions; not Microsoft exam items

Q29 - Visualize - Correct: A

Finance needs a multi-page, print-perfect invoice detail report with exact page layout. Consider:

A Paginated report | B Scatter chart | C Quick measure | D RLS only

Why:

Paginated reports are intended for pixel-perfect multi-page/printing scenarios.

Objective: Paginated report choice

Q30 - Visualize - Correct: A

You need a calculation that is specific to the current visual's structure rather than a reusable semantic-model measure. Which current feature may fit?

A Visual calculation | B Gateway | C Sensitivity label | D Workspace app

Why:

Visual calculations are defined/evaluated in visual context.

Objective: Visual calculations

C2-09 PL-300 40Q Protected Review

Original course-written questions; not Microsoft exam items

Q31 - Visualize - Correct: A

A time series shows an unusual spike and you want Power BI to help identify anomalies/patterns. Which skill area is relevant?

A Analyze/AI visuals/anomaly features | B Workspace roles | C Query loading | D Gateway mapping

Why:

Pattern/trend analysis can use Analyze, AI visuals and anomaly-related features.

Objective: Identify patterns/trends

Q32 - Visualize - Correct: A

A line chart needs a business target and future directional estimate. Which features can be relevant when appropriate?

A Reference line and forecasting | B RLS and app audience | C Merge and append | D Sensitivity label only

Why:

Reference lines and forecasting are analytical visual features for targets/trends.

Objective: Reference lines/forecasting

C2-09 PL-300 40Q Protected Review

Original course-written questions; not Microsoft exam items

Q33 - Visualize - Correct: A

Copilot creates a narrative summary for a report. What must the analyst still do?

A Verify the narrative against the semantic model/data and business context | B Publish it automatically because Copilot generated it | C Remove the source model | D Convert it to a calculated column

Why:

AI-generated content remains subject to verification and business interpretation.

Objective: Copilot narrative/report tasks

Q34 - Manage - Correct: B

600 salespeople only need to consume a governed report. Best default pattern?

A Give all Contributor access to the workspace | B Publish/distribute through an app or appropriate viewer/item route | C Make everyone Admin | D Send the PBIX file

Why:

Consumers normally should not receive build permissions by convenience; apps/distribution are designed for consumption.

Objective: Workspaces/apps/distribution

C2-09 PL-300 40Q Protected Review

Original course-written questions; not Microsoft exam items

Q35 - Manage - Correct: A

A semantic model must access SQL Server inside a private on-prem network. What is typically required?

A On-premises data gateway/appropriate connection | B Calculation group | C Bookmark | D Paginated report

Why:

A gateway provides cloud service connectivity to supported on-prem/private sources.

Objective: Identify gateway need

Q36 - Manage - Correct: A

After configuring source connectivity, you need the model to update every morning. Which capability is directly relevant?

A Semantic model scheduled refresh | B Visual calculation | C Unpivot | D Report theme

Why:

Scheduled refresh controls recurring semantic-model refresh.

Objective: Scheduled refresh

C2-09 PL-300 40Q Protected Review

Original course-written questions; not Microsoft exam items

Q37 - Manage - Correct: A

A developer needs to create/edit content in a workspace but should not manage all workspace users/settings. Which role is commonly closer to the need than Admin?

A Contributor | B Viewer | C RLS role only | D App audience

Why:

Contributor can create/edit content without all Admin capabilities; exact role choice should follow needed actions.

Objective: Assign workspace roles

Q38 - Manage - Correct: A

An auditor needs access to one specific report/model but not the entire workspace. Which concept is most relevant?

A Item-level / semantic-model access | B Make them workspace Admin | C Disable RLS | D Create a new tenant

Why:

Specific item/model access can be granted without broad workspace permissions where supported.

Objective: Item-level/model access

C2-09 PL-300 40Q Protected Review

Original course-written questions; not Microsoft exam items

Q39 - Manage - Correct: A

Regional managers can open the model but must see only their region's rows. What is the relevant data-security mechanism?

A RLS roles and appropriate group membership | B Workspace Admin | C Gateway | D Deployment pipeline

Why:

RLS controls row visibility for authorized model consumers.

Objective: RLS

Q40 - Manage - Correct: A

A report contains confidential financial data and the organization uses information-protection governance. What should you consider?

A Sensitivity label according to policy | B A bigger font | C A new calculated column | D Disable refresh

Why:

Sensitivity labels support governance/classification under organizational policy.

Objective: Sensitivity labels