

B05 Targeted Remediation Cards

Repair one failed competency; do not restart the module.

R1 Boundary model

Fresh 3-source case: write storage/compute/network/identity separately and identify one failure per boundary.

Fresh evidence required: save attempt, validation and own-words explanation. A remediation pass never auto-unlocks Gate B/C.

R2 Platform fit

Fresh workload trio: choose lakehouse/warehouse/reference-copy pattern and defend a rejected alternative.

Fresh evidence required: save attempt, validation and own-words explanation. A remediation pass never auto-unlocks Gate B/C.

R3 Access/private connection

Fresh identities + private/cloud sources: least privilege + connection path; remove one deliberately over-broad grant.

Fresh evidence required: save attempt, validation and own-words explanation. A remediation pass never auto-unlocks Gate B/C.

R4 Freshness/incident

Fresh stale-data incident: SLA -> signal -> owner -> recovery -> post-validation -> consumer message.

Fresh evidence required: save attempt, validation and own-words explanation. A remediation pass never auto-unlocks Gate B/C.

R5 Handoff

Rewrite vague "real time and secure" into testable source/freshness/access/failure/acceptance clauses.

Fresh evidence required: save attempt, validation and own-words explanation. A remediation pass never auto-unlocks Gate B/C.