

B04 Gate A Protected Review - Marketplace Sellers

Protected diagnostic review - fresh evidence and changed retry

Protected review - saved genuine Gate attempt required

Open only after the matching Gate attempt is saved. Diagnose the smallest weak competency, repair it, close this review, then save changed evidence. Gate B/C remain freshness-protected.

Objective source controls

sellers 24; seller changes 35; orders 96; order items 192; completed orders 72; payouts 73; tags 28; targets 12

Metric	Protected control
Completed item GMV	186000.00
Completed order-item rows	144
Naive item x seller-tag GMV	214800.00
Tag fan-out inflation	28800.00
Orphan payout	order 99999 / 500.00
Conflicting history pair	S008 @ 2026-03-01 (Electronics vs Beauty)
Beauty completed orders	0 (all 24 Beauty orders are cancelled)

Why plausible output can still be wrong

- seller_tags is legitimate membership data, but joining it before GMV aggregation multiplies transaction value.
- The S008 same-day conflicting history rows create ambiguous as-of truth and must block historical attribution until resolved.
- The orphan payout must remain visible in the quality exception path; matched payout total is 163680.00 and orphan amount is 500.00.
- Category targets are month-category grain. Beauty has targets even though completed Beauty GMV is zero, so missing/zero actual must not be silently dropped.

Reasoning and evidence rubric

- State source grain and key before designing joins or layers.
- Separate current master from effective-dated history and reject overlapping/conflicting intervals.
- Name durable raw evidence and the transformation/promotion boundaries.
- Define block, warn and reconcile rules with owners and evidence.
- Predict fan-out/semi-additive risk before aggregating.
- Keep orphans and rejected rows in an auditable exception path.
- Reconcile row counts and business totals independently before trusted promotion.
- For backfill/replay, bound the slice, preserve raw evidence, prevent duplicate publish and prove reconciliation after rerun.

Critical failures

- Hidden data loss or deleted exception evidence.
- Ambiguous history accepted as truth.
- Snapshot or many-side joins produce inflated but plausible measures.
- Higher-grain targets repeated at transaction grain.
- Unbounded replay or unsafe state advancement.
- No independent reconciliation or ownership.

Repair and changed retry route

- Keep the original Gate attempt append-only.
- Open only this matching protected review after the saved genuine attempt.
- Repair the named weakness using the targeted remediation cards.
- Close the review and perform a changed micro-proof in a different small scenario.
- Save the retry evidence separately. Gate B/C exposure still requires the existing explicit reassignment controls.

Next route

PASS with all competency floors and no unresolved critical failure -> B05. Otherwise repair; Gate B remains sealed.