

# B04 Gate C Protected Review - Customer Success Renewals

Protected diagnostic review - fresh evidence and changed retry

## Protected review - saved genuine Gate attempt required

**Open only after the matching Gate attempt is saved. Diagnose the smallest weak competency, repair it, close this review, then save changed evidence. Gate B/C remain freshness-protected.**

### Objective source controls

accounts 25; account changes 31; subscriptions 60; renewals 60; interactions 120; usage rows 121; targets 9

| Metric                             | Protected control                 |
|------------------------------------|-----------------------------------|
| Renewal opportunity value          | 706500.00                         |
| Naive renewal x interactions value | 3556500.00                        |
| Interaction fan-out inflation      | 2850000.00                        |
| Naive renewal x usage value        | 3546000.00                        |
| Usage fan-out inflation            | 2839500.00                        |
| Orphan usage                       | A999 / 14 active users            |
| Conflicting account history        | A010 @ 2026-02-01 (South vs East) |
| Won / Lost / Open                  | 20 / 20 / 20                      |

### Why plausible output can still be wrong

- Renewals, interactions and daily usage are separate grains. Joining them raw by account repeats renewal value many times.
- Closed-opportunity renewal rate is  $20/(20+20)=50\%$ ; wins divided by all 60 opportunities is 33.3%. The metric definition must name whether open opportunities are excluded.
- A010 has conflicting same-day region history; current account master cannot resolve historical truth automatically.
- Monthly segment targets are month-segment grain; reconcile at that grain rather than copying targets onto subscriptions or interactions.

## Reasoning and evidence rubric

- State source grain and key before designing joins or layers.
- Separate current master from effective-dated history and reject overlapping/conflicting intervals.
- Name durable raw evidence and the transformation/promotion boundaries.
- Define block, warn and reconcile rules with owners and evidence.
- Predict fan-out/semi-additive risk before aggregating.
- Keep orphans and rejected rows in an auditable exception path.
- Reconcile row counts and business totals independently before trusted promotion.
- For backfill/replay, bound the slice, preserve raw evidence, prevent duplicate publish and prove reconciliation after rerun.

### Critical failures

- Hidden data loss or deleted exception evidence.
- Ambiguous history accepted as truth.
- Snapshot or many-side joins produce inflated but plausible measures.
- Higher-grain targets repeated at transaction grain.
- Unbounded replay or unsafe state advancement.
- No independent reconciliation or ownership.

## Repair and changed retry route

- Keep the original Gate attempt append-only.
- Open only this matching protected review after the saved genuine attempt.
- Repair the named weakness using the targeted remediation cards.
- Close the review and perform a changed micro-proof in a different small scenario.
- Save the retry evidence separately. Gate B/C exposure still requires the existing explicit reassignment controls.

### Next route

PASS after explicitly assigned second full reassessment -> B05. Unresolved critical failure keeps B04 blocked; there is no percentage shortcut or hidden Gate D.