

B06 Gate A Protected Review - Retail Orders

Cross-skill diagnostic review - Final Gate and readiness floors remain separate

Protected review - complete saved Gate attempt required

The first attempt must remain closed-book and append-only. Use this review afterward to diagnose, repair, close it and save changed evidence. A review never counts as a fresh full Gate.

Objective controls

Metric	Protected control
Customers	24
Orders / completed	84 / 63
Order items	168
Gross item value	257551.00
Completed item value	191898.00
Order events	232 incl. 1 orphan
Raw item value x order events	747460.00
Event fan-out inflation	475160.00
Item value x customer tags	354340.00
Tag fan-out inflation	82040.00
Conflicting history	C010 @ 2026-04-01

Why plausible evidence can still fail

- Orders, items and events are separate grains. Raw event joins repeat order-item value.
- Customer tags are legitimate membership rows but multiply value if joined before aggregation.
- One orphan event must remain visible, not be deleted.
- C010 has duplicate same-effective-date customer history and cannot be assigned a trusted historical version until repaired.
- Private OrdersDB requires a secure private/on-prem connection path; WebEvents>Returns/SharePoint are different connection cases.

Eight-area readiness rubric

- Advanced SQL: explicit grains, safe staging/windows/time logic and independent reconciliation.
- Python: reproducible/logged/validated flow, critical-failure block and safe rerun/recovery.
- Modeling: facts/dimensions/bridges, cardinality and historical lookup are defensible.
- Warehousing: SCD + business/surrogate keys + layers + replay/backfill reasoning.
- Data quality: BLOCK/WARN plus source-to-output controls; exceptions remain visible.
- Independent analysis: choices are defended from case evidence without solution copying.
- Cloud/Fabric: source location/security/freshness drive connection, access and monitoring decisions.
- Professional ownership: handoff includes owner, limitation, acceptance evidence and next action.

Critical blockers

- Silent loss/duplication or “DISTINCT fixed it.”
- Trusted publish after a critical defect.
- Wrong history or grain answer.
- Unsafe rerun/backfill.
- Hard private-source/security/freshness constraint ignored.
- Cannot detect/recover/explain failure.
- Protected attempt contaminated by solution/review copying.

Repair, changed proof and C3 route

- Keep the original Gate attempt.
- Repair only the exact weak competency.
- Close this review and save a changed micro-proof on a different small case.
- A broad/critical instability may move to the next Gate only if the existing state machine explicitly assigns a fresh full reassessment.
- After a Final Gate PASS, complete the readiness scorecard. Do not average away a floor.

Next route

PASS -> readiness scorecard. Clean readiness floors + no blocker -> C3 entry ready. Narrow weakness -> repair; Gate B stays sealed unless explicitly assigned.