

B06 Gate B Protected Review - Support Tickets

Cross-skill diagnostic review - Final Gate and readiness floors remain separate

Protected review - complete saved Gate attempt required

The first attempt must remain closed-book and append-only. Use this review afterward to diagnose, repair, close it and save changed evidence. A review never counts as a fresh full Gate.

Objective controls

Metric	Protected control
Tickets / closed	90 / 60
Ticket events	241 incl. 1 orphan
Ticket tags	103
Duplicate tag business rows	5
CSAT rows / score total	60 / 180
CSAT x ticket events score	540
CSAT fan-out inflation	360
Conflicting agent history	A008 @ 2026-03-15

Why plausible evidence can still fail

- Ticket events and CSAT are separate facts; raw join through ticket repeats each CSAT score by event count.
- Five duplicate ticket-tag business rows are data-quality defects, not legitimate new memberships.
- One orphan event must remain in exception evidence.
- Agent history has a same-date conflict and must block historical team attribution until repaired.
- HR agent master is private/on-prem while Ticket SaaS and event stream are cloud sources; freshness ranges from <5 min to daily.

Eight-area readiness rubric

- Advanced SQL: explicit grains, safe staging/windows/time logic and independent reconciliation.
- Python: reproducible/logged/validated flow, critical-failure block and safe rerun/recovery.
- Modeling: facts/dimensions/bridges, cardinality and historical lookup are defensible.
- Warehousing: SCD + business/surrogate keys + layers + replay/backfill reasoning.
- Data quality: BLOCK/WARN plus source-to-output controls; exceptions remain visible.
- Independent analysis: choices are defended from case evidence without solution copying.
- Cloud/Fabric: source location/security/freshness drive connection, access and monitoring decisions.
- Professional ownership: handoff includes owner, limitation, acceptance evidence and next action.

Critical blockers

- Silent loss/duplication or “DISTINCT fixed it.”
- Trusted publish after a critical defect.
- Wrong history or grain answer.
- Unsafe rerun/backfill.
- Hard private-source/security/freshness constraint ignored.
- Cannot detect/recover/explain failure.
- Protected attempt contaminated by solution/review copying.

Repair, changed proof and C3 route

- Keep the original Gate attempt.
- Repair only the exact weak competency.
- Close this review and save a changed micro-proof on a different small case.
- A broad/critical instability may move to the next Gate only if the existing state machine explicitly assigns a fresh full reassessment.
- After a Final Gate PASS, complete the readiness scorecard. Do not average away a floor.

Next route

PASS -> readiness scorecard; Gate C stays sealed unless explicitly assigned after unresolved broad/critical instability.