


C3-08 Start Here

Quality, Observability, Security & DataOps | 15 lessons



2026 LEARNER EDITION

Option B institute family: Charcoal #1F2937 | Teal #14B8A6 | Soft Blue #3B82F6 | AMOLED-ready companion shell.

Phase outcome

Operate pipelines as measurable services: block unsafe data, reconcile publication, measure freshness/reliability, correlate telemetry, triage incidents, protect identity/secrets/sensitive evidence, release through automated controls, reason about IaC drift, and defend reliability/performance/cost trade-offs.

Prerequisite

C3-07 Gate PASS.

Learner route

1. Study one C3-090 lesson. 2. Attempt matching C3-091 Pxx and save evidence. 3. Only then open matching C3-092 Rxx if needed. 4. Close review and do changed retry. 5. After all 15 lessons complete ShipOps Mini-Lab. 6. Then GridOps Gate A. 7. Targeted repair never auto-unlocks B/C.

Runtime honesty

Local Python tests and static artifact checks can prove deterministic logic. Hosted telemetry, cloud IAM/OIDC, GitHub protected deployment, Terraform provider/state backend behavior and Fabric production monitoring require real external-system evidence. Never label design-only work as executed.

Current-source snapshot - 11 Sep 2026

OpenTelemetry remains vendor-neutral across logs, metrics and traces; log correlation uses trace/span/resource context.

OpenLineage current object model includes RunEvent plus design-time JobEvent/DatasetEvent. OWASP continues to emphasize centralized secret lifecycle, rotation/revocation and auditing. GitHub environments protect deployment jobs/secrets and OIDC avoids long-lived cloud credentials. Terraform plan previews changes; state locking is automatic where supported and should not be casually disabled.

Laptop rule

This phase is LIGHT by default: Python + Git + browser/editor. Do not start Kafka/Spark/Airflow together merely to prove an operations concept.