


C3-093 ShipOps Incident Mini-Lab

Integrated limited-hint production-reliability assessment



2026 LEARNER EDITION

Option B institute family: Charcoal #1F2937 | Teal #14B8A6 | Soft Blue #3B82F6 | AMOLED-ready companion shell.

Scenario

ShipOps publishes a daily shipment table. Fresh source data contains one row with missing required weight; the published target silently omits that shipment. Detect the unsafe state, contain publication, diagnose, repair/reprocess only the affected scope, reconcile again and strengthen prevention.

Required build

Define contract/grain/key + block/warn policy; detect missing required weight and source-target key gap; produce correlated observability evidence plus freshness/completeness SLO; build incident timeline/impact/containment/RCA; repair/reprocess safely; prove post-repair reconciliation; update tests + CI/release gate + runbook; check least privilege and privacy-safe evidence; write a cost/reliability note.

Architecture mental picture

source contract -> quality gate -> publish decision -> telemetry -> alert -> incident containment -> bounded repair/reprocess -> reconciliation -> prevention/CI/runbook

Limited hints

H1: independent source/target controls must identify the omitted shipment. H2: a missing required measurement can block if consumers cannot safely use the row. H3: incident completion requires post-repair proof and prevention, not merely finding the defect.

Completion standard

Every required competency must PASS: contract/quality, reconciliation, freshness/completeness, observability/SLO, incident/recovery, testing/change safety, security/privacy, handoff and design reasoning. Zero unresolved critical failures.

Critical failures

Publishing known invalid data; fabricated telemetry/runtime evidence; destructive unbounded recovery; exposing a real secret or sensitive record; skipping post-repair reconciliation; opening protected Gate/review material early; overwriting the original attempt.

Evidence

Saved incident artifacts, test outputs, reconciliation before/after, sanitized telemetry, prevention change, runbook, independent validation and teach-back.

Runtime honesty

The supplied helper test proves only fixture invariants. Hosted observability, real cloud identity, protected deployments and Terraform provider behavior must be labeled as executed only when actually run. Design-only evidence cannot masquerade as platform execution.

Next route

ShipOps PASS -> attempt GridOps Gate A. Any narrow weakness -> targeted repair + changed micro-retest before Gate A.