

# Repair 1 - Measures and context

Scope: PBD1-PBD3

- Return to a trusted M05 model before changing DAX.
- Prove one base measure manually or with a filtered validation table.
- If share rows are all 100%, inspect denominator filter removal.
- Use DIVIDE for denominator safety; do not hide blank/zero business meaning.

## Repair discipline

- Keep the failed/partial PBIX evidence.
- Repair the earliest weak layer only.
- Close protected review before the changed retry.
- Re-run downstream QA after any upstream measure/context/model repair.

## Gate state remains protected

A clean Gate A pass ends M06.

Gate B/C require the prior Gate failure + saved attempt + protected review + targeted repair + explicit assignment.

There is no automatic retest progression and no Gate D.

## Repair 2 - Targets and time

Scope: PBD4-PBD5

- State target grain before comparing actual and target.
- Do not invent daily targets from monthly target data.
- Check Date table, relationship and chronological month key.
- Validate January against both December and the prior January.

### Repair discipline

- Keep the failed/partial PBIX evidence.
- Repair the earliest weak layer only.
- Close protected review before the changed retry.
- Re-run downstream QA after any upstream measure/context/model repair.

### Gate state remains protected

A clean Gate A pass ends M06.

Gate B/C require the prior Gate failure + saved attempt + protected review + targeted repair + explicit assignment.

There is no automatic retest progression and no Gate D.

## Repair 3 - Visuals, interactions and QA

Scope: PBD6-PBD8

- Match the visual to the question, not decoration.
- Test default, filtered and cleared states plus Edit interactions.
- Validate drillthrough and tooltip context.
- Build an independent QA path; one matching grand total is insufficient.

### Repair discipline

- Keep the failed/partial PBIX evidence.
- Repair the earliest weak layer only.
- Close protected review before the changed retry.
- Re-run downstream QA after any upstream measure/context/model repair.

### Gate state remains protected

A clean Gate A pass ends M06.

Gate B/C require the prior Gate failure + saved attempt + protected review + targeted repair + explicit assignment.

There is no automatic retest progression and no Gate D.

## Repair 4 - Publish, refresh, RLS and handoff

Scope: PBD9-PBD10 / M-PBIR

- Separate Power BI Desktop refresh from Power BI service refresh.
- Do not invent workspace, license, gateway or scheduled-refresh capability.
- RLS filters rows; page hiding and slicers are not security.
- Test View As where possible and document handoff/security limitations.

### Repair discipline

- Keep the failed/partial PBIX evidence.
- Repair the earliest weak layer only.
- Close protected review before the changed retry.
- Re-run downstream QA after any upstream measure/context/model repair.

### Gate state remains protected

A clean Gate A pass ends M06.

Gate B/C require the prior Gate failure + saved attempt + protected review + targeted repair + explicit assignment.

There is no automatic retest progression and no Gate D.