

G01 / ASSESSMENT

G01 GATE B

Standalone Zero-to-Job-Ready Data Engineer 2026

Study, practise, check and explain.

A complete learning route

Start with the lesson video. Read the worked explanation beside it, pause to reproduce the example, then solve the supplied task. The books contain your study notes; keep your own work and results as evidence.

Use the protected answers after saving your first attempt. A changed retry shows what you can now do independently. There is no forced timer during learning.

One course. M00-M19. 264 lessons and 50 project phases.

Contents

Tap a topic or use the PDF bookmarks. These numbers are the actual pages in this edition.

Read this first 3

YOUR STANDALONE GATE BOOK 3

Different data + Excel reassessment - open only after review and repair 3

Open only after review and repair 3

Fresh source and rules 3

Seven independent deliverables 3

Evidence bundle 4

Pass rule 4

Read this first

YOUR STANDALONE GATE BOOK

Different data + Excel reassessment - open only after review and repair

Assessment rule: Save the current attempt before opening its review. Fresh Gate B stays closed until explicitly assigned after repair.

Open only after review and repair

This is a fresh full reassessment of the M00-M01 foundation. Do not open it immediately after Gate A merely to see the questions. Use it only after the Gate A attempt is saved, Review A has identified material weaknesses, targeted repair has been completed, and you are ready for a genuinely different assessment.

Create a fresh workbook. Preserve the supplied source unchanged on a sheet named GateBSource; do all calculations and summaries elsewhere. You may use ordinary Excel formula help for syntax, but record any material assistance. There is no speed requirement.

Fresh source and rules

One row represents one order containing one product kind. order_id is an identifier and must remain text. quantity must be a positive whole number. unit_price must be numeric and nonnegative. is_paid may be TRUE, FALSE or missing; missing means unknown and must not be silently converted to FALSE.

order_id	item	quantity	unit_price	ordered_on	is_paid
B101	Cable	3	120.00	2026-10-05	TRUE
B102	Adapter	2	350.00	2026-10-05	FALSE
B103	Notebook	4	55.00	2026-10-05	(missing)
B104	Pen Set	3	80.00	2026-10-06	TRUE
B105	Folder	5	35.00	2026-10-06	FALSE
B106	Cable	1	120.00	2026-10-06	TRUE

Use this approved category map on a separate mapping area: Cable -> Electronics, Adapter -> Electronics, Notebook -> Paper, Folder -> Paper, Pen Set -> Writing. Each supplied item has exactly one category. For the cleaning demonstration, use a separate value Cable with one ordinary space at each end and preserve both original and cleaned text.

Seven independent deliverables

1. Source contract. State grain, intended key, field types, record count, missing/repeated-key checks and why the header is not a record.
2. Quality. Test the supplied quantity/price rules, identify the unknown payment row and show the permitted trim without overwriting its original text. Explain why trimming spaces is different

from inventing a missing business fact.

3. Calculations. Add reference-based amount and payment_group columns. Produce whole amount plus paid, unpaid, unknown and known-status amounts and counts. Inspect first/last formulas. Make one temporary input change, predict the exact effect, verify it, then restore the source.

4. Lookup and summary. Use an exact category lookup against a fixed mapping range. Prove every item maps exactly once. Build a native PivotTable summing amount by category.

5. Visual. Create a labelled bar or column chart from category totals. Do not plot the grand total as a category. State one supported conclusion and one conclusion the data cannot support.

6. Independent validation. Reconcile source rows, payment counts, payment amounts, category amounts and whole amount. Hand-calculate at least one row. State which check would detect a dropped order and which would detect unknown payment being misclassified.

7. Handover. Save/reopen the workbook and write a short handover with source dates, result, unknown-status limitation, evidence path and assistance used.

Evidence bundle

Save under G01-B-attempt-01/ with the workbook plus a short handover/evidence text file. Screenshots may supplement but do not replace inspectable formulas, source and PivotTable evidence.

Pass rule

Use the same seven-dimensional standard as Gate A. Each dimension must be independently correct and explainable at level 3 or above, with no critical defect such as source damage, wrong grain, unreconciled totals, fabricated evidence or conversion of unknown payment into a known state. If this fresh attempt is not independent, record that honestly and continue repair rather than declaring a pass.