

**G03 / ASSESSMENT**

# **G03 GATE B**

## **Standalone Zero-to-Job-Ready Data Engineer 2026**

Study, practise, check and explain.

### **A complete learning route**

Start with the lesson video. Read the worked explanation beside it, pause to reproduce the example, then solve the supplied task. The books contain your study notes; keep your own work and results as evidence.

Use the protected answers after saving your first attempt. A changed retry shows what you can now do independently. There is no forced timer during learning.

One course. M00-M19. 264 lessons and 50 project phases.

# Contents

Tap a topic or use the PDF bookmarks. These numbers are the actual pages in this edition.

|                                                                                 |   |
|---------------------------------------------------------------------------------|---|
| Read this first . . . . .                                                       | 3 |
| YOUR STANDALONE GATE BOOK . . . . .                                             | 3 |
| Different Python + Linux + Git reassessment - open only when assigned . . . . . | 3 |
| Changed scenario . . . . .                                                      | 3 |
| Changed requirements . . . . .                                                  | 3 |

## Read this first

### YOUR STANDALONE GATE BOOK

#### Different Python + Linux + Git reassessment - open only when assigned

Assessment rule: Save the current attempt before opening its review. Fresh Gate B stays closed until explicitly assigned after repair.

Open only after review and repair after Gate A review/repair.

#### Changed scenario

A warehouse team sends shipments\_gate\_b.csv. Build a NEW repository g03-shipment-handoff from a clean folder. Do not copy the Gate A repository and rename it.

#### Changed requirements

- Validate shipment\_id uniqueness, positive cartons, numeric unit\_cost, and status in
- Dispatched/Delivered/Held.
- Compute accepted shipment\_value = cartons \* unit\_cost.
- Produce Delivered shipment\_value by hub plus counts for accepted/rejected/Held.
- Bash wrapper uses INPUT\_FILE environment variable and optional output-directory argument
- (different interface from Gate A).
- Branch feature/hub-controls; conflict must occur in a validation-policy line rather than
- README run command.
- Make one local uncommitted mistake repaired with git restore; separately make a
- committed mistake repaired with git revert.
- Prove git fetch changes remote-tracking knowledge without silently altering the current
- working file.
- Perform a clean clone and reproduce all controls from README only.
- Defend why .gitignore cannot revoke a credential that was already committed.

Save this attempt separately from Gate A.