

M01 / ASSESSMENT

M01 Module Revision Test

Standalone Zero-to-Job-Ready Data Engineer 2026

Study, practise, check and explain.

A complete learning route

Start with the lesson video. Read the worked explanation beside it, pause to reproduce the example, then solve the supplied task. The books contain your study notes; keep your own work and results as evidence.

Use the protected answers after saving your first attempt. A changed retry shows what you can now do independently. There is no forced timer during learning.

One course. M00-M19. 264 lessons and 50 project phases.

Contents

Tap a topic or use the PDF bookmarks. These numbers are the actual pages in this edition.

Read this first 3

Rules 3

T01 - DE01-01 | What data is: tables, records, fields and data types 3

T02 - DE01-02 | Grain: what one row represents 3

T03 - DE01-03 | Keys, duplicates and missing values 3

T04 - DE01-04 | Data quality and useful validation 4

T05 - DE01-05 | Meet Excel: workbook, worksheet, cells and formulas 4

T06 - DE01-06 | Enter, save and structure tabular data safely 4

T07 - DE01-07 | Sort and filter without damaging records 4

T08 - DE01-08 | Basic formulas and essential functions 4

T09 - DE01-09 | Relative and absolute references 4

T10 - DE01-10 | Excel Tables and structured working habits 5

T11 - DE01-11 | Practical cleaning and exact lookups 5

T12 - DE01-12 | PivotTables and Power Query awareness 5

T13 - DE01-13 | Chart choice and basic visual communication 5

T14 - DE01-14 | Reconciliation, sanity checks and source preservation 5

T15 - DE01-15 | A complete small workflow: inspect, calculate, validate, explain and save 5

Read this first

MODULE REVISION TEST

Save your answers before opening the protected answer guide. No forced timer. First prove the competency untimed; later you may record interview-style time if useful. This test does not replace a protected Gate.

Coverage: 15 canonical lessons

Route: learner book -> practice -> revision -> closed-book test -> protected answers -> changed retry.

Rules

Work with learner book, review book, answer guide and AI solving closed. Save one answer/evidence item for every lesson. If a task needs a PC, write your prediction first, then run it. Mark PASS only when the result and your explanation agree.

T01 - DE01-01 | What data is: tables, records, fields and data types

Changed task: answer a different question

The owner now asks: "What is the value of orders whose payment status is known, whether paid or unpaid?" Include TRUE and FALSE. Exclude missing. This differs from asking only for paid orders.

order_id: item | quantity | unit_price | ordered_on | is_paid
A015: Pencil | 5 | 8.00 | 2026-09-05 | TRUE
A016: Eraser | 2 | 5.00 | 2026-09-05 | FALSE
A017: Bag | 1 | 300.00 | 2026-09-05 | (missing)

State the row meaning and counts. Calculate the row amounts. Report the IDs, count and total for known status; report unknown status separately. Reconcile to the whole table. Explain why A017 is text and why missing does not mean unpaid.

Save an attempt before opening the review on Retry review. The separation supports honest practice; it is not a technical lock.

Save: answer / code / command / result + one validation note. Status: PASS / REVIEW NEEDED / RETRY

T02 - DE01-02 | Grain: what one row represents

Order A101 has three lines: 1 bag at 200.00, 2 pencils at 8.00 and 1 ruler at 20.00. There is one 10.00 delivery fee. Calculate the goods and payable, then explain why a result with three rows would not yet be the requested one-row-per-order summary.

Save: answer / code / command / result + one validation note. Status: PASS / REVIEW NEEDED / RETRY

T03 - DE01-03 | Keys, duplicates and missing values

At one-row-per-order-line grain, the pairs are (A1,1), (A1,2), (A2,1), (A2,1). Identify the duplicated composite key and explain why repeated A1 alone is not a fault. One A1 status is FALSE and the other is missing: can both be called unpaid?

Save: answer / code / command / result + one validation note. Status: PASS / REVIEW NEEDED / RETRY

T04 - DE01-04 | Data quality and useful validation

A delivery has 4 rows, 4 unique IDs, valid positive quantities and category totals that reconcile. The source date is a month old, but the owner asks for today's available stock. Explain why you still cannot claim it answers the question accurately.

Save: answer / code / command / result + one validation note. Status: PASS / REVIEW NEEDED / RETRY

T05 - DE01-05 | Meet Excel: workbook, worksheet, cells and formulas

On Independent, find C3 and D3 without copying the Orders values. In J2 multiply the two values using a formula, then inspect the formula bar. Keep this result separate from Orders!J2.

Save: answer / code / command / result + one validation note. Status: PASS / REVIEW NEEDED / RETRY

T06 - DE01-06 | Enter, save and structure tabular data safely

Add order A022, Pencil, 3, 8.00, 2026-09-07, FALSE to EntryAttempt. Explain why the ID type still works and why this supplied FALSE must remain distinct from the previous blank.

Save: answer / code / command / result + one validation note. Status: PASS / REVIEW NEEDED / RETRY

T07 - DE01-07 | Sort and filter without damaging records

Use a fresh copy of Independent. Filter quantity to values greater than 1. List the IDs and explain whether any source record was deleted. Clear the filter and verify the full count.

Save: answer / code / command / result + one validation note. Status: PASS / REVIEW NEEDED / RETRY

T08 - DE01-08 | Basic formulas and essential functions

On Retry, calculate all three order amounts. The question is now the total with a known payment status, including both paid and unpaid. Report the selected IDs, their total and unknown separately. Use your amount and payment_group columns to support the answer.

Save: answer / code / command / result + one validation note. Status: PASS / REVIEW NEEDED / RETRY

T09 - DE01-09 | Relative and absolute references

On Retry, apply a shared 12% discount to the three row amounts. State which part of the formula must move and which must remain fixed. Check the total after changing the shared rate to 0%, then restore 12%.

Save: answer / code / command / result + one validation note. Status: PASS / REVIEW NEEDED / RETRY

T10 - DE01-10 | Excel Tables and structured working habits

In the Table copy, change the newly added Eraser quantity from 2 to 3. Predict the new total before looking at it. Then restore quantity 2 and save.

Save: answer / code / command / result + one validation note. Status: PASS / REVIEW NEEDED / RETRY

T11 - DE01-11 | Practical cleaning and exact lookups

In a copy of Lookup, deliberately add another Pen row mapped to Paper while the original Pen maps to Writing. Without accepting a first-match result as correct, describe the conflict and the evidence needed to repair it.

Save: answer / code / command / result + one validation note. Status: PASS / REVIEW NEEDED / RETRY

T12 - DE01-12 | PivotTables and Power Query awareness

Using the same four-row source, create a PivotTable that counts records per category instead of adding amounts. Explain why its grand total has a different unit from 400.00.

Save: answer / code / command / result + one validation note. Status: PASS / REVIEW NEEDED / RETRY

T13 - DE01-13 | Chart choice and basic visual communication

The owner now asks for record counts: Paper 2, Writing 1, Bags 1. Create a second chart with an explicit record-count label. Explain why reusing the first chart's currency label would be wrong even though the category names match.

Save: answer / code / command / result + one validation note. Status: PASS / REVIEW NEEDED / RETRY

T14 - DE01-14 | Reconciliation, sanity checks and source preservation

A result keeps four rows and total 400, but swaps the recorded paid statuses of orders 0011 and 0012. Explain whether record count and whole total detect it, and calculate the new paid and unpaid amounts to show the consequence.

Save: answer / code / command / result + one validation note. Status: PASS / REVIEW NEEDED / RETRY

T15 - DE01-15 | A complete small workflow: inspect, calculate, validate, explain and save

Use FinalRetry: D001 Pencil 4 at 9 TRUE; D002 Eraser 3 at 6 FALSE; D003 Folder 2 at 22 missing, all dated 2026-09-11. The new question asks for the amount with a known payment status, including both TRUE and FALSE, plus unknown separately. Complete a new handover and explain how the inclusion rule changed.

Save: answer / code / command / result + one validation note. Status: PASS / REVIEW NEEDED / RETRY