

M01 / PROTECTED ANSWERS

M01 Module Revision Test Answers

Standalone Zero-to-Job-Ready Data Engineer 2026

Study, practise, check and explain.

A complete learning route

Start with the lesson video. Read the worked explanation beside it, pause to reproduce the example, then solve the supplied task. The books contain your study notes; keep your own work and results as evidence.

Use the protected answers after saving your first attempt. A changed retry shows what you can now do independently. There is no forced timer during learning.

One course. M00-M19. 264 lessons and 50 project phases.

Contents

Tap a topic or use the PDF bookmarks. These numbers are the actual pages in this edition.

Read this first	4
How to use the protected answers	4
A01 - DE01-01 What data is: tables, records, fields and data types	4
Expected answer / validation	4
A02 - DE01-02 Grain: what one row represents	5
Expected answer / validation	5
A03 - DE01-03 Keys, duplicates and missing values	5
Expected answer / validation	5
A04 - DE01-04 Data quality and useful validation	5
Expected answer / validation	5
A05 - DE01-05 Meet Excel: workbook, worksheet, cells and formulas	5
Expected answer / validation	5
A06 - DE01-06 Enter, save and structure tabular data safely	6
Expected answer / validation	6
A07 - DE01-07 Sort and filter without damaging records	6
Expected answer / validation	6
A08 - DE01-08 Basic formulas and essential functions	6
Expected answer / validation	6
A09 - DE01-09 Relative and absolute references	6
Expected answer / validation	6
A10 - DE01-10 Excel Tables and structured working habits	6

Expected answer / validation 6

A11 - DE01-11 | Practical cleaning and exact lookups 7

Expected answer / validation 7

A12 - DE01-12 | PivotTables and Power Query awareness 7

Expected answer / validation 7

A13 - DE01-13 | Chart choice and basic visual communication 7

Expected answer / validation 7

A14 - DE01-14 | Reconciliation, sanity checks and source preservation 7

Expected answer / validation 7

A15 - DE01-15 | A complete small workflow: inspect, calculate, validate, explain and save 8

Expected answer / validation 8

Read this first

Open this book after saving your own attempt. Compare the reasoning and result, repair the cause of a mistake, then close the answer and try changed inputs.

PROTECTED TEST ANSWERS

Use this file to validate and repair, not to erase your first attempt. Compare the expected control with what you actually observed, close this guide, then solve a changed retry if the competency was weak.

Coverage: 15 canonical lessons

Route: learner book -> practice -> revision -> closed-book test -> protected answers -> changed retry.

How to use the protected answers

Open only the lesson you attempted. The guide gives the expected control/behavior, not permission to copy. If you used it, close it and perform a changed retry before marking the lesson mastered.

A01 - DE01-01 | What data is: tables, records, fields and data types

Expected answer / validation

First check the question

The request includes orders with a known payment status. Both TRUE and FALSE are known answers. Missing is not a known answer. Selecting only paid orders would solve the wrong problem.

One record is one order containing one product kind. There are 3 records and 6 fields. The header is not a fourth order.

Order: Calculation | Amount | Status A015: 5 x 8.00 | 40.00 | Known paid A016: 2 x 5.00 | 10.00 | Recorded unpaid A017: 1 x 300.00 | 300.00 | Unknown

Include A015 and A016: 2 records, 50.00. Unknown is A017: 1 record, 300.00. The whole-table total is 350.00.

Counts reconcile as $2 + 1 = 3$. Amounts reconcile as $50.00 + 300.00 = 350.00$. A017 is a text label containing a letter and digit characters; it identifies an order, not a quantity.

Repair the interpretation, not just the arithmetic

If you returned 40.00, you included TRUE but forgot FALSE is also known. If you returned 350.00, you included the unknown-status order in the known group. If you called A017 unpaid, you guessed a status that was not supplied.

Before doing arithmetic, say the inclusion rule aloud: "Include both known answers. Exclude the missing answer." Then identify the records. Calculating after selecting makes the reasoning easier to inspect.

Explain it in your own words

Try: "I included A015 and A016 because their statuses are supplied. Their amounts are 40.00 and 10.00, totalling 50.00. I kept A017 separate because its status is unknown. Together the known and unknown groups account for all three orders and 350.00."

You do not need to memorise that paragraph. You should be able to explain the selected records, the calculation, the excluded record and the check using your own simple words.

After repair: close this guide and repeat the competency on a changed input/scenario. Preserve the original failed/partial attempt.

A02 - DE01-02 | Grain: what one row represents

Expected answer / validation

Goods: $200.00 + 16.00 + 20.00 = 236.00$. Payable: 246.00. Three rows can be a valid line-level result, but the requested order summary needs one row. Adding 30.00 of delivery would incorrectly produce 266.00.

After repair: close this guide and repeat the competency on a changed input/scenario. Preserve the original failed/partial attempt.

A03 - DE01-03 | Keys, duplicates and missing values

Expected answer / validation

(A2,1) repeats and needs inspection. (A1,1) and (A1,2) are different legitimate line keys. FALSE is recorded unpaid; missing is unknown. The repeated order ID and the missing status are separate questions, so one check cannot resolve both.

After repair: close this guide and repeat the competency on a changed input/scenario. Preserve the original failed/partial attempt.

A04 - DE01-04 | Data quality and useful validation

Expected answer / validation

Structural checks can all pass while the source is unsuitable for the decision. A month-old snapshot may omit later sales or deliveries. Obtain a sufficiently current source or label the result with its actual date and limitation. Do not present it as today's stock.

After repair: close this guide and repeat the competency on a changed input/scenario. Preserve the original failed/partial attempt.

A05 - DE01-05 | Meet Excel: workbook, worksheet, cells and formulas

Expected answer / validation

Independent!C3 is 4 and D3 is 12.50. $=4*12.5$ gives 50. The two J2 cells belong to different sheets and can store different results. You will next replace hard-coded numbers with references that follow source changes.

After repair: close this guide and repeat the competency on a changed input/scenario. Preserve the original failed/partial attempt.

A06 - DE01-06 | Enter, save and structure tabular data safely

Expected answer / validation

Text supports labels containing letters as well as digit characters. A022 is recorded unpaid; 0021 remains unknown. Three records now exist. A new row should not cause you to replace the unknown answer in an earlier record.

After repair: close this guide and repeat the competency on a changed input/scenario. Preserve the original failed/partial attempt.

A07 - DE01-07 | Sort and filter without damaging records

Expected answer / validation

0012 has quantity 4 and 0013 has quantity 2, so both remain visible. The quantity-1 orders are hidden. Clearing the filter returns all four Independent records. Filtering is a view change, not permission to remove excluded source data.

After repair: close this guide and repeat the competency on a changed input/scenario. Preserve the original failed/partial attempt.

A08 - DE01-08 | Basic formulas and essential functions

Expected answer / validation

A015 gives 40, A016 gives 10 and A017 gives 300. Known status includes A015 and A016, totalling 50. Unknown is 300; full total is 350. Paid alone would be 40 and would answer a narrower question. You can add the Paid and Unpaid subtotals to calculate Known.

After repair: close this guide and repeat the competency on a changed input/scenario. Preserve the original failed/partial attempt.

A09 - DE01-09 | Relative and absolute references

Expected answer / validation

At 12% the amounts are 35.20, 8.80 and 264.00, totalling 308.00. At 0% they return to the original full total of 350.00. The row amount reference moves; the single rate cell stays fixed. The test changes a shared input and checks every affected result.

After repair: close this guide and repeat the competency on a changed input/scenario. Preserve the original failed/partial attempt.

A10 - DE01-10 | Excel Tables and structured working habits

Expected answer / validation

The extra eraser adds 5.00, so the temporary total is 415.00. Restoring quantity 2 returns 410.00. This checks the new row's formula and the summary reference together. It does not prove unrelated source values are correct.

After repair: close this guide and repeat the competency on a changed input/scenario. Preserve the original failed/partial attempt.

A11 - DE01-11 | Practical cleaning and exact lookups

Expected answer / validation

Pen now has two conflicting category assignments. A lookup may return one, but the mapping source no longer defines one unambiguous answer. Preserve both rows and ask which category rule is authoritative. Delete the experimental copy after preserving the attempt only if you no longer need it; keep the original Lookup intact.

After repair: close this guide and repeat the competency on a changed input/scenario. Preserve the original failed/partial attempt.

A12 - DE01-12 | PivotTables and Power Query awareness

Expected answer / validation

Paper count 2, Writing count 1, Bags count 1, total count 4. It measures records, not currency. The same source supports different valid summaries when their labels and questions are explicit.

After repair: close this guide and repeat the competency on a changed input/scenario. Preserve the original failed/partial attempt.

A13 - DE01-13 | Chart choice and basic visual communication

Expected answer / validation

The measure has changed from amount to count. Counts sum to 4, and Paper now has the largest count despite Bags having the largest amount. A chart's interpretation depends on its measure and unit, not just the categories.

After repair: close this guide and repeat the competency on a changed input/scenario. Preserve the original failed/partial attempt.

A14 - DE01-14 | Reconciliation, sanity checks and source preservation

Expected answer / validation

Count and whole total still pass. 0011's 60 becomes unpaid; 0012's 50 becomes paid. Paid becomes 300, unpaid 60, unknown 40. The total remains 400. Comparing statuses by their order IDs with the preserved source detects the swap.

After repair: close this guide and repeat the competency on a changed input/scenario. Preserve the original failed/partial attempt.

A15 - DE01-15 | A complete small workflow: inspect, calculate, validate, explain and save

Expected answer / validation

Amounts are 36, 18 and 44, total 98. Known status includes D001 and D002: 2 records and 54. Unknown is D003: 1 record and 44. Counts reconcile $2 + 1 = 3$; amounts $54 + 44 = 98$. Reporting only paid 36 would fail the changed question despite correct multiplication.

After repair: close this guide and repeat the competency on a changed input/scenario. Preserve the original failed/partial attempt.