

G07 EVIDENCE RECORD

Structure for final Gate evidence + human/Mentor review

EVIDENCE IS NOT A SCORE

- Normal route starts with Gate A only.
- Save a genuine attempt before protected Review.
- Repair the smallest weak competency.
- Gate B/C are fresh reassessments only when explicitly assigned.
- All K1-K8 + zero unresolved critical failures; no percentage shortcut.

FINAL COURSE-CONTENT PRACTICAL - BEGINNER-FIRST NAVIGATION, CLOSED-BOOK PERFORMANCE

Static package can prove controls. Only a real learner attempt + human/Mentor review can prove Gate pass.

This book is your teacher

Purpose

Use this book after/alongside a genuine Gate attempt to understand what evidence must exist. It does not tell you the hidden expected result and it cannot decide technical correctness.

Evidence principle

Every statement should resolve to something reviewable: code path, query, output, log, checksum, validation, diagram, runbook, recording or explicit runtime boundary.

Human/Mentor decision remains required

The evaluator checks structural completeness only. A filled JSON file with plausible words is not proof of mastery.

Contents / Index

This book is your teacher

Page 2

Contents / Index

Page 3

Evidence schema map

Page 4

K1-K8 evidence map

Page 5

Evaluator command + critical failures

Page 6

Real pass + post-pass route

Page 7

Evidence schema map

attempt

variant, attempt_id, first_attempt_saved_at, review-open timing

requirements/source

requirements summary, source inventory, lineage/checksums

implementation

Python, SQL, serving, quarantine, run manifest, validation report paths

grain + validation

source/latest/serving grain and independent count/reconciliation controls

rerun

first run, second run and idempotence proof

incident + change

evidence inspected, hypothesis, safe recovery, post-check, predicted change effect and post-change validation

security + production translation

PII/secrets/least privilege plus orchestration/storage/streaming/cloud/observability/cost reasoning

architecture + job defense

decisions, alternatives, failure domains, limitations, runbook, M18/M19 evidence and follow-up answers

runtime truth

what was locally observed, what was not run/external, claims boundary

competencies + critical failures

K1-K8 demonstrated/evidence arrays; unresolved critical failures must be explicit

K1-K8 evidence map

K1

Source contracts and ingestion: preserve lineage/checksums, validate schema/types/keys, quarantine defects visibly.

K2

SQL/modeling/reconciliation: state grain, choose deterministic latest state, join safely, query correctly and reconcile independently.

K3

Python/state/idempotence: write/debug readable code, handle bad records visibly and prove safe rerun behavior.

K4

Orchestration/quality/delivery: dependencies, retries/backfill boundaries, blocking quality checks, tests and reproducible handoff.

K5

Storage/distributed/lakehouse/streaming: reason about files/partitions/Spark/Delta/event time/offsets and batch-vs-stream choices.

K6

Cloud/security/observability/cost: translate to managed cloud/Fabric, protect PII/secrets, use least privilege and define operational signals.

K7

Incident recovery and controlled change: diagnose from evidence, recover safely, implement a changed requirement and revalidate.

K8

Architecture/reproducibility/job-ready defense: explain requirements, decisions, alternatives, limitations, handoff and technical answers from evidence.

Evaluator + critical failures

Run structural evaluator

```
`python 07_EVIDENCE_RECORD/evaluate_evidence.py <path-to-evidence.json>`
```

Exit 2

Evidence is structurally incomplete or `critical\_failures` is non-empty. Repair the missing/critical issue; do not average it away.

Exit 0

Status is `EVIDENCE\_COMPLETE\_FOR\_HUMAN\_GATE\_REVIEW`. This means required fields/evidence references exist. It does NOT mean the implementation is correct or the Gate has passed.

Critical examples

Silent data loss/corruption; PII leak; nondeterministic latest-state result; unhandled financial/value mismatch; false runtime/employment claim; unsafe rerun behavior; inability to reproduce/defend core result. Reviewer decides severity from evidence.

Real pass + post-pass route

G07 PASS

All K1-K8 technically demonstrated with evidence + human/Mentor review confirmation + zero unresolved critical failures. No numeric shortcut.

A pass ends the Gate family

Do not take B/C for bonus practice after a clean A pass. B/C exist only to produce fresh evidence after an assigned reassessment.

After real learner pass

Next: production Mentor synchronization from final canonical registry, then whole-course integration/runtime/device/final-byte QA. Static content seal is not that runtime certification.

Course FINAL remains separate

Only after production Mentor sync, physical Android/PWA + learner-PC runtime certification, whole-course QA and final release controls may the entire Standalone DE be considered FINAL.