

G07 REVIEW A - PROTECTED

Open only after saved Gate A attempt

DIAGNOSE + REPAIR; NOT FIRST-PASS TEACHING

- Normal route starts with Gate A only.
- Save a genuine attempt before protected Review.
- Repair the smallest weak competency.
- Gate B/C are fresh reassessments only when explicitly assigned.
- All K1-K8 + zero unresolved critical failures; no percentage shortcut.

FINAL COURSE-CONTENT PRACTICAL - BEGINNER-FIRST NAVIGATION, CLOSED-BOOK PERFORMANCE

Static package can prove controls. Only a real learner attempt + human/Mentor review can prove Gate pass.

This book is your teacher - after an attempt

Unlock condition

A genuine Gate A attempt must already be saved. If no saved attempt exists, close this PDF now.

How to use Review

Compare one control at a time. Diagnose the smallest weak competency. Repair only that dimension. Close Review. Then use a fresh/changed reassessment only if assigned. Do not copy hidden controls into your evidence as if independently derived.

Pass is not a number

Protected expected controls help diagnosis. They do not create a score or percentage. Technical correctness + K1-K8 evidence + zero unresolved critical failures still govern pass.

Original attempt stays append-only

Do not overwrite attempt-01 after seeing Review. Save repair/retest evidence separately so learning and independence remain auditable.

Protected control states

Baseline

source events=11 | distinct entities=10 | latest=10 | accepted=6 | quarantine=4 | accepted value=5800.0
eligible statuses: DELIVERED, SHIPPED

After incident

source events=13 | distinct entities=10 | latest=10 | accepted=5 | quarantine=5 | accepted value=4550.0
eligible statuses: DELIVERED, SHIPPED

Changed rule / clean baseline

source events=11 | distinct entities=10 | latest=10 | accepted=7 | quarantine=3 | accepted value=7600.0
eligible statuses: DELIVERED, DELIVERED_LATE, SHIPPED

Incident + changed rule

source events=13 | distinct entities=10 | latest=10 | accepted=6 | quarantine=4 | accepted value=6350.0
eligible statuses: DELIVERED, DELIVERED_LATE, SHIPPED

Use correctly

A mismatch means investigate your grain/rule/join/reconciliation logic. Do not merely hard-code these values until tests turn green.

Incident + changed requirement

Incident supplied by Gate

INCIDENT - OPEN ONLY WHEN THE GATE INSTRUCTS YOU

A correction for S105 arrives with units=6 while successful settlement remains 1250. A stale duplicate for S100 also arrives. The previous pipeline published both without blocking the mismatch.

Changed requirement supplied by Gate

CONTROLLED CHANGE REQUEST - OPEN ONLY AFTER RECOVERY EVIDENCE IS SAVED

Business now treats DELIVERED_LATE as an eligible serving status. Existing history must remain reproducible; rerun the same raw inputs after changing configuration/logic and prove only the intended eligibility changes.

After-incident quarantine diagnosis

S103 / E005: non_serving_status; value=1400.0; settlement=0
S104 / E006: nonpositive_units_or_value; value=-400.0; settlement=400.0
S105 / E900: settlement_mismatch; value=1500.0; settlement=1250.0
S106 / E008: non_serving_status; value=1800.0; settlement=1800.0
S108 / E010: missing_party_reference; value=400.0; settlement=400.0

Targeted repair map

K1 source/contract

If lineage/schema/key evidence is weak: re-inventory inputs and add explicit checks; do not change business logic yet.

K2 SQL/modeling

If latest/join/grain/reconciliation is weak: isolate one query/control and prove grain before aggregation.

K3 Python/idempotence

If code/state/rerun is weak: reproduce with smallest input, make failure visible, then rerun same inputs.

K4 delivery quality

If dependencies/backfill/tests are weak: draw the order and mark blocking vs warning controls.

K5/K6 production translation

If Spark/Delta/Kafka/cloud/security claims are vague: map one local responsibility to one managed responsibility and state what was NOT executed.

K7 incident/change

If recovery or change diff is weak: restate symptom -> evidence -> hypothesis -> smallest safe action -> post-check.

K8 defense

If architecture/job explanation is weak: answer requirement -> decision -> evidence -> trade-off -> limitation; remove buzzwords you cannot defend.

Changed retry + exact next route

Repair evidence

Save a separate repair note/micro-proof. Do not overwrite the original attempt. Re-run only the smallest evidence needed to prove the weak competency before a full reassessment.

Next route

If targeted repair is sufficient for reviewer reassessment, follow reviewer direction. If a full fresh reassessment is required, Gate B must be explicitly assigned. Do not open B merely because Review A is finished.

Critical-failure rule

No percentage, average or strong-area compensation can hide an unresolved critical failure.

Close Review before reassessment

A fresh attempt must distinguish transfer from recognition. Close this PDF and protected controls before solving again.