

M15 Fresh Changed Retry

New proof after targeted repair

REASSESSMENT | NO COPY-BACK

Changed proof is required after weakness.

DE15-01 - Cloud fundamentals for data engineers

RETRY | Teaching Book p6 | route page 2

Fresh changed retry

Create the same map for a clinic ingestion case without copying the guided layout.

Required difference

Do not re-type the first attempt. Change the domain/input/permission/failure condition enough that memory of the first answer cannot substitute for reasoning.

Validate again

Re-prove architecture map with an independent check and correct evidence-kind label.

Append-only evidence

CREATE `04\_PRACTICE\_FILES/lesson\_workspaces/DE15-01/retry.md` after the first attempt. Never overwrite attempt 1.

Reassessment

PASS -> next route DE15-02. Weak -> targeted repair of this competency only; no whole-module restart.

DE15-02 - Identity, IAM and least privilege

RETRY | Teaching Book p9 | route page 3

Fresh changed retry

Build a fresh matrix for a contractor who can monitor runs but must not edit production data.

Required difference

Do not re-type the first attempt. Change the domain/input/permission/failure condition enough that memory of the first answer cannot substitute for reasoning.

Validate again

Re-prove least-privilege permission matrix with an independent check and correct evidence-kind label.

Append-only evidence

CREATE `04\_PRACTICE\_FILES/lesson\_workspaces/DE15-02/retry.md` after the first attempt. Never overwrite attempt 1.

Reassessment

PASS -> next route DE15-03. Weak -> targeted repair of this competency only; no whole-module restart.

DE15-03 - Azure Storage concepts and OneLake

RETRY | Teaching Book p12 | route page 4

Fresh changed retry

Evaluate a fresh source where the producer controls lifecycle and you need near-current reads.

Required difference

Do not re-type the first attempt. Change the domain/input/permission/failure condition enough that memory of the first answer cannot substitute for reasoning.

Validate again

Re-prove copy vs shortcut decision with an independent check and correct evidence-kind label.

Append-only evidence

CREATE `04\_PRACTICE\_FILES/lesson\_workspaces/DE15-03/retry.md` after the first attempt. Never overwrite attempt 1.

Reassessment

PASS -> next route DE15-04. Weak -> targeted repair of this competency only; no whole-module restart.

DE15-04 - Fabric workspace and item model

RETRY | Teaching Book p15 | route page 5

Fresh changed retry

Create a fresh inventory for a support-analytics workload.

Required difference

Do not re-type the first attempt. Change the domain/input/permission/failure condition enough that memory of the first answer cannot substitute for reasoning.

Validate again

Re-prove workspace/item inventory with an independent check and correct evidence-kind label.

Append-only evidence

CREATE `04\_PRACTICE\_FILES/lesson\_workspaces/DE15-04/retry.md` after the first attempt. Never overwrite attempt 1.

Reassessment

PASS -> next route DE15-05. Weak -> targeted repair of this competency only; no whole-module restart.

DE15-05 - OneLake paths, files, tables and shortcuts

RETRY | Teaching Book p18 | route page 6

Fresh changed retry

Design a changed path map for a vendor-owned external data source.

Required difference

Do not re-type the first attempt. Change the domain/input/permission/failure condition enough that memory of the first answer cannot substitute for reasoning.

Validate again

Re-prove OneLake path and shortcut map with an independent check and correct evidence-kind label.

Append-only evidence

CREATE `04\_PRACTICE\_FILES/lesson\_workspaces/DE15-05/retry.md` after the first attempt. Never overwrite attempt 1.

Reassessment

PASS -> next route DE15-06. Weak -> targeted repair of this competency only; no whole-module restart.

DE15-06 - Fabric Lakehouse and Delta tables

RETRY | Teaching Book p21 | route page 7

Fresh changed retry

Define the same contract for a fresh clinic-events table with explicit bad-row reasons.

Required difference

Do not re-type the first attempt. Change the domain/input/permission/failure condition enough that memory of the first answer cannot substitute for reasoning.

Validate again

Re-prove Lakehouse/Delta contract with an independent check and correct evidence-kind label.

Append-only evidence

CREATE `04\_PRACTICE\_FILES/lesson\_workspaces/DE15-06/retry.md` after the first attempt. Never overwrite attempt 1.

Reassessment

PASS -> next route DE15-07. Weak -> targeted repair of this competency only; no whole-module restart.

DE15-07 - Fabric notebooks

RETRY | Teaching Book p24 | route page 8

Fresh changed retry

Design a fresh notebook flow for device telemetry without relying on hidden session state.

Required difference

Do not re-type the first attempt. Change the domain/input/permission/failure condition enough that memory of the first answer cannot substitute for reasoning.

Validate again

Re-prove rerunnable notebook flow with an independent check and correct evidence-kind label.

Append-only evidence

CREATE `04\_PRACTICE\_FILES/lesson\_workspaces/DE15-07/retry.md` after the first attempt. Never overwrite attempt 1.

Reassessment

PASS -> next route DE15-08. Weak -> targeted repair of this competency only; no whole-module restart.

DE15-08 - Spark in Fabric

RETRY | Teaching Book p27 | route page 9

Fresh changed retry

Create a fresh checklist for moving a local Spark/Delta job to Fabric without assuming preview features.

Required difference

Do not re-type the first attempt. Change the domain/input/permission/failure condition enough that memory of the first answer cannot substitute for reasoning.

Validate again

Re-prove Fabric runtime compatibility checklist with an independent check and correct evidence-kind label.

Append-only evidence

CREATE `04\_PRACTICE\_FILES/lesson\_workspaces/DE15-08/retry.md` after the first attempt. Never overwrite attempt 1.

Reassessment

PASS -> next route DE15-09. Weak -> targeted repair of this competency only; no whole-module restart.

DE15-09 - Fabric Data Pipelines

RETRY | Teaching Book p30 | route page 10

Fresh changed retry

Create a fresh graph where validation fails and prove publish is blocked.

Required difference

Do not re-type the first attempt. Change the domain/input/permission/failure condition enough that memory of the first answer cannot substitute for reasoning.

Validate again

Re-prove pipeline dependency and failure graph with an independent check and correct evidence-kind label.

Append-only evidence

CREATE `04\_PRACTICE\_FILES/lesson\_workspaces/DE15-09/retry.md` after the first attempt. Never overwrite attempt 1.

Reassessment

PASS -> next route DE15-10. Weak -> targeted repair of this competency only; no whole-module restart.

DE15-10 - SQL analytics endpoint and warehouse choice

RETRY | Teaching Book p33 | route page 11

Fresh changed retry

Choose for a fresh finance-serving case and defend the alternative you rejected.

Required difference

Do not re-type the first attempt. Change the domain/input/permission/failure condition enough that memory of the first answer cannot substitute for reasoning.

Validate again

Re-prove SQL endpoint vs Warehouse choice with an independent check and correct evidence-kind label.

Append-only evidence

CREATE `04\_PRACTICE\_FILES/lesson\_workspaces/DE15-10/retry.md` after the first attempt. Never overwrite attempt 1.

Reassessment

PASS -> next route DE15-11. Weak -> targeted repair of this competency only; no whole-module restart.

DE15-11 - Medallion architecture in Fabric

RETRY | Teaching Book p36 | route page 12

Fresh changed retry

Design a changed medallion flow for clinic appointments.

Required difference

Do not re-type the first attempt. Change the domain/input/permission/failure condition enough that memory of the first answer cannot substitute for reasoning.

Validate again

Re-prove medallion architecture with an independent check and correct evidence-kind label.

Append-only evidence

CREATE `04\_PRACTICE\_FILES/lesson\_workspaces/DE15-11/retry.md` after the first attempt. Never overwrite attempt 1.

Reassessment

PASS -> next route DE15-12. Weak -> targeted repair of this competency only; no whole-module restart.

DE15-12 - Incremental loads and MERGE in cloud

RETRY | Teaching Book p39 | route page 13

Fresh changed retry

Design a changed incremental load where a failed publish must not advance its watermark.

Required difference

Do not re-type the first attempt. Change the domain/input/permission/failure condition enough that memory of the first answer cannot substitute for reasoning.

Validate again

Re-prove incremental MERGE state transition with an independent check and correct evidence-kind label.

Append-only evidence

CREATE `04\_PRACTICE\_FILES/lesson\_workspaces/DE15-12/retry.md` after the first attempt. Never overwrite attempt 1.

Reassessment

PASS -> next route DE15-13. Weak -> targeted repair of this competency only; no whole-module restart.

DE15-13 - Permissions, connections and secrets

RETRY | Teaching Book p42 | route page 14

Fresh changed retry

Create a fresh cross-workspace connection plan without embedding credentials.

Required difference

Do not re-type the first attempt. Change the domain/input/permission/failure condition enough that memory of the first answer cannot substitute for reasoning.

Validate again

Re-prove permissions, connections and secrets with an independent check and correct evidence-kind label.

Append-only evidence

CREATE `04\_PRACTICE\_FILES/lesson\_workspaces/DE15-13/retry.md` after the first attempt. Never overwrite attempt 1.

Reassessment

PASS -> next route DE15-14. Weak -> targeted repair of this competency only; no whole-module restart.

DE15-14 - Monitoring, reliability and cost awareness

RETRY | Teaching Book p45 | route page 15

Fresh changed retry

Create a fresh runbook for a slow pipeline whose output totals still reconcile.

Required difference

Do not re-type the first attempt. Change the domain/input/permission/failure condition enough that memory of the first answer cannot substitute for reasoning.

Validate again

Re-prove monitoring/reliability/cost runbook with an independent check and correct evidence-kind label.

Append-only evidence

CREATE `04\_PRACTICE\_FILES/lesson\_workspaces/DE15-14/retry.md` after the first attempt. Never overwrite attempt 1.

Reassessment

PASS -> next route DE15-15. Weak -> targeted repair of this competency only; no whole-module restart.

DE15-15 - Git, deployment and environment separation

RETRY | Teaching Book p48 | route page 16

Fresh changed retry

Introduce a changed test environment with different IDs and revise promotion.

Required difference

Do not re-type the first attempt. Change the domain/input/permission/failure condition enough that memory of the first answer cannot substitute for reasoning.

Validate again

Re-prove Git/deployment/environment separation with an independent check and correct evidence-kind label.

Append-only evidence

CREATE `04\_PRACTICE\_FILES/lesson\_workspaces/DE15-15/retry.md` after the first attempt. Never overwrite attempt 1.

Reassessment

PASS -> next route DE15-16. Weak -> targeted repair of this competency only; no whole-module restart.

DE15-16 - End-to-end Fabric data engineering case

RETRY | Teaching Book p51 | route page 17

Fresh changed retry

Produce the complete clinic changed-case architecture/evidence plan from a blank template.

Required difference

Do not re-type the first attempt. Change the domain/input/permission/failure condition enough that memory of the first answer cannot substitute for reasoning.

Validate again

Re-prove end-to-end Fabric evidence index with an independent check and correct evidence-kind label.

Append-only evidence

CREATE `04\_PRACTICE\_FILES/lesson\_workspaces/DE15-16/retry.md` after the first attempt. Never overwrite attempt 1.

Reassessment

PASS -> next route G06 after M17. Weak -> targeted repair of this competency only; no whole-module restart.

Module practical changed reassessment - Maintenance Assets

Open only after a saved practical attempt + targeted repair

Changed domain

Use ASSETS/assets_base.csv and asset_updates.csv. This is deliberately not the Retail Orders practical domain.

Your job

CREATE a fresh end-to-end plan/solution for maintenance-asset data: raw preservation, validated state, incremental update, serving, least privilege, monitoring, rerun safety and recovery. Do not reuse the Retail Orders answer structure blindly.

Evidence truth

Label every proof LIVE FABRIC, OFFLINE PLAN or SIMULATOR. A local result never becomes a Fabric run by description.

Reassessment rule

Preserve the original practical attempt append-only. Save this changed reassessment separately. Passing requires every previously weak competency demonstrated with no unresolved critical failure.