

M16 Protected Review + Repair

LOCKED

Open only after the matching attempt + validation are saved. This book diagnoses and teaches; it is not a pre-attempt answer sheet.

DE16-01 - Protected Review

Strong evidence should show

A successful good-data run plus a written control chain: change -> test -> quality/security -> deploy -> observe -> incident/recovery. You can name one blocking failure, one operational signal and one recovery artifact.

Diagnose the smallest missing boundary

Check in order: (1) did you execute or only describe? (2) did you name the risk/control? (3) is the observed result inspectable? (4) did you preserve the first attempt? (5) did you distinguish local evidence from live GitHub/Terraform/cloud evidence?

Targeted teaching repair

Return only to DE16-01 learner book page 6. Re-read the mental model and guided run. Use the exact official/visual route on that page if the platform behavior is the weak point. Then close Review and the worked example.

Changed micro-proof

For ClinicOps, design the production control chain for a 20-minute freshness target and stricter privacy. Change the domain, failure and recovery evidence; do not reuse ParcelPulse wording.

Append-only rule

Do not edit 04_PRACTICE_FILES/lesson_workspaces/DE16-01/attempt.md into a pass. CREATE retry.md after repair. A manual status toggle cannot resolve the weakness; changed evidence + validation + teach-back are required.

DE16-02 - Protected Review

Strong evidence should show

The local suite passes 9 tests in the supplied baseline, and your risk matrix shows which failures are covered locally versus which need integration/live evidence.

Diagnose the smallest missing boundary

Check in order: (1) did you execute or only describe? (2) did you name the risk/control? (3) is the observed result inspectable? (4) did you preserve the first attempt? (5) did you distinguish local evidence from live GitHub/Terraform/cloud evidence?

Targeted teaching repair

Return only to DE16-02 learner book page 9. Re-read the mental model and guided run. Use the exact official/visual route on that page if the platform behavior is the weak point. Then close Review and the worked example.

Changed micro-proof

For ClinicOps, design a new 5-test strategy protecting patient-event privacy, schema contract, 20-minute freshness, deployment policy and rollback validation.

Append-only rule

Do not edit 04_PRACTICE_FILES/lesson_workspaces/DE16-02/attempt.md into a pass. CREATE retry.md after repair. A manual status toggle cannot resolve the weakness; changed evidence + validation + teach-back are required.

DE16-03 - Protected Review

Strong evidence should show

Good data exits 0 with 8 accepted, 0 rejected and accepted amount 990. Bad data exits non-zero with 5 accepted, 3 rejected and accepted amount 685. Your severity policy explains warning vs block.

Diagnose the smallest missing boundary

Check in order: (1) did you execute or only describe? (2) did you name the risk/control? (3) is the observed result inspectable? (4) did you preserve the first attempt? (5) did you distinguish local evidence from live GitHub/Terraform/cloud evidence?

Targeted teaching repair

Return only to DE16-03 learner book page 12. Re-read the mental model and guided run. Use the exact official/visual route on that page if the platform behavior is the weak point. Then close Review and the worked example.

Changed micro-proof

ClinicOps: create blocking/warning policy for duplicate visit IDs, missing contact, privacy leakage, 20-minute freshness and a 4% volume drop.

Append-only rule

Do not edit 04_PRACTICE_FILES/lesson_workspaces/DE16-03/attempt.md into a pass. CREATE retry.md after repair. A manual status toggle cannot resolve the weakness; changed evidence + validation + teach-back are required.

DE16-04 - Protected Review

Strong evidence should show

You can trace trigger -> job -> steps -> result and explain at least one production failure that a green CI run does not rule out.

Diagnose the smallest missing boundary

Check in order: (1) did you execute or only describe? (2) did you name the risk/control? (3) is the observed result inspectable? (4) did you preserve the first attempt? (5) did you distinguish local evidence from live GitHub/Terraform/cloud evidence?

Targeted teaching repair

Return only to DE16-04 learner book page 15. Re-read the mental model and guided run. Use the exact official/visual route on that page if the platform behavior is the weak point. Then close Review and the worked example.

Changed micro-proof

ClinicOps: design a CI candidate gate containing tests, privacy policy, secret scan and release manifest validation. Keep deployment separate.

Append-only rule

Do not edit 04_PRACTICE_FILES/lesson_workspaces/DE16-04/attempt.md into a pass. CREATE retry.md after repair. A manual status toggle cannot resolve the weakness; changed evidence + validation + teach-back are required.

DE16-05 - Protected Review

Strong evidence should show

You can distinguish GitHub token permissions, OIDC token request permission, cloud trust policy, cloud RBAC, and environment protection as separate controls.

Diagnose the smallest missing boundary

Check in order: (1) did you execute or only describe? (2) did you name the risk/control? (3) is the observed result inspectable? (4) did you preserve the first attempt? (5) did you distinguish local evidence from live GitHub/Terraform/cloud evidence?

Targeted teaching repair

Return only to DE16-05 learner book page 18. Re-read the mental model and guided run. Use the exact official/visual route on that page if the platform behavior is the weak point. Then close Review and the worked example.

Changed micro-proof

ClinicOps: design a protected production deployment identity flow using a GitHub environment, OIDC, constrained trust and least-privilege cloud role. Do not reuse ParcelPulse names.

Append-only rule

Do not edit 04_PRACTICE_FILES/lesson_workspaces/DE16-05/attempt.md into a pass. CREATE retry.md after repair. A manual status toggle cannot resolve the weakness; changed evidence + validation + teach-back are required.

DE16-06 - Protected Review

Strong evidence should show

Distinct dev/test/prod targets and a written separation policy naming data, identity, config and deployment controls.

Diagnose the smallest missing boundary

Check in order: (1) did you execute or only describe? (2) did you name the risk/control? (3) is the observed result inspectable? (4) did you preserve the first attempt? (5) did you distinguish local evidence from live GitHub/Terraform/cloud evidence?

Targeted teaching repair

Return only to DE16-06 learner book page 21. Re-read the mental model and guided run. Use the exact official/visual route on that page if the platform behavior is the weak point. Then close Review and the worked example.

Changed micro-proof

ClinicOps: design dev/test/prod separation where test cannot access real patient identifiers and production deployment needs protected approval.

Append-only rule

Do not edit 04_PRACTICE_FILES/lesson_workspaces/DE16-06/attempt.md into a pass. CREATE retry.md after repair. A manual status toggle cannot resolve the weakness; changed evidence + validation + teach-back are required.

DE16-07 - Protected Review

Strong evidence should show

A release decision with version, trigger, rollback target, preserved evidence and explicit post-rollback validation. You mention data compatibility before reversing anything.

Diagnose the smallest missing boundary

Check in order: (1) did you execute or only describe? (2) did you name the risk/control? (3) is the observed result inspectable? (4) did you preserve the first attempt? (5) did you distinguish local evidence from live GitHub/Terraform/cloud evidence?

Targeted teaching repair

Return only to DE16-07 learner book page 24. Re-read the mental model and guided run. Use the exact official/visual route on that page if the platform behavior is the weak point. Then close Review and the worked example.

Changed micro-proof

ClinicOps: candidate v2.3 fails a privacy check after deployment. Design containment, rollback/roll-forward choice and validation without reusing ParcelPulse versions.

Append-only rule

Do not edit 04_PRACTICE_FILES/lesson_workspaces/DE16-07/attempt.md into a pass. CREATE retry.md after repair. A manual status toggle cannot resolve the weakness; changed evidence + validation + teach-back are required.

DE16-08 - Protected Review

Strong evidence should show

Clean baseline scan, deliberate fake-token detection, and a response sequence that starts with revoke/rotate rather than merely deleting the line.

Diagnose the smallest missing boundary

Check in order: (1) did you execute or only describe? (2) did you name the risk/control? (3) is the observed result inspectable? (4) did you preserve the first attempt? (5) did you distinguish local evidence from live GitHub/Terraform/cloud evidence?

Targeted teaching repair

Return only to DE16-08 learner book page 27. Re-read the mental model and guided run. Use the exact official/visual route on that page if the platform behavior is the weak point. Then close Review and the worked example.

Changed micro-proof

ClinicOps: respond to a leaked demo storage credential in a protected deployment workflow, including patient-data access review and a safer identity design.

Append-only rule

Do not edit 04_PRACTICE_FILES/lesson_workspaces/DE16-08/attempt.md into a pass. CREATE retry.md after repair. A manual status toggle cannot resolve the weakness; changed evidence + validation + teach-back are required.

DE16-09 - Protected Review

Strong evidence should show

A least-privilege role matrix with no wildcard permissions and a clear separation between data use, pipeline execution and deployment.

Diagnose the smallest missing boundary

Check in order: (1) did you execute or only describe? (2) did you name the risk/control? (3) is the observed result inspectable? (4) did you preserve the first attempt? (5) did you distinguish local evidence from live GitHub/Terraform/cloud evidence?

Targeted teaching repair

Return only to DE16-09 learner book page 30. Re-read the mental model and guided run. Use the exact official/visual route on that page if the platform behavior is the weak point. Then close Review and the worked example.

Changed micro-proof

ClinicOps: design minimum roles for reporting analyst, ingestion service and release operator where patient identifiers require narrower access.

Append-only rule

Do not edit 04_PRACTICE_FILES/lesson_workspaces/DE16-09/attempt.md into a pass. CREATE retry.md after repair. A manual status toggle cannot resolve the weakness; changed evidence + validation + teach-back are required.

DE16-10 - Protected Review

Strong evidence should show

The curated output contains masked email such as a***@example.com and does not contain raw alice@example.com. Your design distinguishes masking, access control and encryption.

Diagnose the smallest missing boundary

Check in order: (1) did you execute or only describe? (2) did you name the risk/control? (3) is the observed result inspectable? (4) did you preserve the first attempt? (5) did you distinguish local evidence from live GitHub/Terraform/cloud evidence?

Targeted teaching repair

Return only to DE16-10 learner book page 33. Re-read the mental model and guided run. Use the exact official/visual route on that page if the platform behavior is the weak point. Then close Review and the worked example.

Changed micro-proof

ClinicOps: design treatment for patient email, appointment ID, clinic region and free-text notes; minimize before choosing masking/encryption.

Append-only rule

Do not edit 04_PRACTICE_FILES/lesson_workspaces/DE16-10/attempt.md into a pass. CREATE retry.md after repair. A manual status toggle cannot resolve the weakness; changed evidence + validation + teach-back are required.

DE16-11 - Protected Review

Strong evidence should show

A correct source-to-consumer lineage trace plus owner/grain/classification/freshness metadata and a concrete impact analysis for one schema change.

Diagnose the smallest missing boundary

Check in order: (1) did you execute or only describe? (2) did you name the risk/control? (3) is the observed result inspectable? (4) did you preserve the first attempt? (5) did you distinguish local evidence from live GitHub/Terraform/cloud evidence?

Targeted teaching repair

Return only to DE16-11 learner book page 36. Re-read the mental model and guided run. Use the exact official/visual route on that page if the platform behavior is the weak point. Then close Review and the worked example.

Changed micro-proof

ClinicOps: design catalog metadata and lineage for visit_events -> validation/masking -> curated_visits -> clinic_wait_time dashboard.

Append-only rule

Do not edit 04_PRACTICE_FILES/lesson_workspaces/DE16-11/attempt.md into a pass. CREATE retry.md after repair. A manual status toggle cannot resolve the weakness; changed evidence + validation + teach-back are required.

DE16-12 - Protected Review

Strong evidence should show

Healthy at the near reference time and unhealthy/stale at the later reference time, plus a multi-signal alert matrix with owners/actions.

Diagnose the smallest missing boundary

Check in order: (1) did you execute or only describe? (2) did you name the risk/control? (3) is the observed result inspectable? (4) did you preserve the first attempt? (5) did you distinguish local evidence from live GitHub/Terraform/cloud evidence?

Targeted teaching repair

Return only to DE16-12 learner book page 39. Re-read the mental model and guided run. Use the exact official/visual route on that page if the platform behavior is the weak point. Then close Review and the worked example.

Changed micro-proof

ClinicOps: design observability for a 20-minute freshness SLO and patient-event quality, including one warning and one paging condition.

Append-only rule

Do not edit 04_PRACTICE_FILES/lesson_workspaces/DE16-12/attempt.md into a pass. CREATE retry.md after repair. A manual status toggle cannot resolve the weakness; changed evidence + validation + teach-back are required.

DE16-13 - Protected Review

Strong evidence should show

A SEV2-style incident record with named owner, containment, rollback target, validation list and root cause explicitly unknown until evidence confirms it.

Diagnose the smallest missing boundary

Check in order: (1) did you execute or only describe? (2) did you name the risk/control? (3) is the observed result inspectable? (4) did you preserve the first attempt? (5) did you distinguish local evidence from live GitHub/Terraform/cloud evidence?

Targeted teaching repair

Return only to DE16-13 learner book page 42. Re-read the mental model and guided run. Use the exact official/visual route on that page if the platform behavior is the weak point. Then close Review and the worked example.

Changed micro-proof

ClinicOps: respond to a privacy leak alert after a release. Include containment of access, credential review, safe recovery, validation and evidence-led RCA.

Append-only rule

Do not edit 04_PRACTICE_FILES/lesson_workspaces/DE16-13/attempt.md into a pass. CREATE retry.md after repair. A manual status toggle cannot resolve the weakness; changed evidence + validation + teach-back are required.

DE16-14 - Protected Review

Strong evidence should show

A correct Terraform workflow explanation and, only when CLI really exists, genuine fmt/init/validate/plan evidence with terraform version. No fabricated apply.

Diagnose the smallest missing boundary

Check in order: (1) did you execute or only describe? (2) did you name the risk/control? (3) is the observed result inspectable? (4) did you preserve the first attempt? (5) did you distinguish local evidence from live GitHub/Terraform/cloud evidence?

Targeted teaching repair

Return only to DE16-14 learner book page 45. Re-read the mental model and guided run. Use the exact official/visual route on that page if the platform behavior is the weak point. Then close Review and the worked example.

Changed micro-proof

ClinicOps: design an IaC change review for a test-to-prod storage resource, including environment scope, plan review, state protection and rollback/forward validation.

Append-only rule

Do not edit 04_PRACTICE_FILES/lesson_workspaces/DE16-14/attempt.md into a pass. CREATE retry.md after repair. A manual status toggle cannot resolve the weakness; changed evidence + validation + teach-back are required.