

M18 PROJECT EVIDENCE WORKBOOK

How to save proof without faking mastery

THE PROJECT LEARNING LOOP

- Orient before building.
- Create learner-owned work.
- Validate independently.
- Preserve failures and changed retries.
- Separate static from runtime truth.
- Route M18 -> M19 -> G07.

BEGINNER-FIRST PROFESSIONAL INSTITUTE REBUILD

Build -> prove -> break -> repair -> rerun -> defend. No solved portfolio project is supplied.

This book is your teacher

Purpose

This workbook explains the phase evidence record. It does not decide technical correctness; it makes your proof reviewable and routes you to the right review/retry.

Exact file

Copy ``04_PHASE_EVIDENCE/PHASE_EVIDENCE_TEMPLATE.json`` into the exact phase workspace evidence folder as ``attempt.json`` only when starting the genuine attempt.

Field map

phase_id + attempt_number

Match the canonical phase and keep later retries append-only.

artifact_paths

Real learner files/logs/diagrams created in this phase.

validation

Expected invariant -> actual result -> independent control.

changed_or_failure_test

What changed/broke, what happened, repair/reasoning, fresh retry result.

Runtime truth

executed

Only actual commands/runs you performed.

not_executed

Tools/services not run.

simulated_or_static

Fixtures/design/static inspection that must not be relabeled as production runtime.

Explain-back + critical failure

explain_back

Use your own words. Minimum useful answer: what changed, why it is correct, how you checked, how it could fail, and what changed test proved.

unresolved_critical_failure

Use none/no/resolved/n/a only if genuinely resolved. Do not hide a critical issue to make the checker green.

Checker route

Command

```
`python 04_PHASE_EVIDENCE/check_phase_evidence.py`
```

Meaning of PASS

Evidence structure is complete enough for review. It does NOT mean the artifact is technically correct or the phase is mastered.

No saved attempt

Checker returns NO_ATTEMPT_SAVED. This is correct; do not pre-create blank attempt.json files.

Protected review + retry

When weak

Save attempt -> open only matching Review page -> diagnose smallest weak competency -> close Review -> changed retry -> validate -> reassess.

Append-only

Keep attempt-01 and first failure. Save changed retry separately or as new appended evidence, according to your workspace practice.

Evidence quality checklist

Before move-on

Artifact exists; independent control exists; changed/failure test exists; runtime truth honest; explain-back is specific; no unresolved critical failure; next action is exact.