

REVIEW AFTER ATTEMPT

Diagnosis and repair, not first-pass teaching

PROTECTION RULE

- Open only after matching first attempt is saved.
- Compare evidence, not confidence.
- Repair the smallest weak dimension.
- Close Review before changed retest.
- Never overwrite original attempt/failure.
- No percentage shortcut.

Protected route rules

Before opening

A genuine independent attempt must already exist at the exact lesson evidence path. Review does not authorize creating a fake first attempt from its wording.

Failure sequence

saved attempt -> targeted teaching repair -> changed micro-proof -> validation -> reassessment. Keep first evidence append-only.

Review dimensions

Truth/evidence, technical reasoning, validation, communication, transfer, and time where relevant. A critical failure cannot be averaged away.

Reference files

`reference\_sql\_directions.md` and `reference\_coding\_solutions.py` are protected repair aids. Open only after the relevant first attempt is saved.

DE19-01 - review after attempt

PASS evidence the reviewer should see

A truthful one-page draft. Each technical bullet has an internal evidence path and executed/measured status before the internal tags are removed. Validation: Every technical claim maps to evidence; no fake employment/degree/certification; strongest bullets can be defended in under 60 seconds.

Expected reasoning

Evidence -> action -> system -> validation/result.

Likely failure / targeted repair

Common traps: Inventing employment or years of experience.; Claiming production scale, users, revenue or cloud runtime not actually observed.; Listing every tool without evidence.; Using vague bullets such as "worked on data pipelines". Repair only the failed dimension; do not rebuild every lesson.

Fresh changed retry rule

For each questionable bullet ask: What exact artifact proves this? What did I personally do? What was actually executed? If any answer is unclear, narrow or remove the claim. Then close Review and use `06\_FRESH\_RETEST/RETEST\_DE19-01.md`.

Move on only when

The learner can do the competency independently, validate it, explain it, and has no unresolved critical failure. Next: DE19-02.

DE19-02 - review after attempt

PASS evidence the reviewer should see

A completed portfolio audit with concrete repairs and a clear order for which repos should be public/pinned. Validation: README route works from clean state; architecture and evidence are findable; no secret/PII leakage; claims match real runtime/static truth.

Expected reasoning

Pinned repo -> README -> architecture -> setup -> test/evidence -> failure/recovery -> limitations.

Likely failure / targeted repair

Common traps: Copied tutorial repo presented as original.; README cannot reproduce setup.; Secrets or private data committed.; Claims exceed evidence.; Dead or confusing files left in the public path. Repair only the failed dimension; do not rebuild every lesson.

Fresh changed retry rule

Clone or copy the project to a clean folder. Follow only the README. Every place you get stuck becomes a specific documentation/setup repair. Then close Review and use `06\_FRESH\_RETEST/RETEST\_DE19-02.md`.

Move on only when

The learner can do the competency independently, validate it, explain it, and has no unresolved critical failure. Next: DE19-03.

DE19-03 - review after attempt

PASS evidence the reviewer should see

A headline, About draft and Featured plan that are coherent, specific and defensible. Validation: No invented title/employment/years; stack names match demonstrated work; strongest proof is one click away; wording can be spoken naturally.

Expected reasoning

Target role + defensible stack + strongest proof + current availability.

Likely failure / targeted repair

Common traps: Using an employer/title you do not hold.; Inventing years of experience.; Keyword stuffing every tool.; Generic "passionate learner" language with no proof. Repair only the failed dimension; do not rebuild every lesson.

Fresh changed retry rule

Underline every claim. If you cannot point to project evidence or a real fact about yourself, rewrite it more narrowly. Then close Review and use `06\_FRESH\_RETEST/RETEST\_DE19-03.md`.

Move on only when

The learner can do the competency independently, validate it, explain it, and has no unresolved critical failure. Next: DE19-04.

DE19-04 - review after attempt

PASS evidence the reviewer should see

A repeatable classification method and a tracker that records why each role was applied to, held for review or skipped. Validation: Each decision quotes/paraphrases a requirement; no invented eligibility; core job work matches your demonstrated stack for APPLY roles.

Expected reasoning

APPLY when core work matches and hard requirements are met; MAYBE when gaps are preferred/trainable; SKIP when a clear hard gate excludes you.

Likely failure / targeted repair

Common traps: Treating every preferred item as mandatory.; Ignoring an explicit mandatory qualification.; Applying to senior roles because the stack looks familiar.; Assuming one rejection proves the whole field is closed. Repair only the failed dimension; do not rebuild every lesson.

Fresh changed retry rule

Read the posting twice: first only hard requirements, then preferred skills. Mark each line REQUIRED/PREFERRED/UNCLEAR before deciding. Then close Review and use `06\_FRESH\_RETEST/RETEST\_DE19-04.md`.

Move on only when

The learner can do the competency independently, validate it, explain it, and has no unresolved critical failure. Next: DE19-05.

DE19-05 - review after attempt

PASS evidence the reviewer should see

Timed SQL answers plus a one-line grain statement and at least one independent validation for each important result. Validation: Queries answer intended grain; join/window behavior is explainable; important counts/totals reconcile; tie handling is deterministic.

Expected reasoning

Question -> state grain -> write query -> inspect duplicates/nulls -> independent count/total -> explain trade-off.

Likely failure / targeted repair

Common traps: Starting syntax before stating grain.; Using DISTINCT to hide join multiplication.; Ranking without deterministic tie-breaker.; No validation because the result "looks right". Repair only the failed dimension; do not rebuild every lesson.

Fresh changed retry rule

Stop coding. Restate the question and grain. Inspect source keys. Build the query in named stages; run row-count/total checks after each grain change. Then close Review and use `06\_FRESH\_RETEST/RETEST\_DE19-05.md`.

Move on only when

The learner can do the competency independently, validate it, explain it, and has no unresolved critical failure. Next: DE19-06.

DE19-06 - review after attempt

PASS evidence the reviewer should see

Readable functions with explicit invalid-input behavior and small tests for happy, malformed, duplicate and empty cases where relevant. Validation: Functions behave deterministically; invalid values are handled explicitly; edge cases are tested; you can explain code and practical complexity.

Expected reasoning

Input contract -> transform -> explicit failure path -> deterministic output -> edge-case tests -> practical complexity.

Likely failure / targeted repair

Common traps: Catching every exception.; Silently dropping bad rows.; Hidden mutable state.; Code works only for the happy path.; Cannot explain why a data structure was chosen. Repair only the failed dimension; do not rebuild every lesson.

Fresh changed retry rule

Write the input/output contract in plain English first. Add one tiny failing example. Fix the smallest behavior, then rerun previous passing cases. Then close Review and use `06\_FRESH\_RETEST/RETEST\_DE19-06.md`.

Move on only when

The learner can do the competency independently, validate it, explain it, and has no unresolved critical failure. Next: DE19-07.

DE19-07 - review after attempt

PASS evidence the reviewer should see

Structured incident answers that name evidence, hypothesis, safe diagnostic, repair boundary, validation and prevention. Validation: Diagnosis starts from evidence; safe test is bounded; repair matches likely cause; rerun boundary is explicit; output is reconciled; prevention is plausible.

Expected reasoning

Symptom -> blast radius -> first evidence -> likely layer -> smallest safe test -> repair -> rerun boundary -> reconciliation -> prevention.

Likely failure / targeted repair

Common traps: Restarting everything first.; Deleting state/watermarks before diagnosis.; Naming a root cause with no evidence.; Fixing symptom but not reconciling output. Repair only the failed dimension; do not rebuild every lesson.

Fresh changed retry rule

If stuck, name the last known-good boundary and the first bad boundary. Ask what evidence can distinguish source, transform, state, orchestration or serving failure. Then close Review and use `06\_FRESH\_RETEST/RETEST\_DE19-07.md`.

Move on only when

The learner can do the competency independently, validate it, explain it, and has no unresolved critical failure. Next: DE19-08.

DE19-08 - review after attempt

PASS evidence the reviewer should see

A concise project defense with evidence pointers and honest limitations, followed by changed-project retest. Validation: All 10 defense categories are covered; technical claims point to evidence; one failure/recovery and one limitation are explicit; runtime truth is honest.

Expected reasoning

Problem -> sources -> architecture -> grain -> quality -> idempotency -> orchestration -> failure/recovery -> security -> limitations -> 10x change.

Likely failure / targeted repair

Common traps: Reading README aloud.; Reciting technology names without decisions.; Calling a project production-ready without runtime evidence.; No failure/recovery story. Repair only the failed dimension; do not rebuild every lesson.

Fresh changed retry rule

Return to the M18 evidence index. For each section, choose one concrete artifact you can show. If you cannot show it, narrow the claim. Then close Review and use `06\_FRESH\_RETEST/RETEST\_DE19-08.md`.

Move on only when

The learner can do the competency independently, validate it, explain it, and has no unresolved critical failure. Next: DE19-09.

DE19-09 - review after attempt

PASS evidence the reviewer should see

A requirements-led diagram/decision narrative with failure modes, controls, trade-offs and revisit triggers. Validation: Every major component maps to a requirement; batch/stream split is justified; correctness/security/recovery are covered; at least one simpler alternative is discussed.

Expected reasoning

Requirements -> scale/latency -> source contracts -> storage/compute -> orchestration -> correctness -> security -> observability -> failure modes -> cost/operability.

Likely failure / targeted repair

Common traps: Kafka/Spark/Kubernetes by default.; No data grain or state model.; No recovery/observability.; Ignoring cost/operability.; No reason for batch vs streaming choice. Repair only the failed dimension; do not rebuild every lesson.

Fresh changed retry rule

Erase tool names temporarily. Write five requirements and three failure risks. Re-add only components that satisfy a stated need. Then close Review and use `06\_FRESH\_RETEST/RETEST\_DE19-09.md`.

Move on only when

The learner can do the competency independently, validate it, explain it, and has no unresolved critical failure. Next: DE19-10.

DE19-10 - review after attempt

PASS evidence the reviewer should see

A small story bank you can deliver naturally, including a truthful non-tech-to-DE transition explanation. Validation: Stories are factual; responsibility is clear; action contains decisions; result/verification is concrete; reflection is specific; no invented employment.

Expected reasoning

Context -> responsibility -> action -> result -> verification -> reflection.

Likely failure / targeted repair

Common traps: Invented workplace stories.; Blaming another person/tool.; Perfect story with no real difficulty.; No result/verification.; Memorized paragraph that sounds unnatural. Repair only the failed dimension; do not rebuild every lesson.

Fresh changed retry rule

Choose a smaller real event. Write only six one-line fields using the model. Then speak from those anchors instead of memorizing prose. Then close Review and use `06\_FRESH\_RETEST/RETEST\_DE19-10.md`.

Move on only when

The learner can do the competency independently, validate it, explain it, and has no unresolved critical failure. Next: DE19-11.

DE19-11 - review after attempt

PASS evidence the reviewer should see

Short recorded explanations that are technically correct, structured and understandable without reading. Validation: Listener can identify object/change/reason/check/risk; technical meaning is correct; correction is calm; no reading from script.

Expected reasoning

Object -> change -> why -> check -> failure risk.

Likely failure / targeted repair

Common traps: Long dictionary definitions.; Jargon before meaning.; Rushing after forgetting a word.; Pretending certainty when unsure.; No example or check. Repair only the failed dimension; do not rebuild every lesson.

Fresh changed retry rule

Stop, say "Let me restate that simply," name the object, then complete the five-part model. Technical precision matters more than sophisticated vocabulary. Then close Review and use `06\_FRESH\_RETEST/RETEST\_DE19-11.md`.

Move on only when

The learner can do the competency independently, validate it, explain it, and has no unresolved critical failure. Next: DE19-12.

DE19-12 - review after attempt

PASS evidence the reviewer should see

An application tracker plus weekly review rule that produces one evidence-based experiment rather than many simultaneous changes. Validation: Stage data is honest; bottleneck is derived from evidence; experiment targets that stage; success criterion is stated before the next batch.

Expected reasoning

Targeted role -> truthful application -> screen -> assessment -> technical -> final -> offer -> diagnose stage -> one repair experiment.

Likely failure / targeted repair

Common traps: No tracker.; Mass applying to ineligible roles.; Changing resume, profile, projects and interview prep all at once.; Repeated chasing with no new evidence.; Endless course polishing without testing the market. Repair only the failed dimension; do not rebuild every lesson.

Fresh changed retry rule

Summarize the last meaningful batch by stage. Pick the earliest repeated drop-off. Change one variable for the next batch and define what result would support the hypothesis. Then close Review and use `06\_FRESH\_RETEST/RETEST\_DE19-12.md`.

Move on only when

The learner can do the competency independently, validate it, explain it, and has no unresolved critical failure. Next: DE19-13.

DE19-13 - review after attempt

PASS evidence the reviewer should see

Working solutions to the packaged tasks from a blank file plus explanations of data structure and practical complexity. Validation: Correct outputs on normal and edge cases; deterministic behavior where ties exist; complexity explanation is reasonable; code can be explained without notes.

Expected reasoning

Restate contract -> examples -> choose data structure -> implement -> edge cases -> complexity -> verbal explanation.

Likely failure / targeted repair

Common traps: Coding before clarifying output.; Ignoring empty/duplicate/tie cases.; Memorizing exact answers.; Using $O(n^2)$ nested loops without noticing a simpler lookup pattern. Repair only the failed dimension; do not rebuild every lesson.

Fresh changed retry rule

Use a tiny hand-worked example. State what information must be remembered while scanning. That usually reveals whether a set/dict is useful. Then close Review and use `06\_FRESH\_RETEST/RETEST\_DE19-13.md`.

Move on only when

The learner can do the competency independently, validate it, explain it, and has no unresolved critical failure. Next: DE19-14.

DE19-14 - review after attempt

PASS evidence the reviewer should see

A complete first mixed attempt, diagnosis, targeted repairs where needed, and a changed mixed retest with no unresolved critical failure. Validation: First evidence is preserved; each miss has a diagnosis; changed retest is genuinely different; SQL/Python/troubleshooting/project explanation are independently usable; no critical failure remains.

Expected reasoning

Save first attempt -> classify misses -> protected review -> targeted repair -> close review -> changed mixed mock -> defend without notes.

Likely failure / targeted repair

Common traps: Opening solutions during first attempt.; Repeating the same mock after review.; Averaging away a critical weakness.; Calling a timed failure mastery because untimed work is strong. Repair only the failed dimension; do not rebuild every lesson.

Fresh changed retry rule

Classify each miss precisely. Repair only the smallest weak competency with one short drill, then close all help and test it in changed context. Then close Review and use `06\_FRESH\_RETEST/RETEST\_DE19-14.md`.

Move on only when

The learner can do the competency independently, validate it, explain it, and has no unresolved critical failure. Next: G07.