

G03 Gate Evidence & Attempt History

Append-only record. Never delete/overwrite an earlier Gate or repair attempt because a later one passed.

Gate A attempt

Field	Record
Attempt ID / date / time	
Gate state when opened	
Evidence folder / commit	
K1	DEMONSTRATED / REPAIR_REQUIRED
K2	DEMONSTRATED / REPAIR_REQUIRED
K3	DEMONSTRATED / REPAIR_REQUIRED
K4	DEMONSTRATED / REPAIR_REQUIRED
K5	DEMONSTRATED / REPAIR_REQUIRED
K6	DEMONSTRATED / REPAIR_REQUIRED
K7	DEMONSTRATED / REPAIR_REQUIRED
Critical defect?	
Decision / next route	

Gate B attempt

Field	Record
Attempt ID / date / time	
Gate state when opened	
Evidence folder / commit	
K1	DEMONSTRATED / REPAIR_REQUIRED
K2	DEMONSTRATED / REPAIR_REQUIRED
K3	DEMONSTRATED / REPAIR_REQUIRED
K4	DEMONSTRATED / REPAIR_REQUIRED
K5	DEMONSTRATED / REPAIR_REQUIRED
K6	DEMONSTRATED / REPAIR_REQUIRED
K7	DEMONSTRATED / REPAIR_REQUIRED
Critical defect?	
Decision / next route	

Gate C attempt

Field	Record
Attempt ID / date / time	
Gate state when opened	
Evidence folder / commit	
K1	DEMONSTRATED / REPAIR_REQUIRED
K2	DEMONSTRATED / REPAIR_REQUIRED
K3	DEMONSTRATED / REPAIR_REQUIRED
K4	DEMONSTRATED / REPAIR_REQUIRED
K5	DEMONSTRATED / REPAIR_REQUIRED
K6	DEMONSTRATED / REPAIR_REQUIRED
K7	DEMONSTRATED / REPAIR_REQUIRED
Critical defect?	
Decision / next route	

Final G03 family decision

GATE_FAMILY_PASS only when K1-K7 are demonstrated with evidence and no unresolved critical defect remains. Record which attempt/repairs support the decision; do not derive it from a percentage.