

M07 Protected Review & Repair

PROTECTED. Open a lesson section only AFTER the matching genuine attempt is saved. Review is diagnosis/repair, not the first teaching route.

DE07-01 - Review after attempt

What strong evidence should show

current_database() is stage07_de; current_user is known; search_path is recorded; no destructive statement ran before context proof.

Likely failure

If context is wrong, stop. Reconnect to stage07_de rather than editing setup SQL to fit the wrong database.

Targeted repair

Return only to the weakest concept/step. Compare your saved attempt with the validation contract, repair the reasoning or model boundary, then CLOSE this Review before retrying.

Changed-retry route

Use the Clinic Dispatch fresh-retest task for DE07-01. Do not repeat the retail answer. Preserve this original attempt record even if the changed retry passes.

DE07-02 - Review after attempt

What strong evidence should show

Column definitions match the written contract; dates/numbers are not stored as text merely to avoid parsing; DDL is saved.

Likely failure

If a value does not fit the type, decide whether the data is invalid or the type contract was wrong. Do not weaken the type automatically.

Targeted repair

Return only to the weakest concept/step. Compare your saved attempt with the validation contract, repair the reasoning or model boundary, then CLOSE this Review before retrying.

Changed-retry route

Use the Clinic Dispatch fresh-retest task for DE07-02. Do not repeat the retail answer. Preserve this original attempt record even if the changed retry passes.

DE07-03 - Review after attempt

What strong evidence should show

Each invalid state is rejected for the expected reason; valid rows remain; no constraint was disabled/deleted as a shortcut.

Likely failure

Read the exact violated constraint and identify the business rule. Repair the bad input or model—not the evidence.

Targeted repair

Return only to the weakest concept/step. Compare your saved attempt with the validation contract, repair the reasoning or model boundary, then CLOSE this Review before retrying.

Changed-retry route

Use the Clinic Dispatch fresh-retest task for DE07-03. Do not repeat the retail answer. Preserve this original attempt record even if the changed retry passes.

DE07-04 - Review after attempt

What strong evidence should show

Before/inside/after evidence proves rollback; post-rollback source state matches baseline; UPSERT target is a real unique key and only intended fields update.

Likely failure

If a GUI autocommits unexpectedly, stop and reproduce in one explicit transaction block. A COMMIT already issued cannot be undone by ROLLBACK.

Targeted repair

Return only to the weakest concept/step. Compare your saved attempt with the validation contract, repair the reasoning or model boundary, then CLOSE this Review before retrying.

Changed-retry route

Use the Clinic Dispatch fresh-retest task for DE07-04. Do not repeat the retail answer. Preserve this original attempt record even if the changed retry passes.

DE07-05 - Review after attempt

What strong evidence should show

Claim is supported by observed plan evidence; no "index always faster" statement; index matches a real predicate/join/order pattern.

Likely failure

If the planner still uses Seq Scan, do not force an index. Explain table size/selectivity and keep the evidence.

Targeted repair

Return only to the weakest concept/step. Compare your saved attempt with the validation contract, repair the reasoning or model boundary, then CLOSE this Review before retrying.

Changed-retry route

Use the Clinic Dispatch fresh-retest task for DE07-05. Do not repeat the retail answer. Preserve this original attempt record even if the changed retry passes.

DE07-06 - Review after attempt

What strong evidence should show

You distinguish harmful duplicated attributes from intentional repeated foreign keys at fact grain; every proposed table has a written grain.

Likely failure

If you are arguing "normalized good / denormalized bad," return to workload + integrity + grain and explain the trade-off.

Targeted repair

Return only to the weakest concept/step. Compare your saved attempt with the validation contract, repair the reasoning or model boundary, then CLOSE this Review before retrying.

Changed-retry route

Use the Clinic Dispatch fresh-retest task for DE07-06. Do not repeat the retail answer. Preserve this original attempt record even if the changed retry passes.

DE07-07 - Review after attempt

What strong evidence should show

fact_sales grain is correct; 12 rows, qty 30, revenue 14130.00; region/category grouped results each sum back to 14130.00.

Likely failure

If totals inflate, inspect join cardinality and measure grain before using DISTINCT. DISTINCT is not a repair for unexplained fan-out.

Targeted repair

Return only to the weakest concept/step. Compare your saved attempt with the validation contract, repair the reasoning or model boundary, then CLOSE this Review before retrying.

Changed-retry route

Use the Clinic Dispatch fresh-retest task for DE07-07. Do not repeat the retail answer. Preserve this original attempt record even if the changed retry passes.

DE07-08 - Review after attempt

What strong evidence should show

orphan customer/product refs = 0; invalid FK insert is rejected; natural key remains visible in dimension; surrogate key is not treated as user-facing meaning.

Likely failure

If an orphan exists, trace source key -> dimension lookup/load -> fact load. Never replace unknown keys with arbitrary existing surrogate keys.

Targeted repair

Return only to the weakest concept/step. Compare your saved attempt with the validation contract, repair the reasoning or model boundary, then CLOSE this Review before retrying.

Changed-retry route

Use the Clinic Dispatch fresh-retest task for DE07-08. Do not repeat the retail answer. Preserve this original attempt record even if the changed retry passes.

DE07-09 - Review after attempt

What strong evidence should show

Old version remains; new version starts on intended date; exactly one current version for changed key; effective dates do not overlap in the taught example.

Likely failure

If two current rows remain, stop and repair the close-old/insert-new transaction. Do not delete the old history row.

Targeted repair

Return only to the weakest concept/step. Compare your saved attempt with the validation contract, repair the reasoning or model boundary, then CLOSE this Review before retrying.

Changed-retry route

Use the Clinic Dispatch fresh-retest task for DE07-09. Do not repeat the retail answer. Preserve this original attempt record even if the changed retry passes.

DE07-10 - Review after attempt

What strong evidence should show

All baseline controls pass and region totals East 3710, North 2390, South 1750, West 6280 sum to 14130.

Likely failure

If one control fails, isolate eligibility -> dimension lookup -> fact grain -> measure calculation. Do not adjust expected totals to match a broken load.

Targeted repair

Return only to the weakest concept/step. Compare your saved attempt with the validation contract, repair the reasoning or model boundary, then CLOSE this Review before retrying.

Changed-retry route

Use the Clinic Dispatch fresh-retest task for DE07-10. Do not repeat the retail answer. Preserve this original attempt record even if the changed retry passes.

DE07-11 - Review after attempt

What strong evidence should show

Source and staging business-row counts reconcile; header is not counted; learner explains COPY vs \copy and staging vs final tables.

Likely failure

If a local path fails with COPY, do not change file permissions blindly. First determine whether the command is server-side COPY or client-side \copy.

Targeted repair

Return only to the weakest concept/step. Compare your saved attempt with the validation contract, repair the reasoning or model boundary, then CLOSE this Review before retrying.

Changed-retry route

Use the Clinic Dispatch fresh-retest task for DE07-11. Do not repeat the retail answer. Preserve this original attempt record even if the changed retry passes.

DE07-12 - Review after attempt

What strong evidence should show

Reader has no write/drop/ownership requirement; loader does not receive warehouse-owner powers; design distinguishes schema USAGE from table privileges.

Likely failure

If permission errors appear, inspect `current_user`, ownership and actual grants. Do not switch the application to postgres/superuser as the repair.

Targeted repair

Return only to the weakest concept/step. Compare your saved attempt with the validation contract, repair the reasoning or model boundary, then CLOSE this Review before retrying.

Changed-retry route

Use the Clinic Dispatch fresh-retest task for DE07-12. Do not repeat the retail answer. Preserve this original attempt record even if the changed retry passes.

DE07-13 - Review after attempt

What strong evidence should show

Migration is scripted; backup metadata recorded; restore target is separate; post-restore controls match baseline where runtime is available. If runtime is unavailable, limitation is recorded—not guessed.

Likely failure

If restore fails, keep original database untouched, inspect dump format/version/target/permissions, and retry only against the separate test target.

Targeted repair

Return only to the weakest concept/step. Compare your saved attempt with the validation contract, repair the reasoning or model boundary, then CLOSE this Review before retrying.

Changed-retry route

Use the Clinic Dispatch fresh-retest task for DE07-13. Do not repeat the retail answer. Preserve this original attempt record even if the changed retry passes.