

CAP Protected Phase Review / Rubric

OPEN ONLY AFTER THE MATCHING PHASE ATTEMPT IS SAVED

This Review does not give a completed project implementation. It tells you what evidence a reviewer should be able to verify and how to repair a weak attempt without deleting it.

Protected route rules

- Open only the page matching your saved phase attempt.
- Compare evidence, not filenames/checkmarks.
- If weak, name the exact failed competency and repair only that area.
- Close Review before the fresh changed retry.
- Append retry evidence; never overwrite attempt-01.

CAP-01 - Review after attempt

PASS EVIDENCE

Define expected invariant before execution, run task, compare actual vs expected, and save one independent control check.

FAILURE / TRANSFER EVIDENCE

Add/remove/change one field according to supplied compatibility rule; quarantine/fail safely rather than silently corrupt.

ARTIFACT CONTRACT

source_contracts.md

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-CAP-01-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

CAP-02 - Review after attempt

PASS EVIDENCE

Trace every source to trusted/serving output; identify one failure boundary and replay/recovery path.

FAILURE / TRANSFER EVIDENCE

PHASE CHECK CAP-02: one changed-input or broken-assumption test must be run and documented before mastery.

ARTIFACT CONTRACT

architecture.md/diagram + ADRs

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-CAP-02-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

CAP-03 - Review after attempt

PASS EVIDENCE

Source rows/events reconcile to raw + quarantine + deliberate duplicate handling; raw evidence remains replayable.

FAILURE / TRANSFER EVIDENCE

PHASE CHECK CAP-03: one changed-input or broken-assumption test must be run and documented before mastery.

ARTIFACT CONTRACT

raw/landing evidence + run_metadata.json

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-CAP-03-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

CAP-04 - Review after attempt

PASS EVIDENCE

Define expected invariant before execution, run task, compare actual vs expected, and save one independent control check.

FAILURE / TRANSFER EVIDENCE

PHASE CHECK CAP-04: one changed-input or broken-assumption test must be run and documented before mastery.

ARTIFACT CONTRACT

tests/ + reconciliation report + quarantine evidence

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-CAP-04-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

CAP-05 - Review after attempt

PASS EVIDENCE

State output grain; test key/cardinality; reconcile critical measures to an independent control query.

FAILURE / TRANSFER EVIDENCE

PHASE CHECK CAP-05: one changed-input or broken-assumption test must be run and documented before mastery.

ARTIFACT CONTRACT

models/SQL/dbt + lineage + row-count controls

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-CAP-05-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

CAP-06 - Review after attempt

PASS EVIDENCE

Define expected invariant before execution, run task, compare actual vs expected, and save one independent control check.

FAILURE / TRANSFER EVIDENCE

PHASE CHECK CAP-06: one changed-input or broken-assumption test must be run and documented before mastery.

ARTIFACT CONTRACT

cap_phase_artifact + evidence note

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-CAP-06-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

CAP-07 - Review after attempt

PASS EVIDENCE

Compare output to small trusted control result; inspect plan/partitions; justify performance choice without changing correctness.

FAILURE / TRANSFER EVIDENCE

Supply skewed/unbalanced input and require correctness-preserving diagnosis; optimization is secondary to invariant safety.

ARTIFACT CONTRACT

Spark job/notebook + explain plan + partition/performance evidence

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-CAP-07-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

CAP-08 - Review after attempt

PASS EVIDENCE

Map identities/connections/access/secret boundaries; prove no plaintext secret or broad unsafe access is required.

FAILURE / TRANSFER EVIDENCE

PHASE CHECK CAP-08: one changed-input or broken-assumption test must be run and documented before mastery.

ARTIFACT CONTRACT

Fabric deployment design + connection/access/secret boundary notes

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-CAP-08-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

CAP-09 - Review after attempt

PASS EVIDENCE

Define expected invariant before execution, run task, compare actual vs expected, and save one independent control check.

FAILURE / TRANSFER EVIDENCE

PHASE CHECK CAP-09: one changed-input or broken-assumption test must be run and documented before mastery.

ARTIFACT CONTRACT

README.md + runbook.md + evidence_index.md

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-CAP-09-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

CAP-10 - Review after attempt

PASS EVIDENCE

Save first failing evidence before repair; identify root cause; apply smallest safe repair; fresh retry must pass all prior controls.

FAILURE / TRANSFER EVIDENCE

MANDATORY SUPPLIED FAILURE: capture first failure, diagnose, repair, fresh retry; do not overwrite original evidence.

ARTIFACT CONTRACT

first-failure evidence + root_cause.md + repair + fresh retry evidence

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-CAP-10-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

CAP-11 - Review after attempt

PASS EVIDENCE

Run same input twice and prove trusted logical result is stable; then add a changed/new record and prove only intended state changes.

FAILURE / TRANSFER EVIDENCE

Replay the same batch/event plus one late/changed record; detect duplicate/logical-state corruption if implementation is unsafe.

ARTIFACT CONTRACT

state ledger/watermark + rerun/backfill evidence

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-CAP-11-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

CAP-12 - Review after attempt

PASS EVIDENCE

Reviewer can locate every evidence artifact and challenge one design trade-off; learner explains limitation and recovery path without reading a script.

FAILURE / TRANSFER EVIDENCE

PHASE CHECK CAP-12: one changed-input or broken-assumption test must be run and documented before mastery.

ARTIFACT CONTRACT

defense_notes.md + reviewer checklist

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-CAP-12-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.