

P01 Protected Phase Review / Rubric

OPEN ONLY AFTER THE MATCHING PHASE ATTEMPT IS SAVED

This Review does not give a completed project implementation. It tells you what evidence a reviewer should be able to verify and how to repair a weak attempt without deleting it.

Protected route rules

- Open only the page matching your saved phase attempt.
- Compare evidence, not filenames/checkmarks.
- If weak, name the exact failed competency and repair only that area.
- Close Review before the fresh changed retry.
- Append retry evidence; never overwrite attempt-01.

P01-01 - Review after attempt

PASS EVIDENCE

Define expected invariant before execution, run task, compare actual vs expected, and save one independent control check.

FAILURE / TRANSFER EVIDENCE

PHASE CHECK P01-01: one changed-input or broken-assumption test must be run and documented before mastery.

ARTIFACT CONTRACT

business_questions.md + assumptions.md

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-P01-01-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

P01-02 - Review after attempt

PASS EVIDENCE

Record row counts, grain, keys, null/duplicate/schema defects; independently sample-check at least one finding.

FAILURE / TRANSFER EVIDENCE

Replay the same batch/event plus one late/changed record; detect duplicate/logical-state corruption if implementation is unsafe.

ARTIFACT CONTRACT

source_profile/ + grain_key_defects.md

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-P01-02-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

P01-03 - Review after attempt

PASS EVIDENCE

Trace every source to trusted/serving output; identify one failure boundary and replay/recovery path.

FAILURE / TRANSFER EVIDENCE

PHASE CHECK P01-03: one changed-input or broken-assumption test must be run and documented before mastery.

ARTIFACT CONTRACT

architecture.md/diagram + ADRs

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-P01-03-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

P01-04 - Review after attempt

PASS EVIDENCE

Source rows/events reconcile to raw + quarantine + deliberate duplicate handling; raw evidence remains replayable.

FAILURE / TRANSFER EVIDENCE

PHASE CHECK P01-04: one changed-input or broken-assumption test must be run and documented before mastery.

ARTIFACT CONTRACT

raw/landing evidence + run_metadata.json

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-P01-04-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

P01-05 - Review after attempt

PASS EVIDENCE

Source rows/events reconcile to raw + quarantine + deliberate duplicate handling; raw evidence remains replayable.

FAILURE / TRANSFER EVIDENCE

PHASE CHECK P01-05: one changed-input or broken-assumption test must be run and documented before mastery.

ARTIFACT CONTRACT

ingestion code + validation/quarantine outputs

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-P01-05-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

P01-06 - Review after attempt

PASS EVIDENCE

Run same input twice and prove trusted logical result is stable; then add a changed/new record and prove only intended state changes.

FAILURE / TRANSFER EVIDENCE

Replay the same batch/event plus one late/changed record; detect duplicate/logical-state corruption if implementation is unsafe.

ARTIFACT CONTRACT

state ledger/watermark + rerun/backfill evidence

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-P01-06-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

P01-07 - Review after attempt

PASS EVIDENCE

State output grain; test key/cardinality; reconcile critical measures to an independent control query.

FAILURE / TRANSFER EVIDENCE

Inject one duplicate dimension/reference key or one-to-many fan-out risk and prove the validation catches it.

ARTIFACT CONTRACT

models/SQL/dbt + lineage + row-count controls

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-P01-07-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

P01-08 - Review after attempt

PASS EVIDENCE

Define expected invariant before execution, run task, compare actual vs expected, and save one independent control check.

FAILURE / TRANSFER EVIDENCE

PHASE CHECK P01-08: one changed-input or broken-assumption test must be run and documented before mastery.

ARTIFACT CONTRACT

tests/ + reconciliation report + quarantine evidence

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-P01-08-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

P01-09 - Review after attempt

PASS EVIDENCE

Run dependency path end-to-end; prove failed task does not falsely advance downstream state; rerun only required work.

FAILURE / TRANSFER EVIDENCE

Force an upstream task failure/partial run; prove downstream publish does not falsely succeed and rerun is bounded.

ARTIFACT CONTRACT

DAG/workflow + run log + dependency evidence

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-P01-09-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

P01-10 - Review after attempt

PASS EVIDENCE

Save first failing evidence before repair; identify root cause; apply smallest safe repair; fresh retry must pass all prior controls.

FAILURE / TRANSFER EVIDENCE

MANDATORY SUPPLIED FAILURE: capture first failure, diagnose, repair, fresh retry; do not overwrite original evidence.

ARTIFACT CONTRACT

first-failure evidence + root_cause.md + repair + fresh retry evidence

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-P01-10-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

P01-11 - Review after attempt

PASS EVIDENCE

Trace every source to trusted/serving output; identify one failure boundary and replay/recovery path.

FAILURE / TRANSFER EVIDENCE

PHASE CHECK P01-11: one changed-input or broken-assumption test must be run and documented before mastery.

ARTIFACT CONTRACT

architecture.md/diagram + ADRs

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-P01-11-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

P01-12 - Review after attempt

PASS EVIDENCE

Run same input twice and prove trusted logical result is stable; then add a changed/new record and prove only intended state changes.

FAILURE / TRANSFER EVIDENCE

Replay the same batch/event plus one late/changed record; detect duplicate/logical-state corruption if implementation is unsafe.

ARTIFACT CONTRACT

state ledger/watermark + rerun/backfill evidence

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-P01-12-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.