

P03 Protected Phase Review / Rubric

OPEN ONLY AFTER THE MATCHING PHASE ATTEMPT IS SAVED

This Review does not give a completed project implementation. It tells you what evidence a reviewer should be able to verify and how to repair a weak attempt without deleting it.

Protected route rules

- Open only the page matching your saved phase attempt.
- Compare evidence, not filenames/checkmarks.
- If weak, name the exact failed competency and repair only that area.
- Close Review before the fresh changed retry.
- Append retry evidence; never overwrite attempt-01.

P03-01 - Review after attempt

PASS EVIDENCE

Read outputs back, verify schema/counts/keys, and prove partition/schema-evolution behavior on a changed input.

FAILURE / TRANSFER EVIDENCE

PHASE CHECK P03-01: one changed-input or broken-assumption test must be run and documented before mastery.

ARTIFACT CONTRACT

business_questions.md + assumptions.md

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-P03-01-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

P03-02 - Review after attempt

PASS EVIDENCE

Record row counts, grain, keys, null/duplicate/schema defects; independently sample-check at least one finding.

FAILURE / TRANSFER EVIDENCE

Add/remove/change one field according to supplied compatibility rule; quarantine/fail safely rather than silently corrupt.

ARTIFACT CONTRACT

source_profile/ + grain_key_defects.md

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-P03-02-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

P03-03 - Review after attempt

PASS EVIDENCE

Compare output to small trusted control result; inspect plan/partitions; justify performance choice without changing correctness.

FAILURE / TRANSFER EVIDENCE

Add/remove/change one field according to supplied compatibility rule; quarantine/fail safely rather than silently corrupt.

ARTIFACT CONTRACT

Spark job/notebook + explain plan + partition/performance evidence

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-P03-03-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

P03-04 - Review after attempt

PASS EVIDENCE

State output grain; test key/cardinality; reconcile critical measures to an independent control query.

FAILURE / TRANSFER EVIDENCE

Inject one duplicate dimension/reference key or one-to-many fan-out risk and prove the validation catches it.

ARTIFACT CONTRACT

models/SQL/dbt + lineage + row-count controls

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-P03-04-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

P03-05 - Review after attempt

PASS EVIDENCE

Define expected invariant before execution, run task, compare actual vs expected, and save one independent control check.

FAILURE / TRANSFER EVIDENCE

Inject one duplicate dimension/reference key or one-to-many fan-out risk and prove the validation catches it.

ARTIFACT CONTRACT

p03_phase_artifact + evidence note

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-P03-05-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

P03-06 - Review after attempt

PASS EVIDENCE

Compare output to small trusted control result; inspect plan/partitions; justify performance choice without changing correctness.

FAILURE / TRANSFER EVIDENCE

Supply skewed/unbalanced input and require correctness-preserving diagnosis; optimization is secondary to invariant safety.

ARTIFACT CONTRACT

Spark job/notebook + explain plan + partition/performance evidence

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-P03-06-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

P03-07 - Review after attempt

PASS EVIDENCE

Compare output to small trusted control result; inspect plan/partitions; justify performance choice without changing correctness.

FAILURE / TRANSFER EVIDENCE

Supply skewed/unbalanced input and require correctness-preserving diagnosis; optimization is secondary to invariant safety.

ARTIFACT CONTRACT

Spark job/notebook + explain plan + partition/performance evidence

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-P03-07-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

P03-08 - Review after attempt

PASS EVIDENCE

Run same input twice and prove trusted logical result is stable; then add a changed/new record and prove only intended state changes.

FAILURE / TRANSFER EVIDENCE

Replay the same batch/event plus one late/changed record; detect duplicate/logical-state corruption if implementation is unsafe.

ARTIFACT CONTRACT

state ledger/watermark + rerun/backfill evidence

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-P03-08-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

P03-09 - Review after attempt

PASS EVIDENCE

Read outputs back, verify schema/counts/keys, and prove partition/schema-evolution behavior on a changed input.

FAILURE / TRANSFER EVIDENCE

Add/remove/change one field according to supplied compatibility rule; quarantine/fail safely rather than silently corrupt.

ARTIFACT CONTRACT

source_contracts.md

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-P03-09-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

P03-10 - Review after attempt

PASS EVIDENCE

Save first failing evidence before repair; identify root cause; apply smallest safe repair; fresh retry must pass all prior controls.

FAILURE / TRANSFER EVIDENCE

MANDATORY SUPPLIED FAILURE: capture first failure, diagnose, repair, fresh retry; do not overwrite original evidence.

ARTIFACT CONTRACT

first-failure evidence + root_cause.md + repair + fresh retry evidence

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-P03-10-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

P03-11 - Review after attempt

PASS EVIDENCE

Compare output to small trusted control result; inspect plan/partitions; justify performance choice without changing correctness.

FAILURE / TRANSFER EVIDENCE

PHASE CHECK P03-11: one changed-input or broken-assumption test must be run and documented before mastery.

ARTIFACT CONTRACT

Spark job/notebook + explain plan + partition/performance evidence

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-P03-11-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

P03-12 - Review after attempt

PASS EVIDENCE

Map identities/connections/access/secret boundaries; prove no plaintext secret or broad unsafe access is required.

FAILURE / TRANSFER EVIDENCE

PHASE CHECK P03-12: one changed-input or broken-assumption test must be run and documented before mastery.

ARTIFACT CONTRACT

Fabric deployment design + connection/access/secret boundary notes

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-P03-12-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.

P03-13 - Review after attempt

PASS EVIDENCE

Run same input twice and prove trusted logical result is stable; then add a changed/new record and prove only intended state changes.

FAILURE / TRANSFER EVIDENCE

Replay the same batch/event plus one late/changed record; detect duplicate/logical-state corruption if implementation is unsafe.

ARTIFACT CONTRACT

business_questions.md + assumptions.md

REPAIR DIAGNOSIS

If evidence is weak, identify the smallest cause: unclear requirement/grain; incomplete source contract; unsafe state/rerun; fan-out; silent quality loss; orchestration dependency; runtime/environment mismatch; security boundary; missing validation; or explanation gap. Repair one cause and rerun the relevant controls.

FRESH RETRY RULE

Change one input, assumption, failure condition or scale/security constraint. Re-run without copying the Review text. The retry must preserve all previously correct critical controls.

REVIEWER QUESTIONS

- Can you locate M18-P03-13-EVIDENCE and the actual artifact?
- What independent control makes a plausible-but-wrong result visible?
- What failed/changed input did you test?
- What runtime claim is observed vs simulated vs still unexecuted?
- What would make you redesign this decision?

MOVE ON ONLY WHEN

L3 independent professional; no unresolved critical failure; reproducible artifact/evidence.