Select a definition **api**

NeoConnect /api OAS 3.0

/v3/api-docs/api

NeoConnect is an application that will act as a bridge between third-party Systems and Neo Financials. It will expose a set of REST API endpoints allowing these Systems with an option to interact with Neo Financials through web-services.

• **Hosting**

The application will be hosted either on the same network as the Neo Financials application or on OroSoft CHS. The actual URL will depend on the internal IP of the Server, on which the application is hosted. If it has to be made available over the internet, then the access will have to be over HTTPS with a SSL certificate used for the encryption.

• **API Call Authentication**

The Authentication of each API call will be with the use of Bearer Tokens. The Client will be provided with a unique Bearer Token, which will be a 250-300 characters long encrypted string. The Client will include this token in the header part of the request, set against the variable **'TokenID'**

• **Web Services**

Each API URL is composed of `${WSPath}/${Version}/${endpoint}` .

- `${WSPath}` : Base application URL depending on environment.
- `${Version}` : Current version, e.g., v1_2.
- `${endpoint}` : API endpoint path.

Terms of service

OroSoft Solutions Pvt. Ltd. - Website
Send email to OroSoft Solutions Pvt. Ltd.

Apache 2.0

Servers

https://prismgold-neoconnect.neofinancials.com/ - demo

Authorize

Reports To get Report data

GET **/v1_2/api/reports/StockBalances**

To Get Stock Inventory Balances

This interface retrieves the stock inventory balance for a specified commodity on a given date. If no date is provided, the balance will be fetched as of the current moment.

Parameters

Try it out

Name	Description
commodity * required `string` *(query)*	commodity
balanceAsOnDate `string` *(query)*	balanceAsOnDate
dateType `string` *(query)*	*Default value* : DocDate DocDate
groupByLocation * required `integer($int32)` *(query)*	groupByLocation
includeVATDetails `integer($int32)` *(query)*	*Default value* : 0 0
CompanyCode * required `string` *(header)*	*Available values* : default *Default value* : default default

Responses

Code	Description	Links
200	Successful Operation. The value for the **results** tag in the response JSON will be a	*No links*

JSONObjcet

Media type

application/json

Controls `Accept` header.

Example Value Schema


```
{
  "accountType": "C",
  "accountCode": "204100",
  "accountName": "GST Ouptut Tax Payable",
  "isActive": 1
}
```


400 Bad Request *No links*

Media type

/

Example Value Schema


```
{
  "status": 0,
  "error": "100 CONTINUE",
  "message": "string",
  "path": "string"
}
```


406 Not Acceptable *No links*

Media type

/

Example Value Schema


```
{
  "status": 0,
  "error": "string",
  "message": "string",
  "path": "string"
}
```


422 Database error *No links*

Media type

application/json

Example Value Schema


```
{
  "status": 0,
```

```
  "error": "100 CONTINUE",
  "message": "string",
  "path": "string"
}
```

GET **/v1_2/api/reports/AccountBalances** Get Account Balances

This interface will be used to get the balances of a specific account for a given date. If the date is not specified, the balances will be as of now.

Parameters Try it out

Name	Description
accountCode * required `string` *(query)*	accountCode
asOnDate * required `string` *(query)*	asOnDate
CompanyCode * required `string` *(header)*	*Available values* : default *Default value* : default default

Responses

Code	Description	Links
200	Successful Operation. The value for the **results** tag in the response JSON will be a JSONObjcet Media type **application/json** Controls `Accept` header.	*No links*

Example Value Schema


```
{
  "accountType": "C",
  "accountCode": "204100",
  "accountName": "GST Ouptut Tax Payable",
  "isActive": 1
}
```


400 Bad Request *No links*

Media type

/

Example Value Schema


```
{
  "status": 0,
  "error": "100 CONTINUE",
  "message": "string",
  "path": "string"
}
```


406 Not Acceptable *No links*

Media type

/

Example Value Schema


```
{
  "status": 0,
  "error": "string",
  "message": "string",
  "path": "string"
}
```


422 Database error *No links*

Media type

application/json

Example Value Schema


```
{
  "status": 0,
  "error": "100 CONTINUE",
  "message": "string",
  "path": "string"
}
```

Post Transaction

For the endpoints in this section, the value for the results tag in the response JSON will be Text(String), representing the document number generated for the transaction in Neo Financials.

POST **/v1_2/api/document/JournalEntry**

Booking a Journal Voucher (JRV/AJV)

This interface will be used to post a Journal entry (JRV)/(AJV) into Neo Financials against the appropriate accounts. The third-party Systems should ensure that the following conditions are met in the Request Object.

• The request object should contain the accounts for both sides i.e. the Debit as well as Credit accounts.

• The sum of the Debit values should match with the sum of the Credit values.

• Entries cannot be posted against multiple metals in the same JRV document. In such a case, separate documents will have to be created for different metals.

This interface will support the posting of specific Journal Voucher document types i.e. a JRV or an AJV.

Parameters Try it out

Name	Description
CompanyCode * required `string` *(header)*	*Available values* : default *Default value* : default default

Request body required application/json

Example Value Schema

```
{
  "documentType": "AJV",
  "docDate": "20220218",
  "salesman": "123",
  "trnDetails": [
    {
      "accountCode": "your account code",
      "valueDate": "20220227",
      "currencyCode": "AED",
      "currencyRate": 3.674,
      "amount": 25000.5,
```

```
      "quantity": 10,
      "commodity": "XAU",
      "remarks": "Test1"
    }
  ],
  "remarks": "Test1"
}
```

Responses

Code	Description	Links
200	Successful Operation. The value for the **results** tag in the response JSON will be a JSONObjcet Media type **application/json** Controls `Accept` header. **Example Value** Schema `{ "result": { "EXID": "JRV/2022/000001" } }`	*No links*
400	Bad Request Media type */* **Example Value** Schema `{ "status": 0, "error": "100 CONTINUE", "message": "string", "path": "string" }`	*No links*
406	Not Acceptable Media type */*	*No links*

Example Value Schema

```
{
  "status": 0,
  "error": "string",
  "message": "string",
  "path": "string"
}
```

422 Database error *No links*

Media type

application/json

Example Value Schema

```
{
  "status": 0,
  "error": "100 CONTINUE",
  "message": "string",
  "path": "string"
}
```

POST **/v1_2/api/document/FixingTrade**

Booking a Fixing Trade (FCT/FBT)

This interface will be used to post a Fixing Trade into Neo Financials. It will support the posting of specific fixing-related document types i.e. a FCT or a FBT.

Parameters **Try it out**

Name	Description
CompanyCode * required `string` *(header)*	*Available values* : default *Default value* : default default

Request body required **application/json**

Example Value Schema

```
{
  "documentType": "FCT",
```

```
  "docDate": "20220218",
  "accountCode": "your account code",
  "valueDate": "20220227",
  "referenceNo": "12345",
  "cmdtyPair": "XAUUSD",
  "deal": 1,
  "piecesQty": 5,
  "stockCode": "KG4X9",
  "price": 1950.75,
  "priceType": "OZ",
  "prmRateType": "OZ",
  "prmRate": 1,
  "location": "Dept1",
  "salesman": "123",
  "remarks": "Test1"
}
```


Responses

Code	Description	Links
200	Successful Operation. The value for the **results** tag in the response JSON will be a JSONObjcet Media type **application/json** Controls `Accept` header. **Example Value** Schema	*No links*


```
{
  "result": {
    "EXID": "FCT/2022/000001"
  }
}
```


400	Bad Request Media type */* **Example Value** Schema	*No links*


```
{
  "status": 0,
  "error": "100 CONTINUE",
```

```
  "message": "string",
  "path": "string"
}
```

406 Not Acceptable *No links*

Media type

/

Example Value Schema

```
{
  "status": 0,
  "error": "string",
  "message": "string",
  "path": "string"
}
```

422 Database error *No links*

Media type

application/json

Example Value Schema

```
{
  "status": 0,
  "error": "100 CONTINUE",
  "message": "string",
  "path": "string"
}
```

Customer Account

PUT **/v1_2/api/customer-account/Customer**
Edit Customer Accounts

This interface will be used to edit a Customer Account in Neo Financials.

Parameters **Try it out**

Name	Description
CompanyCode * required	*Available values* : default *Default value* : default

string
(header)

default

Request body required

application/json

Example Value Schema


```
{
  "accountCode": "your account code",
  "accountName": "string",
  "businessAddress": "Borivali, Mumbai.",
  "homeAddress": "Borivali, Mumbai.",
  "contactWork": "string",
  "contactMobile": "string",
  "contactEmailID": "string",
  "currency": [
    "USD",
    "AED"
  ]
}
```


Responses

Code	Description	Links
200	Successful Operation. Media type */* Controls Accept header. **Example Value** Schema {"result":"{"accountName":"Name","accountCode":"AC001"}	*No links*
400	Bad Request Media type */* **Example Value** Schema	*No links*

```
{
  "status": 0,
  "error": "100 CONTINUE",
  "message": "string",
  "path": "string"
}
```

406 Not Acceptable *No links*

Media type

/

Example Value Schema

```
{
  "status": 0,
  "error": "string",
  "message": "string",
  "path": "string"
}
```

422 Database error *No links*

Media type

application/json

Example Value Schema

```
{
  "status": 0,
  "error": "100 CONTINUE",
  "message": "string",
  "path": "string"
}
```

POST **/v1_2/api/customer-account/Customer**

Add Customer Accounts

This interface will be used to add a Customer Account in Neo Financials. The account will be added under the Trade Debtors group in the Chart Of Accounts.

Parameters Try it out

Name	Description
CompanyCode * required	*Available values* : default

`string`
(header)

Default value : default

default

Request body required

application/json

Example Value Schema


```
{
  "vatType": "EXP",
  "vatTrnNo": "string",
  "accountName": "TEST",
  "businessAddress": "Borivali, Mumbai.",
  "homeAddress": "Borivali, Mumbai.",
  "contactWork": "string",
  "contactMobile": "string",
  "contactEmailID": "test@example.com",
  "currency": [
    "USD",
    "AED"
  ]
}
```


Responses

Code	Description	Links
200	Successful Operation. Media type */* Controls `Accept` header. **Example Value** Schema `{"result":"{"accountName":"Name","accountCode":"AC001","traderCode":"TC001"}"}`	*No links*
400	Bad Request Media type */*	*No links*

Example Value Schema

```
{
  "status": 0,
  "error": "100 CONTINUE",
  "message": "string",
  "path": "string"
}
```

406 Not Acceptable *No links*

Media type

/

Example Value Schema

```
{
  "status": 0,
  "error": "string",
  "message": "string",
  "path": "string"
}
```

422 Database error *No links*

Media type

application/json

Example Value Schema

```
{
  "status": 0,
  "error": "100 CONTINUE",
  "message": "string",
  "path": "string"
}
```

PATCH **/v1_2/api/customer-account/Customer**

Update Customer Account Status

This interface will be used to update status of a Customer Account in Neo Financials.

Parameters Try it out

Name	Description

accountCode * required
`string`
(query)

accountCode

activeStatus * required
`integer($int32)`
(query)

activeStatus

CompanyCode * required
`string`
(header)

Available values : default
Default value : default

default

Responses

Code	Description	Links
200	Successful Operation. Media type */* Controls `Accept` header. **Example Value** Schema `{"result":"{"accountCode":"AC001"}`	*No links*
400	Bad Request Media type */* **Example Value** Schema `{ "status": 0, "error": "100 CONTINUE", "message": "string", "path": "string" }`	*No links*
406	Not Acceptable	*No links*

Media type

/

Example Value Schema

```
{
  "status": 0,
  "error": "string",
  "message": "string",
  "path": "string"
}
```

422 Database error *No links*

Media type

application/json

Example Value Schema

```
{
  "status": 0,
  "error": "100 CONTINUE",
  "message": "string",
  "path": "string"
}
```

Get Master Data

GET `/v1_2/api/details/Locations` To Get Locations List

This interface will be used to fetch the list of the locations from Neo Financials.

Parameters Try it out

Name	Description
CompanyCode * required `string` *(header)*	*Available values* : default *Default value* : default default

Responses

Code	Description	Links
200	Successful Operation. The value for the **results** tag in the response JSON will be a JSONArray composed on JSONObjects, with each object providing the details of individual location entry. Media type **application/json** Controls `Accept` header. **Example Value** Schema `{ "locationCode": "MUM", "locationName": "Mumbai" }`	*No links*
400	Bad Request Media type */* **Example Value** Schema `{ "status": 0, "error": "100 CONTINUE", "message": "string", "path": "string" }`	*No links*
406	Not Acceptable Media type */* **Example Value** Schema `{ "status": 0, "error": "string", "message": "string", "path": "string" }`	*No links*
422	Database error	*No links*

Media type

application/json

Example Value Schema

```
{
  "status": 0,
  "error": "100 CONTINUE",
  "message": "string",
  "path": "string"
}
```

GET **/v1_2/api/details/FixingStocks** To Get Fixing Stock Codes

This interface will be used to fetch the list of Stock Codes that are used in the Fixing Trades, posted against the Precious Metals.

Parameters **Try it out**

Name	Description
commodity `array[string]` *(query)*	
updatedAfter `string` *(query)*	updatedAfter
CompanyCode * required `string` *(header)*	*Available values* : default *Default value* : default default

Responses

Code	Description	Links

200 Successful Operation. *No links*

The value for the **results** tag in the response JSON will be a JSONArray composed on JSONObjects, with each object providing the details of individual stock item.

Media type

application/json

Controls `Accept` header.

Example Value Schema

```
{
  "commodity": "XAU",
  "stockCode": "GCZ22",
  "convFactor": 31.10347
}
```

400 Bad Request *No links*

Media type

/

Example Value Schema

```
{
  "status": 0,
  "error": "100 CONTINUE",
  "message": "string",
  "path": "string"
}
```

406 Not Acceptable *No links*

Media type

/

Example Value Schema

```
{
  "status": 0,
  "error": "string",
  "message": "string",
  "path": "string"
}
```

422 Database error *No links*

Media type

application/json

Example Value Schema

```
{
  "status": 0,
  "error": "100 CONTINUE",
  "message": "string",
  "path": "string"
}
```

GET **/v1_2/api/details/AccountsList** To Get Accounts List

This interface will be used to get the list of the accounts with their code and names, from Neo Financials. The data that is exchanged in the Request as well as Response will be in the form of JSON messages.

Parameters Try it out

Name	Description
accountType `array[string]` *(query)*	
activeStatus `integer($int32)` *(query)*	activeStatus
CompanyCode * required `string` *(header)*	*Available values* : default *Default value* : default default

Responses

Code	Description	Links
200	Successful Operation. The value for the **results** tag in the response JSON will be a JSONArray. The array will be composed of JSONObjects, with each JSONObject providing the details of individual account.	*No links*

Media type

application/json

Controls `Accept` header.

Example Value Schema


```
{
  "accountType": "C",
  "accountCode": "204100",
  "accountName": "GST Ouptut Tax Payable",
  "isActive": 1
}
```


400 Bad Request *No links*

Media type

/

Example Value Schema


```
{
  "status": 0,
  "error": "100 CONTINUE",
  "message": "string",
  "path": "string"
}
```


406 Not Acceptable *No links*

Media type

/

Example Value Schema


```
{
  "status": 0,
  "error": "string",
  "message": "string",
  "path": "string"
}
```


422 Database error *No links*

Media type

application/json

Example Value Schema


```
{
  "status": 0,
  "error": "100 CONTINUE",
```

```
  "message": "string",
  "path": "string"
}
```

Schemas

ApiErrorResponse {

status	[...]
error	[...]
message	[...]
path	[...]

}

DbErrorResponse {

status	[...]
error	[...]
message	[...]
path	[...]

}

EditCustomerAccountRequest {

accountCode*	[...]
accountName	[...]
businessAddress	[...]
homeAddress	[...]
contactWork	[...]
contactMobile	[...]
contactEmailID	[...]
currency	[...]

}

JournalEntryRequest

```
{
  documentType    [...]
  docDate         [...]
  salesman        [...]
  trnDetails*     [...]
  remarks         [...]
}
```

TrnDetailsForJournal

```
{
  description:    Array of JSON Objects, providing details of the
                  individual line item.

  accountCode*    [...]
  valueDate*      [...]
  currencyCode    [...]
  currencyRate    [...]
  amount          [...]
  quantity        [...]
  commodity       [...]
  remarks         [...]
}
```

FixingTradeRequest {

```
documentType [...]
docDate [...]
accountCode* [...]
valueDate [...]
referenceNo [...]
cmdtyPair* [...]
deal* [...]
piecesQty* [...]
stockCode* [...]
price* [...]
priceType [...]
prmRateType [...]
prmRate [...]
location [...]
salesman [...]
remarks [...]
}
```

CustomerAccountRequest {

```
vatType [...]
vatTrnNo [...]
accountName* [...]
businessAddress [...]
homeAddress [...]
contactWork [...]
contactMobile [...]
contactEmailID [...]
currency* [...]
}
```

AccountResponse {

```
accountType    [...]
accountCode    [...]
accountName    [...]
isActive       [...]
}
```

LocationResponse {

```
locationCode   [...]
locationName   [...]
}
```

FixingStocksResponse {

```
commodity      [...]
stockCode      [...]
convFactor     [...]
}
```