



GREENPANEL®
Flooring

**GREAT
PLATFORM
FOR
GREATER
PLAY**





GREAT PLATFORM
FOR GREATER PLAY

ABOUT GREENPANEL

Greenpanel Industries Limited is India's largest manufacturer of wood panels. MDF is our flagship products and we are the undisputed leader in the category.

Our product range of MDF, Plywood, Flooring, Veneers & Doors is marketed and distributed through our robust network of over 3,000 dealers pan India.

Greenpanel Flooring

With a new brand and vision, we are committed to usher in a new generation of wood solutions which include our hallmark flooring range. Our team has carefully studied the latest international trends in flooring and curated it under the Persona collection.





BRAND VISION & KEY MILESTONES

LUXURY IN THE LAP OF NATURE

THE NEW FLOORING TRENDS

THE GREENPANEL FLOORING ADVANTAGE

PERMACLICK™ THE MOST SUPERIOR CLICK LOCK SYSTEM

KNOW GREENPANEL FLOORING BETTER

PERSONA COLLECTION

MAINTENANCE & CARE

INSTALLATION PROCESS

ACCESSORIES

WARRANTY





PERSONA
NEVADA OAK D-405




PERSONA
HERITAGE OAK D-413

BRAND VISION


Every organisation in this world irrespective of size and domain works towards building a prosperous future for itself. We believe that the key to do so is by innovating in products and exceeding customer satisfactions. We at Greenpanel, envision the future of contemporary living spaces and then bring them to life.

We pride ourselves in coming up with innovations which help us in achieving our company's vision: To represent the infinite future possibilities in wood panelling. Our new logo is the perfect depiction of these infinite possibilities with a seamless merging of G & P to form an infinity symbol.


KEY MILESTONES




2010 Launch of Green Panelmax & commencement of commercial production at the most modern MDF plant in Uttarakhand.




2014 Launch of Flooring.



2015 Commencement of export division based out of Singapore.



2016 Signing of contracts for new MDF plant in Andhra Pradesh.



2018 Commencement of production in Asia's largest MDF plant in Andhra Pradesh.

LUXURY IN THE LAP OF NATURE

**Don't you love reminiscing amidst lush forests
and birds chirping?
Oh wait. But, you're at home. Sigh.**

But what if we say our flooring solutions can make
you feel that way. Quite a beautiful thought isn't it?

**With Greenpanel flooring,
it's like living in the lap of nature.
Our Flooring are not just durable, they are
eco-friendly too.
Plus they make a style statement
in every home they adorn.**





PERSONA
NATURAL OAK D-403

THE NEW FLOORING TRENDS- EMBRACING NATURE!

As we get more and more attuned to the modern and monotonous nature of urban life. Today, we long more for the beauty and pleasure of living amidst nature.

Adopting nature and natural living practices is becoming a fast way of life internationally and its catching up in India as well.

Wooden floors with their withered, natural look lend authenticity and harmony to living spaces. The style and appearance of your room is determined by the colour of your floor. Different shades of wood can match different tastes and personalities.

Real natural tones in Greenpanel flooring add timelessness. Lighter shades stand for extra spacious look and feel, warm shades for coziness and darker shades for a dash of luxury.



LIGHTER SHADES
FOR A SPACIOUS LOOK



THE GREENPANEL FLOORING ADVANTAGE



Permaclick™
Interlocking System

The most advanced flooring interlocking system available in the country gives Greenpanel flooring an unmatched quality and finish. It makes the installation process easy.



Scratch
Resistant

This specially engineered surface coating makes flooring manifold stronger and resistant to surface scratches.




Water
Resistant

The top surface treatment makes it non-porous and the Permaclick™ Technology does not allow the water to seep in. The quality of HDF makes the floors strong enough to be water resistant.



Hygienic & Easy
To Maintain

Our surface protection technology ensures dirt doesn't cling to your floor while our precise interlocking system binds the planks perfectly, allowing absolutely no room for dust to accumulate.



100% HDF
Base Core

The High density fibreboard at the core of Greenpanel flooring makes them sturdier and more durable than any other flooring.



Warranty

There is a warranty of 10 years on the Prima collection and a warranty of 15 years on the Persona collection.



PERMACLICK™ THE MOST SUPERIOR CLICK LOCK SYSTEM

Unlike many floors, Greenpanel flooring do not have beveled edges or a V-Groove, but a 90-degree edge between two planks.

Due to imperfections in the manufacturing process of unlicensed interlocking systems made by other manufacturers, two adjoining wood planks do not sit level and are at different heights.

This results in the edge of one plank being higher than that of its adjoining plank (FIG.1).


In such a situation, a 90 - degree angle results in a very sharp edge, creating risk of injury when walking barefoot or there is a risk of tripping.

To overcome this imperfection of the profile, the edges are beveled or shaped in a V-Groove to provide a gentler angle between the planks (FIG.3).

90 - DEGREE EDGE

High abrasion resistance overlay


Decorative design layer




100% Hardwood HDF core

Moisture resistant backing layer

IMPERFECT SURFACE (FIG.1)




PERFECT SURFACE (FIG.2)



The process of beveling or V-Grooving involves trimming of each 90 - degree edge, resulting in the removal of the high-abrasive resistant layer and the decorative design layer which exposes the inner HDF core of the flooring (FIG.3). Since the protective layers get removed, this makes the HDF core highly susceptible to water ingress as well as accumulation of dirt.

Due to the unique Permaclick™ interlocking system of Greenpanel Flooring, the edges are always in level. There are no surface imperfections or edges sticking out.



V-GROOVE (FIG.3)

This means Greenpanel flooring have 90 - degree edges that are safe, locked together with no portion of inner HDF core exposed. As a result, the floor is highly resistant to water ingress and dust accumulation.

Greenpanel Flooring have a unique angle snap method of layout that fits the planks together at 90 - degree angle for a perfect seamless finish.



The tensile strength of the click system seals off the floor with an air tight finish that doesn't let liquid seep in and provides superior protection against moisture. As a result, our floors are more durable with minimal wear and tear.



AC4 GRADE



AC4

Recommended for residential, office spaces and light commercial applications.

AC5 GRADE



AC5

Recommended for commercial areas, restaurant, showrooms public buildings for high traffic areas.

CHOOSE YOUR TEXTURE




OPEN GRAIN
Straight Line Effect



CROWN
Curvy Dynamic Effect

PRODUCT STRUCTURE



TOP LAYER

High abrasion resistance overlay

SECOND LAYER

Decorative design layer

MIDDLE LAYER

100% HDF base core

BASE LAYER

Moisture resistant backing layer

PERSONA

COLLECTION

Characterised by an extremely superior finish, these super premium flooring are handpicked from the best wood designs of the world. Each wooden tile is equal to 2-3 slim tiles, interspersed with grains and crown which infuse nature and breathe life into modern condos and commercial spaces.



PERSONA
NAVARA OAK D-404

LUSCIOUS NOUGAT D-007


AFRICAN IVORY D-021

NATURAL OAK D-403

NAVARA OAK D-404

NEVADA OAK D-405

8 MM - AC 4

A photograph of a woman with blonde hair tied back, wearing a grey leotard and leggings, performing a backbend against a dark wood panel wall. Her right leg is bent and pulled towards her chest, while her left leg is extended straight up. She is holding her right foot with her right hand and her left foot with her left hand. The background consists of vertical wood planks.

AMERICAN OAK D-407

8 MM - AC 4

ANTIQUE OAK D-409

COLORADO OAK D-410

AMERICAN WALNUT D-411

8 MM - AC 4

BLEACHED OAK D-412

HERITAGE OAK D-413

COFFEE OAK D-414

HICKORY WALNUT D-415

COMMERCIAL WHITE D-096

SERENGETI SHADOW D-503

8 MM - AC 4

NOVA NOCE D-509

CITRUS CEDAR D-514



ACACIA D-401

12 MM -

AC 5

IRISH OAK D-402

TAXUS D-406

COUNTRY OAK D-416

ACER TEAK D-419

MAINTENANCE & CARE

Greenpanel floorings are easy to maintain and clean. The laminated top layer on the planks makes it simple to keep spick and span year after year. These floors don't need any special cleaning agents or methods, just a squeezed out damp mop will do.



Sweep the floor using a standard dust mop to remove dirt and dust.



No need to use wax, polish, oil or varnish on the floor.



When necessary wipe the floor with a squeezed out damp cloth, using only water.



Do not use soap-based detergents or house hold cleaners to clean the floor.



Do not use abrasive cleaners on the floor.



In case something spills, simply wipe the floor with a dry cloth.



Use felt pads/rubber feet under furniture legs to avoid scratching.



Entry mats help in collecting sand, dirt, grit and other substances that may harm your floor.



PERSONA
NATURAL OAK D-403





INSTALLATION PROCESS

Laying Greenpanel floorings is extremely easy with the unique Permaclick™ technology.

Easy Installation

Greenpanel floorings has the unique Permaclick™ interlocking system which ensures that the planks effortlessly click together. Install laminate on underfloor heating and cooling.

Greenpanel floorings are perfect for installing over underfloor heating or cooling when combined with the right underlay.

Easy to install on existing floor

Greenpanel floorings can be laid over nearly any type of subfloor like concrete, stone, vinyl or ceramic as long as it is clean and dry.



THE BEST ACCESSORIES TO GO WITH


Add the perfect finishing touch with Greenpanel floorings skirting and profiles. To complete the look of your stunning floor, you can choose from a wide range of designs that match every floor and style.

UNDERLAY

Greenpanel premium 2-in-1 underlay is a combination of a 2 mm underlay and a PE foil. With the ease of just rolling out the underlay, you can level the subfloor irregularity, as well as reduce the risk of transferring humidity from the subfloor to the floor panels.


SKIRTING

Provides finish to the floors by cladding the lower part of the adjoining walls.




STAIR NOSE

Covers the open edges of the floor planks and provides a seamless transition between the horizontal and vertical sections of the staircase.





T-PROFILE

Connects two sections of the floor at the same height.



REDUCER

Provides a smooth transition from the floor to a lower surface such as tiled floor or carpet.



BEADING

Creates a border between the floor and adjoining walls. Can be used as an alternate to skirting where skirting is not used.

GREENPANEL FLOORINGS WARRANTY

Greenpanel floorings is a high quality product manufactured by Greenpanel Industries Limited. Our quality standards are backed by extensive warranty coverage. Greenpanel floorings is designed to provide many years of resistance to foot traffic friction without showing signs of significant wear and tear. This is under the conditions provided that no abrasive substances (salt, sand and glass) have been present on the surface, the floor has been installed according to Greenpanel Industries Limited guidelines and the floor has been regularly maintained according to the manufacturer's instructions. See maintenance and care guidelines.

LAMINATE FLOORING

On fulfilment of the below conditions, Greenpanel Industries Limited grants the following warranty on its Greenpanel Floorings:

Persona Collection - 15 years



THE WARRANTY COVERS THE FOLLOWING:

Stain Resistance

Greenpanel floorings is resistant to normal household stains on the decorative surface. The floor will not stain due to spills from beverages, when removed and cleaned promptly and properly.

Fade Resistance

Greenpanel floorings is resistant to fading from exposure to indirect sunlight or normal artificial light with the exception of natural ageing.

Wear Resistance

With respect to claims on surface wear-through, an area on the floor panel is considered worn out only if the surface wear is readily visible (ie. approximately 9.7 square cm) and the decorative layer has been exhausted until the core material is visible. Claims for surface wear-through are unacceptable if the surface wear-through occurs at the edges/joints of the panel. Gloss reduction is not considered to be surface worn-through.

General Warranty Conditions

The warranty does not cover damage due to transportation, storage, installation, extreme indoor conditions (excessive dryness or humidity), pets, insects, water, negligence, or any other similar cause. The warranty covers only defective products exceeding 5% in m² of the total quantity purchased by the customer (excluding losses resulting from cutting boards during installation).

Obligations by Greenpanel Industries Limited

Under the terms of this warranty, the responsibility of the manufacturer, Greenpanel Industries Limited, is limited to any of the following measures, at Greenpanel's sole discretion and without any other form of compensation:

- Supply the material necessary to replace the defective boards
- Pay compensation equivalent to the purchase cost of the defective boards

For complete information on warranty, please visit our website www.gpwoodfloors.com



Imported in Nepal by:

Status Trading Pvt Ltd.
Kathmandu, Nepal

Mobile: +977 9841258853
E-mail: import@statusnepal.com

Greenpanel Industries Limited

3rd Floor, Plot No. 68, Sector 44, Gurugram 122003, Haryana.
T +91-124-4784600 | F +91-124-4784699 | E info@greenpanel.com
Toll Free No. 1800-102-2999 (Monday to Friday except holidays 10 am to 5 pm)
Regd. Office: Makum Road, Tinsukia 786125, Assam | CIN L20100AS2017PLC018272

www.greenpanel.com



Marketed by: **HomeSaaz**
TRADING

Email: homesaaznepal@gmail.com
Phone: +977 14520661, 4520647



For any questions or inquiry:

9801444424

