



NA 1



A 2




ZA 3



ZA 8



ZA 9



B 6



NB 2

TIMBERLAND EXOTICA

Luxury
Vinyl
Plank

Thickness: 1.50mm

Tile Size: 152.40mm x 914.40mm
(6"x 36")

TIMBERLAND EXOTICA are the latest collection of PVC wooden planks. The shades and designs are carefully chosen to complement the natural wood. Manufactured with multi-layer technology, this premium flooring is highly suitable to handle heavy footfalls.


The PUR protection layer ensures trouble free performance and enhance durability. It reduces the noise impact, is trendy, quick to install, easy to use and maintenance free. Finally, these are termite resistant, moisture resistant and fire resistant.

Salient Features

- Specially formulated high abrasion resistant wear layer
- PUR surface protection for ease in maintenance with stain resistance
- The product is suitable for medium traffic areas
- Application areas: Hotels, stores, malls, cafeteria, auditorium, schools, banks, homes, offices etc.
- Wear Group: P



ZB 5



NB 4



Natural Teak 3040

Weathery Oak 3571


Vintage Teak 3266

TIMBERLAND EXOTICA

Luxury
Vinyl
Plank

Thickness: 2.0mm

Tile Size: 152.40mm x 914.40mm
(6"x 36")



Low Maintenance



Stain Resistant



100% Recyclable



Walnut 3062

Vintage White 3309

Exotic Wood 3572

Farm Oak 3408

3113

- PUR Protection
- Moisture Proof
- Environment Friendly
- Termite Proof
- Fire Resistant

COLOUR SHADE NOT AVAILABLE

TIMBERLAND Maestro

Luxury
Vinyl
Plank



TM 01



TM 02



TM 03



TM 04



TM 05



TM 06



TM 07



TM 08

Thickness: 3.00mm

Tile Size: 152.40mm x 914.40mm (6"x 36")

TIMBERLAND MAESTRO are the latest collection of PVC wooden planks. The shades and designs are carefully chosen to complement the natural wood. Manufactured with multi-layer technology, this premium flooring is highly suitable to handle heavy footfalls.

The PUR protection layer ensures trouble free performance and enhance durability. It reduces the noise impact, is trendy, quick to install, easy to use and maintenance free. Finally, these are termite resistant, moisture resistant and fire resistant.

Salient Features

- Specially formulated high abrasion resistant wear layer
- PUR surface protection for ease in maintenance with stain resistance
- The product is suitable for medium traffic areas
- Application areas: Hotels, stores, malls, cafeteria, auditorium, schools, banks, homes, offices etc.
- Wear Group: T



PERFORMANCE CHARACTERISTICS

CHARACTERISTICS	TEST METHOD	TIMBERWORLD	TIMBERLAND EXOTICA / WIDEX	TIMBERLAND MAESTRO
TYPE OF FLOORING	EN649	RESILIENT FLOORING	RESILIENT FLOORING	RESILIENT FLOORING
OVERALL THICKNESS (mm)	EN 428	1.50	2.00	3.00
DIMENSION (SIZE)	EN 427	152.4mm X 914.4mm (6" X 36") 228.6mm X 914.4mm (9" X 36")	152.4mm X 914.4mm (6" X 36")	152.4mm X 914.4mm (6" X 36")
			228.6mm X 914.4mm (9" X 36")	
SQAURENESS	IS: 3464	≤ 0.25 mm	≤ 0.25 mm	≤ 0.25 mm
WEAR LAYER		0.10mm (HEAVY DUTY)	0.20 (HEAVY DUTY)	0.30mm (Heavy Duty)
DENSITY	EN 430	2950 g/m ²	3500 g/m ²	5250 g/m ²
DIMENSIONAL STABILITY	EN 434	≤ 0.25 mm	≤ 0.25 mm	≤ 0.25 mm
RESIDUAL INDENTATION	EN 433	≤ 0.10 mm	≤ 0.10 mm	≤ 0.10 mm
FLEXIBILITY	EN 435	NO CRACKING USING 20 mm mandrel	NO CRACKING USING 20 mm mandrel	NO CRACKING USING 20 mm mandrel
COLOR FASTNESS	ISO 105 B02	CLASS 6	CLASS 6	CLASS 6
FIRE RATING	EN 13501 -1	Bfl-S1	Bfl-S1	Bfl-S1
HORIZONTAL & VERTICAL BURNING TEST	IS 15061 - 2002	PASS (ARAI)	PASS (ARAI)	PASS (ARAI)
PERFORMANCE CLASSIFICATION	EN 685	31/32	31/32	31/32
ABRASION RESISTANCE	EN: 660-2	Wear Group P	Wear Group P	Wear Group T
SOUND ABSORPTION	ISO 140-8/EN ISO 717-2	ΔLW=4db	ΔLW=4db	ΔLW=4db
SLIP RESISTANCE	DIN 51130	R9	R9	R9
BEARING CASTOR CHAIR	EN 425	SUITABLE / CONTINUOUS USE	SUITABLE / CONTINUOUS USE	SUITABLE / CONTINUOUS USE
SURFACE PROTECTION	PUR	PUR	PUR	PUR
PATTERN		WOOD and CLASSIC	WOOD and CLASSIC	WOOD and CLASSIC
No. of pcs per BOX & AREA of BOX		24 pcs / box = 3.34 sqm/ box 16 pcs / box = 3.34 sqm/ box (Widex)	24 pcs / box = 3.34 sqm/ box (Exotica)	16 pcs / box = 2.23 sqm/ box
			16 pcs / box = 3.34 sqm/ box (Widex)	



MAINTENANCE

Do's: • After laying of flooring, the surface should be cleaned daily with damp mop and weekly or fortnightly with soap solution • Prevent point load indentation by covering your furniture legs with rubber stopper caps • To remove stubborn stains, rub the affected area immediately with a soft coir brush or fine steel wool soaked in a warm soap solution • Scuff marks on the floor can be removed with little application of diesel • Use door coir or suitable mats to minimize accumulation of dust on Wonderfloor vinyl flooring • Use water to remove any chemical spill on flooring.

Don'ts: • Do not use any strong detergent, harsh cleaning agent or dry steel wool • Throwing of lighted cigarette butts or match sticks on the floor should be avoided as it could lead to burn marks on the floor • Do not drag any heavy object or furniture on the flooring to avoid scratches on the floor.



Designer, Durable & Luxurious Flooring