ONGO WEIGHT LOSS · BOOK THREE

ongo

Site Architecture.

& the Master Content Map

For every Ongo teammate who builds, writes, designs or measures the site: the blueprint before the bricks.

PREPARED BY

Ashish Osten

Team Lead, Ongo Weight Loss

Edition: October 2026 · Book Three of the Ongo onboarding series

ONGO WEIGHT LOSS · ONBOARDING SERIES

Site Architecture & the Master Content Map

The blueprint for ongoweightloss.com
Book Three of the Ongo onboarding series

Prepared by	Ashish Osten, Team Lead, Ongo Weight Loss
Edition	October 2026 (first edition)
Written for	SEO, content, design, development, analytics and leadership
Read first	Book One: The Foundation and Book Two: Earned, Not Built
Inside	32 chapters in 4 levels · 320 practice MCQs · the complete 124-page Master Content Map · U.S. entity map · micro-intent library · event and disclaimer libraries · templates · A–Z glossary · dated sources

Important

This book is internal orientation material. It is not medical, legal or regulatory advice for you or for any patient. Real medical questions go to Ongo's licensed providers; legal and regulatory questions go to compliance and counsel.

Search engine policies, drug approvals and regulations change often. Every claim carries a dated source and an evidence label so you can recheck it. When this book and a newer official source disagree, the official source wins. Where this book corrects Ongo's Playbook v3, the reason is given in the page record.

Wegovy, Ozempic, Rybelsus, Saxenda, Victoza, Zepbound, Mounjaro, Foundayo, Trulicity and the other medication and product names in this book are trademarks of their owners. Ongo does not offer these brand-name medications and is not affiliated with their makers. They are named only to educate and to explain what can and cannot be said.

© 2026 Ongo Weight Loss. Prepared for team training and onboarding.

CONTENTS

Contents

Click any line to jump to it. Page numbers match the page footers.

START HERE

About this book 6

Before you begin 9

- A Letter to the Reader 9
- How to Read This Book 9
- The Evidence Label Legend 10
- How the Answer Keys Work 11

LEVEL 1 · FOUNDATION

1 Why Architecture Comes Before Content 13

2 Pages, Not Keywords 20

3 Entities: How Google Understands Ongo 26

4 Search Intent: Four Macro Intents and Ongo's Micro-Intents 35

5 The Funnel: TOFU, MOFU, BOFU Mapped to Page Types 43

LEVEL 2 · PRACTITIONER

6 The Ongo Site Tree 51
7 Silos: Topical Ownership 59
8 Hub-and-Spoke: Service Hubs and Blog Hubs 66
9 One System: Silo + Hub-and-Spoke + Funnel, Tracked End to End 73
10 What We Deliberately Don't Build 82
11 URL Rules 88
12 Navigation, Menus, Breadcrumbs and Footer 94
13 The Trust Layer: Every Page and Element That Builds Trust 100
14 Indexing: Launch Phases and the Portal Boundary 110
15 Commercial Pages vs. Blog Articles: Keeping Intent Separate 117
16 Where Does This Topic Belong? Weight Loss vs. GLP-1 vs. Semaglutide 125
17 Keyword Cannibalization: Spot, Prevent, Fix 132
18 Blog Clusters: A Controlled Topical System 139
19 Brand-Name and Comparison Content 146
20 Tools and Conditions Pages 153
21 Competitors Inform the Architecture, Never Dictate It 160

LEVEL 3 · STRATEGIST

22 The Page Record: Every Field Explained 167
23 Internal Linking Rules and Anchor Text 175
24 The Internal-Link Map: Links That Move Patients 182
25 CTA Architecture: Placement, Naming and Events 189
26 Schema by Page Type 196
27 Measurement Overview: GTM, GA4 and Search Console 203
28 The Master Content Map 210
29 Keeping the Map Alive: Governance 486

LEVEL 4 · EXPERT AND RISK

30 Architecture Mistakes That Are Expensive to Undo 493
31 Scaling: New Verticals and the Child Site 499
32 The ZETA Model for Architecture 505

BACK MATTER

Appendix A: The U.S. Entity Map for Ongo 512

Appendix B: The Micro-Intent Library 520

Appendix C: Event Naming Convention (Book Three version) 522

Appendix D: Disclaimer Library (Book Three version) 523

Templates and Checklists 524

Glossary (A to Z) 528

MCQ Answer Keys (all chapters) 535

Sources Index (by chapter) 537

ABOUT THIS BOOK

What's inside

> **Before you start:** read **Book One: The Foundation** first (what Ongo is, what it offers, what the law allows) and ideally **Book Two: Earned, Not Built** (off-page SEO). Book Three turns Ongo's architecture thinking into a method the whole team can follow, and corrects Playbook v3 where the rules have changed.

How every chapter is built

Part of chapter	What it gives you
Trivia hook	One surprising, sourced fact that shows why the topic matters
Plain explanation	The concept in very easy English
Desi analogy (Hinglish)	Rotates between restaurant, IT office, cricket, wedding and mohalla
Ongo example	How the idea applies to ongoweightloss.com
Illustration / table	Simple diagrams that make the structure visible
Evidence labels	Google official, Google spokesperson, industry, or expert/Ongo internal
Do's and Don'ts	Quick rules
Pros and Cons	Honest trade-offs
Where freshers go wrong	Common mistake, why it happens, how to avoid it, how to fix it
Thumb rules + Notes to remember	One-line rules to keep
Glossary	Every new term in the chapter
10 MCQs	Answer key at the foot of the chapter, flipped upside-down
Sources	Every claim linked to where it came from

The four levels

Level	Chapters	What you'll learn
Level 1 · Foundation	1–5	Architecture-first thinking, pages vs. keywords, entities, search intent, the funnel
Level 2 · Practitioner	6–21	The site tree, silos, hubs, the combined system with end-to-end tracking, what we don't build, URLs, navigation, the trust layer, indexing, keeping blogs from cannibalizing money pages, where content belongs, clusters, brand content, tools and conditions, competitors
Level 3 · Strategist	22–29	The page record, internal linking, the link map, CTAs, schema, measurement overview, the complete master content map (124 pages), governance
Level 4 · Expert and Risk	30–32	Expensive mistakes, scaling to new verticals, ZETA for architecture

What's new compared with Books One and Two

Topic	Book One	Book Two	Book Three
Site tree and properties	Overview	—	Full design in three launch phases
Entities and the U.S. entity map	—	Brand entity only	Core method + Appendix A
Macro and micro search intents	—	—	30 micro-intent codes + Appendix B
TOFU/MOFU/BOFU + hub + silo as one system	—	—	✅ With end-to-end tracking
Trust layer: every page and element	Basics	Off-site trust	✅ Complete list
Blog vs. money page separation	—	—	✅ Six worked examples
Cannibalization	—	—	✅ Spot, prevent, fix

Topic	Book One	Book Two	Book Three
Internal linking and the link map	—	External links	✅
CTA architecture and event naming	—	—	✅
Indexing plan and portal boundary	Flagged	—	✅ Corrected launch plan
Complete master content map	—	—	✅ All 124 pages
Corrections to Playbook v3	—	—	✅ In every record

BEFORE YOU BEGIN

Front Matter

A Letter to the Reader

Welcome back.

In Book One you learned **what** Ongo is. In Book Two you learned how to earn trust **from other websites**. Book Three is about the thing in the middle: **the website itself**.

Most teams build websites the way a family adds rooms to an old house: one room this year, a balcony next year, a staircase that leads nowhere. Ten years later, nobody can find the kitchen.

Ongo is doing it differently. Before anyone writes 500 blog posts, we decide:

- which pages exist, and which we deliberately don't build,
- where each page lives, and who its parent is,
- what each page is for: which search intent, which funnel stage,
- how pages link to each other so patients move from learning to booking,
- what we ask the patient to do on every page,
- and how every important click is measured, without ever touching patient health data.

That's **site architecture**. This book teaches it from zero, then hands you the complete **Master Content Map**: every one of Ongo's 124 planned pages, with every field filled in and every correction to Playbook v3 explained.

Same promise as before: every important claim has a source and a label. No 2012 tricks. Only what works in **October 2026**.

Let's build the blueprint.

How to Read This Book

The four levels

Level	Who it's for	What you can do after
Level 1 – Foundation	Everyone on day one	Explain entities, intent and the funnel

Level	Who it's for	What you can do after
Level 2 – Practitioner	Writers, SEOs, designers, developers	Place any page correctly and keep intents separate
Level 3 – Strategist	Leads and senior SEOs	Fill page records, plan links, CTAs, schema and tracking
Level 4 – Expert and Risk	Everyone, eventually	Avoid irreversible architecture mistakes

The boxes you'll see

> 💡 **Trivia** – a surprising fact that shows why the topic matters.
>
> 🍛 **Desi analogy** – the idea explained in Hinglish with an everyday example.
>
> 🟧 **Ongo example** – how the idea applies to ongoweightloss.com.
>
> ⚠️ **Where freshers go wrong** – the common mistake and how to avoid or fix it.
>
> 👍 **Thumb rule** – one line to remember forever.
>
> 📝 **Note to remember** – a key fact to keep.

Using the MCQs for onboarding

- Each chapter ends with 10 multiple-choice questions.
- Team leads can use them after each level; 8/10 or better means ready to move on.

The Evidence Label Legend

Source labels: where the claim comes from

Label	Meaning
🟢 **Google official**	Google's own documentation, policies or official blog
🟡 **Google spokesperson**	A public statement by a Google employee (e.g. John Mueller)
🟠 **Industry**	Reputable SEO press, legal analysis or industry data

Label	Meaning
Expert / Ongo internal	Expert judgment, Ongo's Playbook, scans or leadership decisions

How much to trust each label

Label	Trust	Before you rely on it
	Highest	Check it's still current
	High	Remember it's one person's statement
	Medium	Prefer the original source when possible
	Varies	Confirm with the map owner or leadership

Risk level: what can go wrong

Most architecture risk comes from four places: **brand names on commercial pages**, **PHI in analytics**, **changed URLs without redirects**, and **pages built without a map record**. Chapter 32 (ZETA) lists them all.

How the Answer Keys Work

Every chapter's answer key sits at the foot of the chapter, printed **upside down**. Try the quiz first, then turn the page around to check. All 32 keys are also collected in the back matter.

01

LEVEL 1

Foundation

Think in systems: entities, intent and the funnel before a single page is built.

1 · Why Architecture Comes Before Content

2 · Pages, Not Keywords

3 · Entities: How Google Understands Ongo

4 · Search Intent: Four Macro Intents and Ongo's Micro-Intents

5 · The Funnel: TOFU, MOFU, BOFU Mapped to Page Types

LEVEL 1 · CHAPTER 1

Chapter 1: Why Architecture Comes Before Content

A hospital is designed before the first brick is laid. A website should be too.

> 💡 **Trivia**
>
> Google says that for sites with more than a few thousand URLs, **how you organize content into directories** can help it understand how often different parts of the site change. Its own example: content in a `policies` directory "seldomly changes." [1] ● Google official
>
> Even Google reads your folder structure as a clue. Architecture isn't decoration; it's a signal.

1.1 What "site architecture" means

Site architecture is the plan for:

Part	Question it answers
Which pages exist	What does Ongo need, and what does it deliberately skip?
Where each page lives	Which parent, which folder, which URL?
How pages connect	Which internal links go up, down and across?
What each page is for	Which search intent and funnel stage does it serve?
What each page asks the user to do	Which CTA, and which tracking event?

If you only remember one line: **architecture decides what every page is for before anyone writes a word.**


> 🪔 **Desi analogy: hospital ka naksha**
>
> Hospital banane se pehle architect naksha banata hai: OPD kahan, emergency kahan, OT kahan, reception kahan, aur patient andar aake kaise ghoomega. **Agar pehle deewarein khadi kar di aur baad mein socha ki OT kahan banega, toh poori building todni padegi.**
>
> Website bhi aisi hi hai. Services departments hain, medication pages treatment rooms, blog patient education area, CTAs reception desk, aur GA4/GTM woh system jo record karta hai ki patient kahan se kahan gaya.

1.2 Why Book Three comes before writing

Without architecture	With architecture
500 blog posts, many competing for the same search	Every page owns one job
Money pages buried 5 clicks deep	Money pages one or two clicks from every related page
Random internal links	Links that move patients toward booking
"Button clicked" in analytics	Every important click named and measured
Pages added because a competitor has them	Pages added because patients need them

> 🟧 **Ongo example**
>
> Ongo already has a **Master Page-by-Page Playbook (v3)** with every planned page. This book teaches the *thinking* behind it, corrects it where rules have changed (Chapters 19, 26 and 28), and turns it into a living map the whole team can maintain.

1.3 The Ongo philosophy in one picture



Every page has a place in this chain.

Step	Meaning
Business	What Ongo actually sells and to whom (Book One)
Services	Weight Loss first; Longevity, Men's and Women's Health later
Entities	The "things" Google must understand: semaglutide, tirzepatide, obesity, Ongo (Chapter 3)
Topical hubs	Hub pages that own a topic (Chapter 8)
Educational content	Blog clusters that answer patient questions (Chapter 18)
Patient intent	What the person actually wants at that moment (Chapter 4)
Commercial service	The money page that solves it (Chapter 15)
CTA → conversion	The action we ask for (Chapter 25)
Measurement	Proof of what worked (Chapter 27)

1.4 Do's and Don'ts

✅ Do	❌ Don't
Decide a page's job before writing it	Write first and "find a place" later
Check the master map before creating any page	Create pages because a competitor has them

✅ Do	❌ Don't
Keep the architecture small and purposeful	Add silos for every idea
Think in systems: page, link, CTA, event	Think in single keywords

1.5 Pros and cons of architecture-first

✅ Pros	❌ Cons
Fewer pages competing with each other	Slower start
Clear internal linking and tracking	Needs discipline and a map owner
Easier to scale to new verticals	Feels "theoretical" to newcomers

1.6 Where freshers go wrong in Chapter 1 topics

Mistake	Why it happens	Avoid it by	Fix it by
Writing blogs before the map exists	Pressure to "produce content"	Checking the master map (Chapter 28)	Mapping each post to a parent and intent
Copying a competitor's menu	It looks complete	Asking "does Ongo need this?" (Chapter 21)	Removing or merging pages
Treating architecture as the developer's job	Thinking it's technical	Remembering SEO owns the map	Joining the map review

1.7 Thumb rules

> 👍 Blueprint first, bricks later.
>
> 👍 Every page has one job.
>
> 👍 If it isn't on the map, it doesn't get built.

1.8 Notes to remember

📝 Architecture = which pages, where they live, how they link, what they're for, what they ask.

📝 The Ongo flow: business → services → entities → hubs → content → intent → service → CTA → conversion → measurement.

Chapter 1 Glossary

Term	Simple meaning
Site architecture	The plan for which pages exist, where they live and how they connect
Information architecture (IA)	How content is organized and labeled for users
Directory	A folder in a URL path, like /services/
Master content map	The record of every page and its job
Money page	A commercial page meant to convert visitors into patients

---

Chapter 1 Quiz

1. What does architecture decide first?

- A) What every page is for, before anyone writes it
- B) The font size
- C) The ad budget
- D) The logo color

2. What does Google say directory structure can help with on larger sites?

- A) Getting a knowledge panel
- B) Paying less for ads
- C) Understanding how often parts of the site change
- D) Nothing

3. In the hospital analogy, CTAs are...

- A) The OT
- B) The roof
- C) The reception desk
- D) The parking lot

4. Why not copy a competitor's menu?

- A) Competitors have no pages
- B) Copying is always illegal
- C) Pages should exist because Ongo's patients need them
- D) Menus don't matter

5. What's the existing document listing Ongo's planned pages?

- A) The brand guide
- B) The privacy policy
- C) The pricing page
- D) The Master Page-by-Page Playbook (v3)

6. Which step comes right after "Entities" in the Ongo flow?

- A) Business
- B) Measurement
- C) CTA
- D) Topical hubs

7. Without architecture, analytics often shows...

- A) A generic "button clicked" with no meaning
- B) Perfect attribution
- C) Every patient's name
- D) Nothing at all

8. Who owns the master map?

- A) SEO, with input from dev, content and medical
- B) Only developers
- C) Nobody
- D) Only designers

9. What's the risk of writing 500 blogs before mapping?

- A) Faster rankings
- B) Many pages competing for the same searches
- C) No risk
- D) Too few pages

10. "If it isn't on the map..."

- A) Ask a competitor
- B) Build it anyway
- C) It doesn't get built
- D) Publish it twice

Sources

1. Google Search Central, SEO Starter Guide (last updated December 10, 2025)

Answer key, Chapter 1: 1-A · 2-C · 3-C · 4-C · 5-D · 6-D · 7-A · 8-A · 9-B · 10-C

LEVEL 1 · CHAPTER 2

Chapter 2: Pages, Not Keywords

One page per keyword is a 2012 habit. One page per patient need is how a modern health site is built.

> 💡 **Trivia**
>
> Google says it **doesn't use the keywords meta tag**, and that excessively repeating the same words "is tiring for users" and against its spam policies. It also says content **length alone doesn't matter** for ranking. [1] 🟢 Google official
>
> More pages, more keywords and more words don't win. Better answers do.

2.1 The old model vs. the Ongo model

Old model: keyword → page	Ongo model: need → page
"semaglutide cost", "semaglutide price", "semaglutide monthly cost" each get a page	One page answers the whole "how much does it cost?" need
Pages exist to rank	Pages exist to help, and ranking follows
Thin pages with small word changes	Fewer, deeper pages
Internal competition (cannibalization, Chapter 17)	Each page owns its topic

> 🍛 **Desi analogy: restaurant ka menu**
>
> Ek restaurant ne menu mein likha: "paneer butter masala", "butter paneer masala", "paneer makhani", "makhani paneer". Teeno ek hi dish hai! **Customer confuse, waiter confuse, kitchen confuse.**
>
> Ek dish, ek naam, ek page. Baaki naam us page ke andar synonyms ki tarah aa jaate hain.

2.2 How to group keywords into one page

Step	Question
1	Do these searches want the **same answer**?
2	Would **one patient** be happy reading one page for all of them?
3	Does Google show **the same kind of results** for them? (Search them.)
4	If yes to all three → **one page**. If no → separate pages with separate jobs

- Expert judgment

Example grouping

Searches	One page?	Where
semaglutide cost, compounded semaglutide price, semaglutide monthly cost	✅ Yes	Pricing section + cost calculator
semaglutide side effects, semaglutide nausea, semaglutide stomach problems	✅ Yes (one article, sections inside)	/blog/semaglutide/semaglutide-side-effects/
semaglutide vs tirzepatide, tirzepatide vs semaglutide	✅ Yes, **one** page	Choose one URL; the other cluster links to it (Chapter 17)
what is GLP-1, compounded semaglutide online	❌ No: different intents	Blog article vs. money page

2.3 Do's and Don'ts

✅ Do	❌ Don't
Group synonyms and close variants on one page	Make a page for every variant
Check the search results before deciding	Decide from keyword tools alone
Use variants naturally inside the page	Stuff keywords

✅ Do	❌ Don't
Merge pages that answer the same need	Keep near-duplicates "just in case"

2.4 Pros and cons of fewer, deeper pages

✅ Pros	❌ Cons
Clear topical ownership	Fewer URLs to show in reports
Easier medical review	Needs better writing per page
Less cannibalization	Takes judgment, not formulas

2.5 Where freshers go wrong in Chapter 2 topics

Mistake	Why it happens	Avoid it by	Fix it by
One page per keyword variant	Old tutorials	The 4-step grouping test	Merging with a 301 redirect
Two "vs" pages in opposite order	Each cluster wants its own	One canonical comparison page	Redirecting the duplicate
Writing 3,000 words to "beat" competitors	Length myth	Answering the need fully, then stopping	Trimming filler

2.6 Thumb rules

> 👍 One need, one page.
>
> 👍 Same answer, same page.
>
> 👍 Length is a result, not a goal.

2.7 Notes to remember

📝 Google ignores the keywords meta tag and says length alone doesn't matter.

📝 Search the keyword yourself before deciding whether it needs its own page.

Chapter 2 Glossary

Term	Simple meaning
Keyword	The words people type into search
Keyword variant	A different wording of the same need
Keyword grouping	Putting searches that want the same answer onto one page
Keyword stuffing	Repeating keywords unnaturally
301 redirect	A permanent redirect from an old URL to a new one

Chapter 2 Quiz

1. Does Google use the keywords meta tag?

- A) Only for health sites
- B) Only on mobile
- C) Yes, heavily
- D) No

2. Does content length alone matter for ranking, per Google?

- A) Only over 5,000 words
- B) No
- C) Only for blogs
- D) Yes, longer always wins

3. "semaglutide cost" and "semaglutide price" should usually be…

- A) Ignored
- B) On one page
- C) Two separate pages
- D) Ten pages

4. What's the first question in the grouping test?

- A) Which has more volume?
- B) Do these searches want the same answer?
- C) Which is shorter?
- D) Which competitor ranks?

5. Two pages, "semaglutide vs tirzepatide" and "tirzepatide vs semaglutide", should be...

- A) Deleted
- B) One canonical page; the other redirects or links to it
- C) Two separate pages
- D) Noindexed both

6. In the restaurant menu analogy, the problem is...

- A) Expensive food
- B) Slow service
- C) One dish listed under four names
- D) Too few dishes

7. How do you fix two near-duplicate pages?

- A) Add more keywords to both
- B) Keep both
- C) Merge them and 301-redirect the weaker one
- D) Change the fonts

8. What decides whether two searches need separate pages?

- A) Whether they want different answers (different intent)
- B) The writer's mood
- C) Their alphabetical order
- D) Their length

9. "what is GLP-1" and "compounded semaglutide online" belong...

- A) On different pages: blog vs. money page
- B) On the same page
- C) In the footer
- D) On the pricing page only

10. "Length is a..."

- A) Ranking factor by itself
- B) Penalty
- C) Result, not a goal
- D) Requirement of 3,000 words

Sources

1. Google Search Central, SEO Starter Guide: things we believe you shouldn't focus on (last updated December 10, 2025)

Answer key, Chapter 2: 1-D · 2-B · 3-B · 4-B · 5-B · 6-C · 7-C · 8-A · 9-A · 10-C

LEVEL 1 · CHAPTER 3

Chapter 3: Entities: How Google Understands Ongo

Google stopped matching strings of letters a long time ago. It tries to understand the "things" behind them, and how they relate.

> 💡 **Trivia**
>
> When Google launched its **Knowledge Graph** in May 2012, it already held **more than 500 million objects** and **3.5 billion facts** about how they relate. Google described it as understanding real-world entities and their relationships: **"things, not strings."** [1] ● Google official
>
> Semaglutide, obesity, the FDA and Ongo are all "things" to Google. Your job is to make their relationships obvious.

3.1 What is an entity?

An **entity** is a distinct, identifiable thing: a company, a person, a drug, a condition, a government agency, a place.

Word on a page	Entity Google may connect it to
"semaglutide"	A drug (active ingredient) with brands, a class, uses, side effects
"obesity"	A medical condition with causes, risks and treatments
"FDA"	A U.S. government agency that approves drugs
"Ongo"	A telehealth organization (if we describe it clearly and consistently)

Google's Knowledge Graph Search API describes entities using standard **schema.org types** such as Organization, Person and Place. [2] ● That's why schema.org vocabulary appears throughout this book.

> 🍛 **Desi analogy: shaadi ka rishta-chart**
>
> Shaadi mein naye log aate hain toh koi na koi samjhata hai: "Yeh Sharma ji hain, dulhan ke mama, Jaipur se aaye hain, doctor hain." **Naam akela kuch nahi batata; rishte batate hain ki woh kaun hai.**
>
> Google ke liye bhi "semaglutide" sirf ek shabd hai jab tak page nahi batata: yeh ek drug hai, GLP-1 class ki hai, obesity ke ilaaj mein use hoti hai, FDA ne kuch brands approve kiye hain.

3.2 Entities are connected by relationships (triples)

Think of facts as **subject → relationship → object**:


Subject	Relationship	Object
Semaglutide	is a	GLP-1 receptor agonist
Tirzepatide	activates	GIP and GLP-1 receptors
Obesity	is treated with	GLP-1 medications (among others)
Compounded semaglutide	is prepared by	a 503A pharmacy
Ongo Weight Loss	offers	compounded semaglutide and compounded tirzepatide
Ongo Weight Loss	is certified by	LegitScript
Dr. [Name]	reviewed	/services/glp-1/compounded-semaglutide/

🔵 Expert judgment: pages that state these relationships clearly, accurately and consistently are easier for search engines and AI systems to understand.

3.3 The entity categories Ongo should use

These are the categories that matter for a U.S. GLP-1 telehealth brand. **The full table with every relevant U.S. entity, its category, why it matters, where it belongs on our site, and how to link it is in Appendix A.**

Ongo Entity Categories



Full U.S. entity list: Appendix A.

#	Category	Examples (U.S.)	schema.org type	Where on Ongo
1	**Our organization**	Ongo Weight Loss, Ongo Weight Loss LLC	MedicalOrganization / Organization	Homepage, About
2	**Our people**	Founder & CEO, Medical Director, providers, medical reviewers, writers	Person, Physician	Medical Team, Contributors, bylines
3	**Conditions**	Obesity, overweight, type 2 diabetes, prediabetes, hypertension, sleep apnea, MASLD, PCOS	MedicalCondition	/conditions/, blog
4	**Active ingredients and drug classes**	Semaglutide, tirzepatide, GLP-1 receptor agonist, GIP	Drug, DrugClass	Service pages, blog
5	**Brand drugs (education only)**	Wegovy, Ozempic, Zepbound, Mounjaro	Drug	Phase 2 educational pages only (Chapter 19)
6	**Regulators and government**	FDA, CDC, NIH, HHS, FTC, state boards of pharmacy and medicine	GovernmentOrganization	External links, policies, blog citations

#	Category	Examples (U.S.)	schema.org type	Where on Ongo
7	**Medical and professional bodies**	Obesity Medicine Association, American Board of Obesity Medicine, ADA, AMA, Endocrine Society	Organization	Citations, provider credentials
8	**Standards and certifications**	LegitScript, USP <797>, HIPAA, 503A / 503B	Thing / Certification-style mentions	Trust pages, Quality & Safety
9	**Clinical evidence**	STEP 1, SURMOUNT-1, SELECT	MedicalStudy (schema.org)	Blog citations (brand-only results)
10	**Measurements and concepts**	BMI, A1C, titration, beyond-use date	MedicalEntity concepts	Tools, blog, glossary
11	**Places**	United States, the 50 states	Place, State	Service-area statements; never thin state pages (Chapter 10)
12	**Care model**	Telehealth, prescription, consultation, compounding pharmacy	MedicalProcedure / Service concepts	How It Works, services

3.4 How to use entities on a page

Technique	Example	Why
Name the entity precisely	"compounded semaglutide" not "the shot"	Removes ambiguity
State its relationships	"Semaglutide is a GLP-1 receptor agonist..."	Builds the triple (3.2)
Cover related entities	Side effects, contraindications, titration, BMI	Shows topical completeness
Link to the authoritative entity home	FDA page for a drug status; CDC page for obesity data	Trust and disambiguation

Technique	Example	Why
Link internally to our entity home	Every "semaglutide" mention can link to our semaglutide hub	Tells Google which Ongo page owns it
Use matching structured data	MedicalWebPage `about` and `mentions`	Machine-readable relationships (Chapter 26)
Be consistent everywhere	Same name, founder spelling, founding date (December 18, 2024)	Consistency = recognition

> 🟧 **Ongo example: the entity home rule**
>
> Every important entity gets **one** "home" page on Ongo that owns it:
>
> - Semaglutide (commercial) → /services/glp-1/compounded-semaglutide/
> - Semaglutide (education) → /blog/semaglutide/ hub
> - Obesity → /conditions/obesity/
> - Ongo the organization → /about/
>
> Every other page that mentions the entity links to its home, never to a competing page.

3.5 Entity coverage checklist for a page

☐	Check
☐	The main entity is named in the H1, title and first paragraph
☐	Its category is stated ("a GLP-1 receptor agonist", "a chronic disease")
☐	3–8 related entities are covered naturally
☐	At least one authoritative external entity home is cited (FDA, CDC, NIH, a peer-reviewed study)
☐	Internal links point to Ongo's entity home for each related entity
☐	Structured data matches the visible content
☐	No brand drug is used commercially (launch-phase rule)

3.6 Do's and Don'ts

✅ Do	❌ Don't
Use precise names ("compounded tirzepatide")	Use vague nicknames ("the jab")
Give each entity one home page	Let three pages compete for "semaglutide"
Cite official entity homes (FDA, CDC)	Cite random blogs for medical facts
Keep Ongo's details identical everywhere	Use different founder spellings or dates

3.7 Pros and cons of entity-first SEO

✅ Pros	❌ Cons
Clearer meaning for Google and AI answers	Harder to measure directly
Natural topical completeness	Needs medical accuracy on every relationship
Strong internal-link logic	No guaranteed knowledge panel or ranking

3.8 Where freshers go wrong in Chapter 3 topics

Mistake	Why it happens	Avoid it by	Fix it by
Treating "entity" as "keyword with a capital letter"	New jargon	Thinking in things + relationships	Rewriting with clear triples
Linking "semaglutide" to different pages each time	No entity home rule	One home per entity	Updating links
Adding schema that doesn't match the page	Copy-paste	Matching visible content	Fixing markup
Using brand drugs as commercial entities	Search volume	Launch-phase rule (Chapter 19)	Removing brand names

3.9 Thumb rules

👍 Things, not strings.

👍 One entity, one home.

👍 Relationships make meaning: say what the thing is, does and connects to.

3.10 Notes to remember

📝 Twelve entity categories; the full U.S. entity list is in Appendix A.

📝 Google's Knowledge Graph uses schema.org types to describe entities.

Chapter 3 Glossary

Term	Simple meaning
Entity	A distinct, identifiable thing (drug, condition, agency, company, person)
Knowledge Graph	Google's database of entities and their relationships
Triple	A fact written as subject → relationship → object
Entity home	The one page that owns an entity on a site
schema.org	A shared vocabulary for describing things in structured data
Disambiguation	Making clear which "thing" a word refers to

Chapter 3 Quiz

1. What did Google call the Knowledge Graph idea in 2012?

- A) "Mobile first"
- B) "Links, not content"
- C) "Things, not strings"

- D) "Keywords first"

2. What vocabulary does Google's Knowledge Graph API use for entity types?

- A) HTML colors
- B) schema.org types
- C) Meta keywords
- D) None

3. Which is a triple?

- A) A URL
- B) A meta description
- C) Semaglutide → is a → GLP-1 receptor agonist
- D) semaglutide semaglutide semaglutide

4. What's the entity home for "obesity" on Ongo?

- A) Every page equally
- B) /login/
- C) /pricing/
- D) /conditions/obesity/

5. Which category is the FDA?

- A) Brand drugs
- B) Our people
- C) Regulators and government
- D) Places

6. How should brand drugs be used during the launch phase?

- A) In every meta title
- B) As our main commercial entities
- C) Education only, on Phase 2 pages
- D) In ad keywords

7. What should other pages do when they mention an entity?

- A) Link to that entity's home page on Ongo
- B) Never link
- C) Link to a random page

- D) Link to a competitor

8. Where is the full U.S. entity list?

- A) Chapter 1
- B) Nowhere
- C) The footer
- D) Appendix A

9. Which is a precise entity name?

- A) "compounded tirzepatide"
- B) "that drug"
- C) "the magic pen"
- D) "the shot"

10. In the shaadi rishta-chart analogy, what tells you who someone is?

- A) The music
- B) Their relationships, not just their name
- C) The food
- D) Their clothes

Sources

1. Google, Introducing the Knowledge Graph: things, not strings (May 16, 2012)
2. Google for Developers, Knowledge Graph Search API
3. Google Search Central, Organization structured data (last updated September 8, 2026)
4. schema.org, MedicalCondition, Drug and MedicalWebPage

Answer key, Chapter 3: 1-C · 2-B · 3-C · 4-D · 5-C · 6-C · 7-A · 8-D · 9-A · 10-B

LEVEL 1 · CHAPTER 4

Chapter 4: Search Intent: Four Macro Intents and Ongo's Micro-Intents

Two people can type almost the same words and want completely different things. Intent decides which page should answer them.

> 💡 **Trivia**
>
> Google's own Search Quality Rater Guidelines (September 2025) sort user intent into **Know** (and Know Simple), **Do**, **Website** and **Visit-in-Person** queries, and note that many queries have **multiple intents** at once. [1] 🟢 Google official
>
> The SEO world's four "macro intents" (informational, commercial, transactional, navigational) are a simpler version of the same idea.

4.1 The four macro intents

Macro intent	The person wants to…	Google rater term	Typical Ongo page
Informational	Learn or understand	Know / Know Simple	Blog article, condition page, glossary
Commercial	Compare and evaluate before deciding	Know + Do (research before acting)	Service hub, comparison article, reviews
Transactional	Act now: start, book, buy	Do	Money page, eligibility checker, onboarding
Navigational	Reach a specific site or page	Website	Homepage, login, contact, policies

Sources: [1] 🟢 and 🔵 expert mapping

> 🪔 **Desi analogy: mohalle ki kirana dukaan**
>
> Ek aadmi aata hai: "Bhaiya, yeh sugar-free biscuit kya hota hai?" (informational). Doosra: "Kaunsa sugar-free biscuit achha hai, yeh ya woh?" (commercial). Teesra: "Do packet de do" (transactional). Chautha: "Sharma General Store yahi hai na?" (navigational).
>
> **Dukaandaar sab ko ek hi jawab nahi deta.** Website ko bhi har intent ke liye sahi page dena chahiye.

4.2 Ongo's micro-intents

Macro intents are too broad to plan pages. **Micro-intents** are the specific jobs inside each one. These are the micro-intents Ongo will use. The full library, with example searches for each, is in **Appendix B**.

Informational micro-intents

Code	Micro-intent	Example search	Ongo page type
I-1	**Definition**	what is GLP-1	Blog hub / pillar article
I-2	**Mechanism**	how does semaglutide work	Blog article
I-3	**Condition understanding**	what causes obesity	Condition page
I-4	**Symptoms / signs**	signs of insulin resistance	Blog article / condition page
I-5	**Side effects and safety**	semaglutide side effects	Blog article
I-6	**Timeline / expectations**	how long does tirzepatide take to work	Blog article
I-7	**Eligibility education**	who can take GLP-1 medications	Blog article → eligibility checker
I-8	**Lifestyle support**	what to eat on semaglutide	Blog article
I-9	**Troubleshooting**	why am I not losing weight	Blog article
I-10	**Regulatory / legitimacy**	is compounded semaglutide legal	Blog article (compliance-reviewed)

Code	Micro-intent	Example search	Ongo page type
I-11	**Quick fact**	BMI for obesity	Tool / glossary
I-12	**Calculation**	calculate my BMI	Tool page

Commercial micro-intents

Code	Micro-intent	Example search	Ongo page type
C-1	**Option comparison**	semaglutide vs tirzepatide	One comparison article (Chapter 17)
C-2	**Method comparison**	GLP-1 vs diet and exercise alone	Blog article
C-3	**Cost research**	compounded semaglutide cost	Cost calculator + pricing section
C-4	**Provider evaluation**	online weight loss doctor	Service hub, How It Works
C-5	**Trust check**	is [brand] legit, reviews	Reviews, About, Medical Team
C-6	**Safety of the provider**	is online semaglutide safe	Quality & Safety, How It Works
C-7	**Insurance / payment research**	semaglutide without insurance	Pricing section, FAQ
C-8	**Best-of research**	best online GLP-1 program	Service hub (earned roundup mentions, Book Two)

Transactional micro-intents

Code	Micro-intent	Example search	Ongo page type
T-1	**Start treatment**	compounded semaglutide online	Money page
T-2	**Check eligibility**	do I qualify for semaglutide	Eligibility checker
T-3	**Book consultation**	weight loss doctor appointment online	How It Works → onboarding
T-4	**Get a price now**	semaglutide price per month	Pricing section / cost calculator
T-5	**Contact**	Ongo phone number	Contact page

Navigational micro-intents

Code	Micro-intent	Example search	Ongo page type
N-1	**Brand home**	ongo weight loss	Homepage
N-2	**Login**	ongo login	/weightloss-onboard/login/ (noindexed)
N-3	**Policy lookup**	ongo refund policy	Policy page
N-4	**People lookup**	Ongo medical director	Medical Team profile
N-5	**Support**	ongo customer service	Contact / FAQ

4.3 How to find the intent of any search

Step	Action
1	**Search it** in a private window (U.S. location if possible)
2	Look at the **page types** ranking: articles, service pages, tools, brand homepages?
3	Look at the **SERP features**: People Also Ask, AI Overview, local pack, shopping
4	Ask: what would the person do **next** if this page satisfied them?
5	Assign **one macro + one micro** intent code from this chapter

- Expert judgment

> ⚠️ **Where freshers go wrong: mixed-intent pages**
>
> - **The mistake:** A blog post titled "What is semaglutide?" that ends with five "Buy now" buttons and a price table.
> - **Why it happens:** Wanting every page to convert.
> - **How to avoid it:** Informational pages educate and offer **one** soft next step (Chapter 15).
> - **How to fix it:** Move the commercial content to the money page; leave a single contextual link.

4.4 Do's and Don'ts

✅ Do	❌ Don't
Assign one macro + one micro intent to every page	Leave intent "general"
Check the live search results	Guess from keyword tools
Give each intent its own page type	Mix informational and transactional jobs
Use the micro-intent code in the master map	Describe intent differently each time

4.5 Pros and cons of micro-intent planning

✅ Pros	❌ Cons
Precise page jobs and CTAs	More planning time
Prevents cannibalization	Some searches are genuinely mixed
Makes tracking meaningful (intent → event)	Needs regular review as SERPs change

4.6 Where freshers go wrong in Chapter 4 topics

Mistake	Why it happens	Avoid it by	Fix it by
Treating every search as transactional	Sales pressure	Searching the query first	Re-assigning intent
Writing a blog for a transactional query	Blog is easier	Checking what ranks	Building or improving the money page
Ignoring navigational searches	"They'll find us anyway"	Owning brand searches	Optimizing homepage, login, policies

4.7 Thumb rules

👍 Search it before you write it.

👍 One page, one macro intent, one micro intent.

👍 Informational pages teach; money pages convert.

4.8 Notes to remember

📝 Four macro intents: informational, commercial, transactional, navigational.

📝 30 micro-intent codes (I-1 to N-5); full library in Appendix B.

Chapter 4 Glossary

Term	Simple meaning
Search intent	What the person actually wants from a search
Macro intent	One of four broad intent types
Micro-intent	A specific job inside a macro intent
SERP	Search engine results page
SERP feature	Extra result types (People Also Ask, AI Overview, etc.)
Mixed intent	A search with more than one common intent

Chapter 4 Quiz

1. Which rater-guideline intent matches "transactional"?

- A) Visit-in-Person
- B) Website
- C) Know Simple

- D) Do

2. "ongo login" is which macro intent?

- A) Informational
- B) Navigational
- C) Commercial
- D) Transactional

3. "semaglutide vs tirzepatide" is which micro-intent?

- A) N-1 Brand home
- B) I-1 Definition
- C) T-5 Contact
- D) C-1 Option comparison

4. What's step 1 for finding intent?

- A) Write the article
- B) Ask a competitor
- C) Search it yourself
- D) Buy ads

5. Which page type fits "calculate my BMI"?

- A) Policy page
- B) Login page
- C) Tool page
- D) Press release

6. What's wrong with "What is semaglutide?" ending in five "Buy now" buttons?

- A) It mixes informational and transactional jobs
- B) Nothing
- C) Too few buttons
- D) It's too short

7. "compounded semaglutide online" belongs on…

- A) The money page (T-1)
- B) A glossary
- C) The privacy policy

- D) The login page

8. Google's rater guidelines say many queries have...

- A) Multiple intents
- B) Only one intent always
- C) No intent
- D) Only navigational intent

9. "is online semaglutide safe" is which micro-intent?

- A) I-12 Calculation
- B) C-6 Safety of the provider
- C) T-5 Contact
- D) N-2 Login

10. In the kirana analogy, "Do packet de do" is...

- A) Transactional
- B) Informational
- C) Navigational
- D) Commercial

Sources

1. Google, Search Quality Rater Guidelines (General Guidelines, September 11, 2025), section 12.7 "Understanding User Intent"

Answer key, Chapter 4: 1-D · 2-B · 3-D · 4-C · 5-C · 6-A · 7-A · 8-A · 9-B · 10-A

LEVEL 1 · CHAPTER 5

Chapter 5: The Funnel: TOFU, MOFU, BOFU Mapped to Page Types


Patients don't jump from "what is GLP-1?" to "book now" in one step. The site should walk with them.

> 💡 **Trivia**
>
> In GA4, a **key event** is "an event that measures an action that's particularly important to the success of your business," and **any** event you collect can be marked as one. [1] ● Google official
>
> That means every funnel step in this chapter can be measured, not just the final booking.

5.1 The three stages

Stage	Patient mindset	Macro intent	Ongo page types	Main CTA style
TOFU (top of funnel)	"I'm learning"	Informational	Blog hubs and articles, condition pages, tools	Soft: "Learn more", "Check your BMI"
MOFU (middle)	"I'm comparing"	Commercial	Service hubs, comparison articles, How It Works, reviews, cost calculator	Medium: "See how it works", "Check eligibility"
BOFU (bottom)	"I'm ready"	Transactional	Money pages (compounded semaglutide, compounded tirzepatide), eligibility checker, pricing section	Strong: "Get started"

● Expert model, built on [2] ● intent categories



Soft links at the top, strong CTAs at the bottom.

> 🍛 **Desi analogy: shaadi ka rishta**
>
> Pehle "biodata dekhte hain" (TOFU), phir "family se milte hain, compare karte hain" (MOFU), phir "roka aur shaadi ki date" (BOFU). **Pehli mulaqat mein hi shaadi ki baat karoge toh rishta toot jayega.**
>
> Blog pe pehli baar aaye patient se "Buy now" chillana wahi galti hai.

5.2 One patient's real path

Step	Page	Stage	Micro-intent	What we want next
1	/blog/glp-1/what-are-glp-1-medications/	TOFU	I-1	Click to "how they work" or GLP-1 hub
2	/blog/semaglutide/semaglutide-vs-tirzepatide/	MOFU	C-1	Click to service hub or money page
3	/services/glp-1/	MOFU	C-4	Click to compounded semaglutide page
4	/services/glp-1/compounded-semaglutide/	BOFU	T-1	Click "Get started"

Step	Page	Stage	Micro-intent	What we want next
5	/weightloss-onboard/	Conversion	T-3	Complete intake and booking

Chapter 27 shows how to track every arrow in this path.

5.3 Rules for each stage

Stage	Must have	Must NOT have
TOFU	Medically reviewed answers, related-article links, one contextual link up the funnel	Price tables, multiple "Get started" buttons, sales pressure
MOFU	Honest comparisons, process explanation, trust signals, eligibility link	Brand drugs used commercially, fake urgency
BOFU	Clear offer, eligibility criteria, safety info, price, disclaimers, named reviewer, strong CTA	Unsupported outcome claims, hidden fees

5.4 Do's and Don'ts

✅ Do	❌ Don't
Label every page TOFU, MOFU or BOFU in the map	Leave stages unlabeled
Give every TOFU page a path to MOFU	Leave blog posts as dead ends
Put trust signals at MOFU and BOFU	Save trust only for the About page
Measure stage-to-stage movement	Measure only final bookings

5.5 Pros and cons of funnel mapping

✅ Pros	❌ Cons
Content has purpose	Real patients skip steps
Clear CTA rules per page	Some pages serve two stages
Measurable movement	Needs tracking set up (Chapter 27)

5.6 Where freshers go wrong in Chapter 5 topics

Mistake	Why it happens	Avoid it by	Fix it by
Hard-sell CTAs on TOFU blogs	Conversion pressure	Stage rules (5.3)	Replacing with a contextual link
No link from blog to service	Forgetting the funnel	Required "next step" link	Adding one contextual link
Money page with no trust signals	Rushing launch	BOFU checklist	Adding reviewer, safety, disclaimers

5.7 Thumb rules

> 👍 Learn, compare, decide: in that order.
>
> 👍 Every TOFU page needs a door to MOFU.
>
> 👍 The stronger the CTA, the stronger the trust signals around it.

5.8 Notes to remember

📝 TOFU = blog, conditions, tools. MOFU = hubs, comparisons, How It Works, reviews. BOFU = money pages, eligibility, pricing.

📝 Any GA4 event can be marked as a key event, so every stage is measurable.

Chapter 5 Glossary

Term	Simple meaning
Funnel	The stages a person moves through before acting
TOFU / MOFU / BOFU	Top / middle / bottom of funnel: learning, comparing, deciding
Key event	A GA4 event marked as important to the business
Micro-conversion	A smaller step, like checking eligibility
Macro-conversion	The main goal, like a completed booking

Chapter 5 Quiz

1. Which stage is "I'm comparing"?

- A) TOFU
- B) Post-purchase
- C) BOFU
- D) MOFU

2. Which page type is BOFU?

- A) "What is GLP-1?" article
- B) Compounded semaglutide money page
- C) Privacy policy
- D) Glossary

3. What should TOFU pages NOT have?

- A) One contextual next-step link
- B) Medically reviewed answers
- C) Related links
- D) Price tables and multiple "Get started" buttons

4. In GA4, which events can be marked as key events?

- A) Any event you collect
- B) Only purchases
- C) Only page views
- D) None

5. Every TOFU page should have...

- A) A countdown timer
- B) No links
- C) A path to MOFU
- D) A price table

6. "Check eligibility" is which CTA strength?

- A) Soft (TOFU)
- B) Medium (MOFU)
- C) Navigational
- D) None

7. What should BOFU pages have?

- A) Fake urgency
- B) Only a buy button
- C) Brand drug claims
- D) Clear offer, eligibility, safety info, price, disclaimers, named reviewer

8. Which is a micro-conversion?

- A) Completed booking
- B) Closing the tab
- C) A page view
- D) Checking eligibility

9. In the patient path, what comes right before the money page?

- A) The login page
- B) The GLP-1 service hub
- C) The 404 page
- D) The privacy policy

10. In the rishta analogy, what's the mistake?

- A) Fixing a date at the end
- B) Talking about the wedding at the first meeting (hard-selling at TOFU)
- C) Reading the biodata
- D) Meeting the family

Sources

1. Google Analytics Help, About key events
2. Google, Search Quality Rater Guidelines (September 11, 2025)

Answer key, Chapter 5: 1-D · 2-B · 3-D · 4-A · 5-C · 6-B · 7-D · 8-D · 9-B · 10-B

02

LEVEL 2

Practitioner

Build the architecture: tree, silos, hubs, trust, indexing, and keeping every page in its lane.

6 · The Ongo Site Tree

7 · Silos: Topical Ownership

8 · Hub-and-Spoke: Service Hubs and Blog Hubs

9 · One System: Silo + Hub-and-Spoke + Funnel, Tracked End to End

10 · What We Deliberately Don't Build

11 · URL Rules

12 · Navigation, Menus, Breadcrumbs and Footer

13 · The Trust Layer: Every Page and Element That Builds Trust

14 · Indexing: Launch Phases and the Portal Boundary

15 · Commercial Pages vs. Blog Articles: Keeping Intent Separate

16 · Where Does This Topic Belong? Weight Loss vs. GLP-1 vs. Semaglutide

17 · Keyword Cannibalization: Spot, Prevent, Fix

18 · Blog Clusters: A Controlled Topical System

19 · Brand-Name and Comparison Content

20 · Tools and Conditions Pages

21 · Competitors Inform the Architecture, Never Dictate It

LEVEL 2 · CHAPTER 6

Chapter 6: The Ongo Site Tree

Every page has a parent. Every parent has a reason. Here is the full family tree, in three launch phases.

> 💡 **Trivia**
>
> Ongo's Playbook v3 plans **121 page records** across core, portal, services, conditions, tools, blog, trust and policy sections. 🔵 Ongo internal
>
> Only a fraction go live on day one. Knowing *which* pages launch *when* is as important as knowing which pages exist.

6.1 The launch tree (Phase 1)

Ongo offers only **compounded semaglutide and compounded tirzepatide** today (Book One). The launch tree reflects exactly that.

```
HOME  /
│
├── HOW IT WORKS  /how-it-works/
├── PRICING (section of Weight Loss hub + /pricing/)
│
├── SERVICES  /services/
│   └── WEIGHT LOSS  /services/weight-loss/
│       ├── GLP-1 MEDICATIONS (hub)  /services/glp-1/
│       │   ├── Compounded Semaglutide  /services/glp-1/compounded-semaglutide/
│       │   └── Compounded Tirzepatide  /services/glp-1/compounded-tirzepatide/
│       ├── Nutrition Therapy  /services/weight-loss/nutrition-therapy/
│       └── Guided Workout Plans  /services/weight-loss/guided-workout-plans/
│
├── CONDITIONS  /conditions/ → obesity, overweight
├── TOOLS  /tools/ → eligibility, BMI, cost, goal, calorie, ideal weight, body fat
├── BLOG  /blog/ → weight loss, GLP-1, semaglutide, tirzepatide clusters
│
├── TRUST: /medical-team/  /contributors/  /reviews/  /success-stories/  /about/
/contact/  /faq/
├── POLICIES  /policies/ (12 pages)
│
└── PORTAL (permanently noindexed)  /weightloss-onboard/  /weightloss-onboard/login/
```

> 🟧 **Ongo example: URL choice for the money pages**
>
> Playbook v3 planned brand URLs (/services/glp-1/ozempic/ and others). The live site already uses **/services/glp-1/compounded-semaglutide/** and **/services/glp-1/compounded-tirzepatide/**. Book Three keeps the live URLs: they're accurate, already exist, and never need changing (Chapter 11).

6.2 Phase 2: educational brand and comparison content

Added only after launch, medical review and compliance sign-off (Chapter 19):

Page	Status	Rule
/services/glp-1/wegovy/, /zepbound/, /ozempic/, /mounjaro/, /rybelsus/	Educational only	"Ongo does not offer this medication" above the fold; no "Get started" CTA for the brand
/services/glp-1/liraglutide/	Educational only	Ongo doesn't offer liraglutide

Page	Status	Rule
/blog/liraglutide/ cluster	Educational	Links to the GLP-1 hub, not to a liraglutide money page

⚠️ **Phase 2 location may change.** Leadership may decide educational brand pages belong under /blog/ or /learn/ rather than /services/. Because these pages don't sell anything, a non-commercial folder is the safer default. Confirm before building. 🔵

6.3 Phase 3: new verticals

Vertical	Hub	Treatment pages (from v3)	Conditions
Longevity & Anti-Aging	/services/longevity-anti-aging/	Rapamycin, NAD+, Glutathione, Sermorelin, Methylene Blue	—
Men's Health	/services/mens-health/	Testosterone (TRT), Enclomiphene, Oxytocin	Low testosterone
Women's Health	/services/womens-health/	Perimenopause, PCOS, Oxytocin	Perimenopause, PCOS

Each vertical launches **as a complete silo** (hub + treatments + conditions + blog cluster + tracking), never one page at a time (Chapter 31).

6.4 Depth: how many clicks from home?

Page	Clicks from home
Weight Loss hub	1–2 (menu)
GLP-1 hub	2 (menu)
Compounded semaglutide / tirzepatide	2–3 (menu + hub)
Blog article	2–3 (blog hub → cluster hub → article, plus contextual links)
Policy page	1 (footer)

🔵 Expert judgment: important commercial pages should be reachable in about three clicks and linked from every related page.

> 🪔 **Desi analogy: joint family ka family tree**
>
> Dadaji (Home), unke bete (Services, Blog, Tools), unke bachche (GLP-1 hub), aur pote-potiyan (semaglutide, tirzepatide). **Har bachche ka ek hi papa hota hai.** Ek page do parents ke neeche nahi rehta, warna family photo mein confusion.

6.5 Do's and Don'ts

✅ Do	❌ Don't
Give every page exactly one parent	Place a page under two parents
Launch only what Ongo offers	Launch brand pages "for traffic"
Keep money pages within ~3 clicks	Bury them deep in the blog
Launch new verticals as full silos	Add a single Longevity page alone

6.6 Pros and cons of a phased tree

✅ Pros	❌ Cons
Compliant from day one	Less search coverage at launch
Each phase can be reviewed properly	Needs a clear roadmap
Easier tracking per phase	Brand-search traffic waits

6.7 Where freshers go wrong in Chapter 6 topics

Mistake	Why it happens	Avoid it by	Fix it by
Building Phase 2 brand pages in Phase 1	Copying Playbook v3	The phase table	Unpublishing or noindexing
Renaming live URLs to match the playbook	Wanting consistency	Keeping live URLs	Reverting or 301-redirecting
One page under two parents	Unclear topic	The single-parent rule	Choosing one parent; cross-link the other

6.8 Thumb rules

👍 Launch what we offer; educate about the rest later.

👍 One child, one parent.

👍 Verticals launch as silos, not single pages.

6.9 Notes to remember

📝 Phase 1: compounded semaglutide + tirzepatide, Weight Loss, GLP-1 hub, conditions, tools, four blog clusters, trust, policies.

📝 Phase 2: educational brand and liraglutide content. Phase 3: Longevity, Men's, Women's Health.

Chapter 6 Glossary

Term	Simple meaning
Site tree	The parent-child structure of all pages
Parent page	The page directly above another in the hierarchy

Term	Simple meaning
Click depth	How many clicks a page is from the homepage
Launch phase	A planned release stage for a group of pages
Vertical	A business area, like Men's Health

Chapter 6 Quiz

1. Which money pages launch in Phase 1?

- A) Rapamycin and NAD+
- B) Wegovy and Zepbound
- C) Ozempic and Mounjaro
- D) Compounded semaglutide and compounded tirzepatide

2. Which URL does Book Three keep for compounded semaglutide?

- A) /blog/buy/
- B) /services/glp-1/ozempic/
- C) /services/glp-1/compounded-semaglutide/
- D) /semaglutide-cheap/

3. Phase 2 brand pages must...

- A) Sell the brands
- B) Launch on day one
- C) Have countdown timers
- D) Say "Ongo does not offer this medication" and carry no brand "Get started" CTA

4. How many parents can a page have?

- A) One
- B) Any number
- C) Two
- D) Five

5. Which phase adds Men's Health?

- A) Phase 2

- B) Phase 1
- C) Never
- D) Phase 3

6. Roughly how many clicks from home should money pages be?

- A) About three or fewer
- B) Ten
- C) Doesn't matter
- D) Twenty

7. Is the onboarding portal indexed?

- A) Only on weekends
- B) Only the login page
- C) Yes
- D) No, permanently noindexed

8. How should new verticals launch?

- A) Without tracking
- B) Only as blog posts
- C) As complete silos
- D) One page at a time

9. Why not rename live URLs to match the playbook?

- A) Changing URLs with value risks losing signals and links; keep accurate live URLs
- B) The playbook is always wrong
- C) Google requires renaming
- D) URLs never matter

10. In the family-tree analogy, the rule is…

- A) Every child has one papa (one parent)
- B) Grandparents only
- C) Everyone shares parents
- D) No parents

Sources

1. Ongo, Master Page-by-Page Content, SEO & Build Playbook v3 (August 21, 2026), internal
2. Google Search Central, SEO Starter Guide (last updated December 10, 2025)

Answer key, Chapter 6: 1-D · 2-C · 3-D · 4-A · 5-D · 6-A · 7-D · 8-C · 9-A · 10-A

LEVEL 2 · CHAPTER 7

Chapter 7: Silos: Topical Ownership

A silo is a neighborhood of pages that all belong to one topic. Clean neighborhoods are easy to understand.

> 💡 **Trivia**
>
> Google recommends breadcrumbs that reflect **a typical user path** to a page, "instead of mirroring the URL structure," and says breadcrumbs show **a page's position in the site hierarchy**. [1] ● Google official
>
> A silo is that hierarchy, made deliberate.

7.1 What a silo is

A **silo** is a group of pages that share one topic and one parent, organized from broad to specific:

```
Services → Weight Loss → GLP-1 → Compounded Semaglutide
```

Level	Scope	Example
Silo top	The whole topic	/services/weight-loss/
Sub-hub	A major subtopic	/services/glp-1/
Spoke	One specific offer or answer	/services/glp-1/compounded-semaglutide/

7.2 Ongo's silos

Silo	Commercial side	Education side	Phase
Weight Loss	Weight Loss hub, GLP-1 hub, two money pages, nutrition, workouts	/blog/weight-loss/, /blog/glp-1/, /blog/semaglutide/, /blog/tirzepatide/, obesity and overweight conditions, tools	1
Longevity	Longevity hub + treatments	/blog/longevity/	3
Men's Health	Men's hub + treatments	/blog/mens-health/, low testosterone condition	3
Women's Health	Women's hub + treatments	/blog/womens-health/, perimenopause and PCOS conditions	3
Trust (sitewide)	—	Medical Team, Contributors, Policies, Reviews, About	1

> 🍛 **Desi analogy: mohalle ki galiyan**
>
> Mohalle mein ek gali sirf kapde walon ki, ek sirf mithai walon ki. **Mithai chahiye toh mithai wali gali mein jao, wahan har dukaan mithai ki hai.** Agar mithai ki dukaan kapde wali gali mein khul jaaye, toh log dhoondte reh jaayenge.
>
> Silo wahi gali hai: ek topic, saari related dukaanein ek jagah.

7.3 Silo linking rules

Link type	Allowed?	Example
Up (child → parent)	✅ Always	Compounded semaglutide → GLP-1 hub
Down (parent → child)	✅ Always	GLP-1 hub → both money pages
Sideways (sibling ↔ sibling)	✅ When relevant	Compounded semaglutide ↔ compounded tirzepatide
Education → commercial in the same silo	✅ One contextual link	Semaglutide side-effects article → semaglutide money page

Link type	Allowed?	Example
Cross-silo	⚠️ Only when genuinely useful	PCOS article (Women's) → GLP-1 hub (Weight Loss), when relevant
Trust links	✅ Sitewide	Every clinical page → reviewer profile, policies

● Expert model, aligned with Google's guidance to link to resources that help readers [2] ●

> 📝 **Note to remember:** "Strict siloing" (never linking across silos) is an SEO folk rule, not a Google rule. Link across silos when it genuinely helps the reader; just don't let every page link to everything. ●

7.4 Do's and Don'ts

✅ Do	❌ Don't
Keep each topic's pages in one silo	Scatter GLP-1 pages across folders
Link up, down and to relevant siblings	Link every page to every page
Use breadcrumbs that show the silo path	Hide the hierarchy
Pair each commercial silo with its education cluster	Let blog clusters float without a commercial parent

7.5 Pros and cons of silos

✅ Pros	❌ Cons
Clear topical ownership	Can become rigid if over-applied
Easier navigation and breadcrumbs	Cross-topic patients need cross-links
Clean reporting by silo	Needs governance as pages grow

7.6 Where freshers go wrong in Chapter 7 topics

Mistake	Why it happens	Avoid it by	Fix it by
Never linking across silos	Strict-silo myth	Linking when it helps readers	Adding relevant cross-links
A GLP-1 article in the Longevity cluster	Unclear topic scope	The decision tree (Chapter 16)	Moving it with a redirect
A blog cluster with no commercial parent	Content-first habit	Pairing clusters with silos	Adding the parent link

7.7 Thumb rules

👍 One topic, one neighborhood.

👍 Up, down, sideways: always. Across: when it helps.

👍 Every education cluster has a commercial home.

7.8 Notes to remember

📝 Four content silos (Weight Loss now; Longevity, Men's, Women's later) plus a sitewide trust layer.

📝 Google recommends breadcrumbs that reflect a typical user path.

Chapter 7 Glossary

Term	Simple meaning
Silo	A group of pages on one topic organized broad → specific
Silo top	The broadest page in a silo

Term	Simple meaning
Sub-hub	A page owning a major subtopic inside a silo
Cross-silo link	A link between pages in different silos
Breadcrumb	A trail showing a page's place in the hierarchy

Chapter 7 Quiz

1. Which is the silo top for weight loss?

- A) /login/
- B) /services/weight-loss/
- C) /services/glp-1/compounded-semaglutide/
- D) /policies/

2. What do Google's breadcrumb docs recommend?

- A) Only mirror the URL
- B) Hide them
- C) Never use breadcrumbs
- D) Reflect a typical user path, not just mirror the URL

3. Which link direction is always allowed?

- A) None
- B) Up (child → parent)
- C) Only cross-silo
- D) Only external

4. Is "never link across silos" a Google rule?

- A) Only for health sites
- B) Yes
- C) Only in 2026
- D) No, it's an SEO folk rule

5. Which silo launches in Phase 1?

- A) Men's Health

- B) Women's Health
- C) Longevity
- D) Weight Loss

6. Every education cluster should have...

- A) No links
- B) Its own domain
- C) A commercial home in its silo
- D) A countdown timer

7. When is a cross-silo link OK?

- A) Never
- B) Always on every page
- C) When it genuinely helps the reader
- D) Only in footers

8. What's a sub-hub?

- A) A login page
- B) A page owning a major subtopic, like the GLP-1 hub
- C) An image
- D) A policy page

9. What's wrong with a GLP-1 article in the Longevity cluster?

- A) It's in the wrong topic neighborhood
- B) It's too short
- C) Nothing
- D) It has images

10. In the mohalla analogy, a silo is...

- A) A gali with all related shops together
- B) A random market
- C) A single shop
- D) The highway

Sources

1. Google Search Central, Breadcrumb (BreadcrumbList) structured data (last updated September 8, 2026)
2. Google Search Central, Make your links crawlable (last updated December 10, 2025)

Answer key, Chapter 7: 1-B · 2-D · 3-B · 4-D · 5-D · 6-C · 7-C · 8-B · 9-A · 10-A

LEVEL 2 · CHAPTER 8


Chapter 8: Hub-and-Spoke: Service Hubs and Blog Hubs

A hub is the main road. Spokes are the lanes off it. Patients and Google should always find their way back to the main road.

> 💡 **Trivia**
>
> Google says **"every page you care about should have a link from at least one other page on your site."** [1] ● Google official
>
> Hubs make sure that rule is never broken: every spoke is linked from its hub, and every hub from its parent.

8.1 Two kinds of hub at Ongo

Hub type	Job	Example	Spokes
Service hub	Compare options, explain the service, route to money pages	/services/glp-1/	Compounded semaglutide, compounded tirzepatide
Blog hub	Organize a topic's articles and route readers up the funnel	/blog/semaglutide/	5 semaglutide articles



Every spoke links back to the hub; the hub links to every spoke.

8.2 What every hub must contain

Element	Service hub	Blog hub
Clear intro defining the topic (entity)	✅	✅
A card or link to **every** spoke	✅	✅
Short comparison (e.g. semaglutide vs. tirzepatide table)	✅	Optional
Link up to the parent	✅ Weight Loss hub	✅ /blog/ and the matching service hub
Trust signals (reviewer, disclaimers)	✅	✅ (reviewer)
Primary CTA	"Check eligibility" / "Get started"	Contextual link to the service hub

8.3 What every spoke must contain

Element	Why
Link back to its hub	Keeps the structure readable

Element	Why
Links to 1–3 relevant siblings	Helps comparison
One contextual link to the commercial page (blog spokes)	Moves TOFU → BOFU
Unique primary keyword and micro-intent	Prevents cannibalization

> 🍛 **Desi analogy: cricket ka captain aur fielders**
>
> Captain (hub) beech mein khada hai, har fielder (spoke) ko signal deta hai, aur har fielder ball wapas captain ya wicketkeeper ki taraf hi phenkta hai. **Agar fielder ball kahin bhi phenk de, run out ka chance chala jaata hai.**
>
> Spoke pages bhi patient ko hub ya money page ki taraf hi "throw" karte hain.

8.4 Ongo's hubs (Phase 1)

Hub	URL	Spokes
Services	/services/	Weight Loss (Phase 1); Longevity, Men's, Women's (Phase 3)
Weight Loss	/services/weight-loss/	GLP-1 hub, Nutrition Therapy, Guided Workout Plans
GLP-1	/services/glp-1/	Compounded semaglutide, compounded tirzepatide
Conditions	/conditions/	Obesity, overweight
Tools	/tools/	7 tools
Blog: Weight Loss	/blog/weight-loss/	5 articles
Blog: GLP-1	/blog/glp-1/	5 articles
Blog: Semaglutide	/blog/semaglutide/	5 articles
Blog: Tirzepatide	/blog/tirzepatide/	5 articles

Hub	URL	Spokes
Medical Team / Contributors / Policies	/medical-team/, /contributors/, /policies/	Profiles and policy pages

8.5 Do's and Don'ts

✅ Do	❌ Don't
Link every spoke from its hub	Leave orphan pages
Keep hubs useful on their own	Make hubs a bare list of links
Link blog hubs to their service hub	Isolate the blog from services
Add a spoke card when a new page launches	Forget to update the hub

8.6 Pros and cons of hub-and-spoke

✅ Pros	❌ Cons
No orphan pages	Hubs need updating as spokes grow
Strong topical signal	Hubs can turn into thin link lists
Easy navigation	Needs clear rules on which hub owns what

8.7 Where freshers go wrong in Chapter 8 topics

Mistake	Why it happens	Avoid it by	Fix it by
Publishing a spoke without adding it to the hub	Forgot	Hub update in the publish checklist	Adding the card
A hub that's only links	Rushing	Writing a real intro and comparison	Expanding the hub

Mistake	Why it happens	Avoid it by	Fix it by
Blog hub with no link to services	Content team silo	Required hub → service link	Adding it

8.8 Thumb rules

👍 No spoke without a hub; no hub without a parent.

👍 Hubs explain; spokes go deep.

👍 Every spoke throws the patient back toward the hub or money page.

8.9 Notes to remember

📝 Two hub types: service hubs (compare and route) and blog hubs (organize and route up the funnel).

📝 Google: every page you care about needs a link from at least one other page.

Chapter 8 Glossary

Term	Simple meaning
Hub	A page that owns a topic and links to all its subpages
Spoke	A specific page linked from a hub
Orphan page	A page with no internal links pointing to it
Pillar page	Another name for a comprehensive hub
Card	A clickable summary block linking to a page

Chapter 8 Quiz

1. What does Google say about pages you care about?

- A) They need no links
- B) Each should have a link from at least one other page on your site
- C) Only the homepage matters
- D) They need 100 links

2. Which is a service hub?

- A) /blog/semaglutide/how-does-semaglutide-work/
- B) /login/
- C) /services/glp-1/
- D) /policies/privacy-policy/

3. What's an orphan page?

- A) A page with no internal links pointing to it
- B) The homepage
- C) A page with too many links
- D) A 404 page

4. What should a blog hub link to besides its articles?

- A) Its matching service hub and /blog/
- B) Only policies
- C) Nothing
- D) Competitors

5. A hub that's only a list of links is...

- A) Perfect
- B) Required
- C) Illegal
- D) Thin; it should explain and compare

6. Spokes should link to how many siblings?

- A) All pages
- B) 50
- C) 1–3 relevant ones

- D) None

7. When a new spoke launches, you must...

- A) Nothing
- B) Remove the hub
- C) Noindex it
- D) Add it to its hub

8. Which hub owns the 7 tools?

- A) /about/
- B) /contact/
- C) /tools/
- D) /blog/

9. What's the CTA on a blog hub?

- A) No links at all
- B) A contextual link to the service hub
- C) Five "Buy now" buttons
- D) A countdown timer

10. In the cricket analogy, fielders throw the ball to...

- A) The captain or keeper (hub or money page)
- B) Anywhere
- C) The umpire's hat
- D) The crowd

Sources

1. Google Search Central, Make your links crawlable (last updated December 10, 2025)

Answer key, Chapter 8: 1-B · 2-C · 3-A · 4-A · 5-D · 6-C · 7-D · 8-C · 9-B · 10-A

LEVEL 2 · CHAPTER 9

Chapter 9: One System: Silo + Hub-and-Spoke + Funnel, Tracked End to End

Silos say what a page is about. Hubs say how pages connect. The funnel says how ready the patient is. Tracking proves it all works.

> 💡 **Trivia**
>
> Google describes the **data layer** as "an object used by Google Tag Manager and gtag.js to pass information to tags." Variables pushed to it persist only on the current page, so they must be pushed again on every page. [1] ● Google official
>
> That one fact is the foundation of Ongo's end-to-end tracking: every page announces its silo, hub, funnel stage and intent to the data layer.


9.1 Three models, one architecture

Model	Question it answers	Ongo example
Silo	What topic does this page belong to?	Weight Loss
Hub-and-spoke	Which page owns this topic, and which pages hang off it?	GLP-1 hub → compounded semaglutide
Funnel	How ready is the patient on this page?	MOFU (hub) → BOFU (money page)

They aren't three separate structures. **Every page has a position in all three at once:**

Page	Silo	Hub/spoke role	Funnel
/blog/glp-1/what-are-glp-1-medications/	Weight Loss (education)	Spoke of /blog/glp-1/	TOFU
/blog/glp-1/	Weight Loss (education)	Blog hub	TOFU
/blog/semaglutide/semaglutide-vs-tirzepatide/	Weight Loss (education)	Spoke of /blog/semaglutide/	MOFU
/services/glp-1/	Weight Loss (commercial)	Service hub	MOFU
/services/glp-1/compounded-semaglutide/	Weight Loss (commercial)	Spoke of /services/glp-1/	BOFU
/tools/eligibility-checker/	Weight Loss (tool)	Spoke of /tools/	BOFU (micro-conversion)

One Patient Path, Fully Tracked



Silo + hub + funnel, with an event on every arrow.

> **Desi analogy: IT office ki building**
>
> Building ki **floors** departments hain (silos): HR floor, Finance floor. Har floor pe ek **manager ka cabin** (hub) aur team ki desks (spokes). Aur har visitor ke paas ek **visitor pass** hai jo batata hai woh kis stage pe hai: "enquiry", "interview", "joining" (funnel). **Reception ka register (tracking) har entry-exit likhta hai.**
>
> Teeno ek hi building mein ek saath kaam karte hain.

9.2 The flow rules

Rule	Meaning
Flow up the funnel inside a silo	TOFU article → MOFU hub or comparison → BOFU money page
Hubs are junctions	Every blog hub links to its service hub; every service hub links to its money pages
Money pages are destinations	They link to the portal (CTA), their hub, their sibling, tools and trust pages
Trust is everywhere	Reviewer profile, policies and Quality & Safety are one click from every clinical page
One contextual "next step" per TOFU page	Not five buttons; one helpful link

- Expert model

9.3 End-to-end tracking: the blueprint

Here's how to make every movement in this system measurable. Chapter 27 goes deeper; the full Measurement book will cover implementation.

Layer 1: Every page describes itself (data layer)

On every page load, the site pushes the page's position in the architecture:

```
window.dataLayer = window.dataLayer || [];
dataLayer.push({
  event: 'page_meta',
  page_silo: 'weight_loss',
  page_type: 'blog_article',      // service_hub, money_page, blog_hub, tool, condition,
trust, policy
  hub_parent: '/blog/semaglutide/',
  funnel_stage: 'mofu',           // tofu, mofu, bofu
  macro_intent: 'commercial',
  micro_intent: 'C-1',
  primary_entity: 'semaglutide',
  launch_phase: 1
});
```

These become **GA4 custom dimensions**, so every report can be filtered by silo, page type, funnel stage and intent. (GA4 properties have limits on custom dimensions, so choose these few carefully.) 🔵

Layer 2: Every important click has a name

Event	Fires when	Key parameters
`internal_link_click`	Any in-content link to another Ongo page	link_source, link_target, link_position (hero, body, sidebar, related, footer), source_stage, target_stage
`cta_[pagegroup]_[action]`	A CTA button is clicked	cta_text, cta_position, page_silo, funnel_stage
`exit_to_portal`	Any click into /weightloss-onboard/	source_page, vertical, first_landing_page
`tool_complete_[tool]`	A tool shows a result	tool_name (never the result values)
`outbound_click_[context]`	A link to FDA, CDC or other external source	destination domain
`portal_*`	Steps inside the portal	step_name only, never answers

This follows Playbook v3's Appendix C naming convention, with internal-link tracking added. 🔵

Layer 3: Mark the moments that matter as key events

Key event	Type
`exit_to_portal`	Macro-intent signal (left the marketing site to start)
`cta_weightloss_check_eligibility` / eligibility tool completion	Micro-conversion
`portal_signup_complete`, `portal_payment_complete`	Macro-conversion

Any event can be marked as a key event in GA4. [2] 🟢

Layer 4: Connect search to the journey

Tool	What it adds
Google Search Console	Which queries brought people to which landing pages
GA4 + Search Console link	Organic query data inside GA4 (with Search Console dimensions) [3] 🟢
First landing page (stored at session start as a user-scoped dimension)	Ties a later conversion back to the article where the journey began 🔵

Layer 5: Questions this setup answers

Question	Where to look
Which blog articles send people to the GLP-1 hub?	`internal_link_click` where target = /services/glp-1/
Which internal links actually lead to `exit_to_portal`?	Funnel exploration: link click → money page → exit_to_portal
Which first landing pages produce bookings?	Key events by first_landing_page
Do TOFU readers reach BOFU?	Path exploration by funnel_stage

> ⚠️ **The no-PHI rule is absolute.** None of these events may contain names, emails, phone numbers, weights, BMIs, medications, eligibility answers or any health detail (Book One, Chapter 12). Track **that** something happened, never **what the patient entered**.

9.4 Do's and Don'ts

✅ Do	❌ Don't
Push page metadata on every page	Rely on URL guessing in reports
Name every CTA and link event clearly	Use one generic `button_click`
Mark only real milestones as key events	Mark every click as a key event

✅ Do	❌ Don't
Keep health data out of analytics	Send BMI or quiz answers as parameters

9.5 Pros and cons of the combined model

✅ Pros	❌ Cons
Every page has a clear role	More planning per page
Internal-link value becomes measurable	Needs developer time for the data layer
Reports can be cut by silo, stage and intent	Custom dimension limits require discipline

9.6 Where freshers go wrong in Chapter 9 topics

Mistake	Why it happens	Avoid it by	Fix it by
Treating silo, hub and funnel as separate projects	Different docs	One page record (Chapter 22)	Merging into the master map
Tracking only the final booking	Easiest setup	Layer 2 events	Adding link and CTA events
Sending eligibility answers to GA4	Wanting richer data	The no-PHI rule	Removing parameters; requesting data deletion

9.7 Thumb rules

👍 Every page knows its silo, hub and stage, and tells the data layer.

👍 Name the click, never the patient's answer.

👍 If a link matters, track it.

9.8 Notes to remember

📝 Five tracking layers: page metadata, named clicks, key events, search connection, journey questions.

📝 `exit_to_portal` fires on every click into the portal, in addition to the page's own CTA event.

Chapter 9 Glossary

Term	Simple meaning
Data layer	An object that passes information from the page to tags (GTM/gtag)
Custom dimension	A GA4 field you define, like funnel_stage
Event parameter	Extra detail attached to an event
First landing page	The page where a user's journey started
Path exploration	A GA4 report showing sequences of pages or events

Chapter 9 Quiz

1. What does Google say the data layer is?

- A) A type of backlink
- B) An object used by GTM and gtag.js to pass information to tags
- C) A Search Console report
- D) A CSS file

2. Do data layer variables persist across pages?

- A) Yes, forever
- B) Only for logged-in users
- C) Only on mobile
- D) No; push them again on every page

3. Which event tracks in-content links between Ongo pages?

- A) page_view only
- B) internal_link_click
- C) outbound_click
- D) button_click

4. What fires on every click into /weightloss-onboard/?

- A) Nothing
- B) outbound_click
- C) exit_to_portal
- D) tool_complete

5. Which data must never be sent to GA4?

- A) The CTA text
- B) The page's silo
- C) BMI, medications or eligibility answers
- D) The funnel stage

6. What does first_landing_page help with?

- A) Image SEO
- B) Page speed
- C) Tying a later conversion back to where the journey began
- D) Ranking

7. Which page is a service hub and MOFU?

- A) /login/
- B) /blog/glp-1/what-are-glp-1-medications/
- C) /services/glp-1/
- D) /policies/disclaimer/

8. How many contextual "next step" links should a TOFU page have at minimum?

- A) Only buttons
- B) Fifty
- C) Zero
- D) One helpful link

9. Which tool connects queries to landing pages?

- A) Figma
- B) Google Search Console
- C) Slack
- D) Google Sheets

10. In the IT building analogy, the reception register is…

- A) The funnel
- B) The silo
- C) Tracking
- D) The hub

Sources

1. Google for Developers, The data layer (Tag Manager)
2. Google Analytics Help, About key events
3. Google Analytics Help, Search Console integration: Queries report
4. Ongo, Master Playbook v3, Appendix C: GA4 / GTM event naming convention (internal)

Answer key, Chapter 9: 1-B · 2-D · 3-B · 4-C · 5-C · 6-C · 7-C · 8-D · 9-B · 10-C

LEVEL 2 · CHAPTER 10

Chapter 10: What We Deliberately Don't Build

Saying no to pages is as important as saying yes. Every unnecessary page dilutes the ones that matter.

> 💡 **Trivia**
>
> Google's spam policies name **doorway abuse**: creating sites or pages to rank for specific, similar search queries that lead users to intermediate pages that aren't as useful as the final destination. Its examples include having multiple pages targeting specific regions or cities that funnel users to one page. [1] 🟢 Google official
>
> That's exactly why Ongo has no city or state silo.

10.1 The "not built" list

We don't build	Why not	Where the topic lives instead
State or city silo (/semaglutide-texas/)	Doorway risk; near-duplicate pages; service is online	Service-area statement on money pages; FAQ; state rules handled in the portal
Pricing silo (many price pages)	Price is one fact, not a topic	One pricing section + /pricing/ + cost calculator
Patient-education silo	Duplicates the blog	Blog clusters
Patient-support silo	Support is operational	FAQ, Contact, portal
Patient-journey silo	The journey is a UX, not a topic	How It Works + money pages
Brand-vs-brand /compare/ section	Brand pages are Phase 2 education only	GLP-1 hub comparison table + one comparison article

We don't build	Why not	Where the topic lives instead
Locations section	Ongo is 100% virtual	Service-area statement
Programmatic "near me" pages	Thin, doorway-like	—

Sources: Playbook v3 Appendix F (internal) 🔵 and [1] 🟢

> 🪔 **Desi analogy: shaadi ka card**
>
> Har rishtedaar ke liye alag design ka card chhapwaoge? "Delhi wale mama ke liye", "Jaipur wali bua ke liye"? **Card ek hi hai, naam badal ke bhejte hain.** Alag-alag card chhapwana paisa aur waqt dono ki barbaadi hai.
>
> 50 state pages bhi wahi galti hai: same content, sirf naam badla.

10.2 The test before adding any new section

Question	If "no"...
Does it serve a **distinct patient need** no existing page serves?	Add it to an existing page
Would a patient be **better off** landing here than on the existing page?	Don't build it
Can Ongo **maintain** it with medical review?	Don't build it yet
Is it **unique** content, not a template with names swapped?	Don't build it
Does it fit an **existing silo**?	Rethink, or plan a new vertical (Chapter 31)

🔵 Expert judgment

10.3 Do's and Don'ts

✅ Do	❌ Don't
Put state availability inside existing pages	Create 50 state pages
Keep one pricing source of truth	Scatter prices across many pages
Run the 5-question test for new sections	Add a section because a competitor has it
Write down why something isn't built	Re-debate the same idea monthly

10.4 Pros and cons of a lean architecture

✅ Pros	❌ Cons
No doorway risk	Fewer long-tail URLs
Easier medical review	Some local searches handled by fewer pages
Stronger pages	Requires saying "no" often

10.5 Where freshers go wrong in Chapter 10 topics

Mistake	Why it happens	Avoid it by	Fix it by
Proposing state pages for "local SEO"	Old playbooks	The not-built list	Explaining the doorway policy
A new page per price change	Treating price as content	One pricing source	Merging and redirecting
A "patient journey" blog category	Mixing UX and topics	How It Works page	Moving content

10.6 Thumb rules

👍 No page without a distinct patient need.

👍 Same template with new names = doorway.

👍 Write down every "no" and its reason.

10.7 Notes to remember

📝 Not built: state, pricing, education, support, journey silos; /compare/ section; locations; "near me" pages.

📝 Google's spam policies name doorway abuse, including city- or region-targeted pages that funnel to one page.

Chapter 10 Glossary

Term	Simple meaning
Doorway abuse	Pages built to rank for similar queries that funnel users elsewhere
Programmatic SEO	Auto-generating many pages from a template
Service-area statement	A sentence describing where Ongo serves patients
Source of truth	The one place a fact (like price) is maintained

Chapter 10 Quiz

1. Why does Ongo have no state silo?

- A) States don't exist
- B) Doorway risk and near-duplicate pages
- C) Google bans the word "Texas"
- D) It's too expensive to host

2. Where does state availability live?

- A) Nowhere
- B) Service-area statements, FAQ and the portal
- C) 50 separate pages
- D) Only in ads

3. How many pricing sources of truth should exist?

- A) None
- B) Fifty
- C) One
- D) One per page

4. Google's doorway examples include…

- A) Multiple pages targeting specific cities or regions that funnel to one page
- B) A privacy policy
- C) A blog hub
- D) A single About page

5. Where do brand comparisons live instead of a /compare/ section?

- A) Nowhere
- B) The GLP-1 hub comparison table and one comparison article
- C) 30 brand-vs-brand pages
- D) Social media only

6. First question of the new-section test?

- A) Is it long?
- B) Does it serve a distinct patient need?
- C) Is it cheap?
- D) Does a competitor have it?

7. Why no Locations section?

- A) Too many addresses
- B) Ongo is 100% virtual
- C) Google requires it
- D) Locations are illegal

8. What should you do with every "no"?

- A) Forget it
- B) Ask competitors
- C) Write down the reason
- D) Build it anyway

9. Patient journey content belongs…

- A) In its own silo
- B) In the footer only
- C) On How It Works and money pages
- D) On policy pages

10. In the shaadi card analogy, 50 state pages are like…

- A) Printing a different card for every relative with the same content
- B) One beautiful card
- C) No card
- D) A phone call

Sources

1. Google Search Central, Spam policies for Google web search (last updated August 28, 2026)
2. Ongo, Master Playbook v3, Appendix F: launch & indexing strategy, "explicitly out of scope" (internal)

Answer key, Chapter 10: 1-B · 2-B · 3-C · 4-A · 5-B · 6-B · 7-B · 8-C · 9-C · 10-A

LEVEL 2 · CHAPTER 11

Chapter 11: URL Rules

A URL is a promise. Once it's live and earning trust, it should never break.

> 💡 **Trivia**
>
> Google recommends **readable words instead of long ID numbers**, and **hyphens instead of underscores** to separate words in URLs, because hyphens clearly mark word boundaries. It also reminds us that URLs are **case sensitive**. [1] 🟢 Google official
>
> Small choices, made once, that you live with for years.

11.1 Ongo's URL rules

Rule	✅ Right	❌ Wrong
Lowercase only	/services/glp-1/	/Services/GLP-1/
Hyphens between words	/how-it-works/	/how_it_works/
Readable words	/blog/semaglutide/semaglutide-side-effects/	/blog/post?id=4821
Folder = silo or hub	/blog/tirzepatide/...	/tirzepatide-article-3/
Trailing slash, consistently	/about/	/about (and /about/ both live)
No dates in evergreen URLs	/blog/glp-1/glp-1-side-effects/	/2026/10/glp-1-side-effects/
No stop-word clutter	/tools/bmi-calculator/	/tools/the-best-free-bmi-calculator-for-you/
No brand drug names in commercial URLs (launch phase)	/services/glp-1/compounded-semaglutide/	/services/glp-1/ozempic-online/

Rule	✅ Right	❌ Wrong
Short but descriptive	/conditions/obesity/	/conditions/what-is-obesity-and-how-is-it-treated/

Sources: [1] 🟢 and 🔵 Ongo conventions

11.2 Never change a live URL without a redirect

Situation	What to do
Renaming a page	301-redirect old → new; update internal links; update the master map
Merging two pages	301 the weaker into the stronger (Chapter 17)
Retiring a page	301 to the closest relevant page, or let it 404/410 if nothing fits
Moving a whole folder	Redirect map for every URL; developer + SEO sign-off

Google calls permanent redirects a strong signal that the target should become canonical. [2] 🟢

> 🪔 **Desi analogy: ghar ka pata badalna**
>
> Ghar shift kiya aur post office ko naya address nahi bataya? **Saari chitthiyan purane ghar pe jaati rahengi** aur kho jaayengi. Redirect wahi "forwarding address" hai.

11.3 Do's and Don'ts

✅ Do	❌ Don't
Decide URLs in the master map before building	Let the CMS auto-generate URLs
Keep live, accurate URLs forever	"Clean up" URLs for looks
Redirect every changed URL	Delete pages with backlinks
Use the folder to show the silo	Put everything at the root

11.4 Pros and cons of folder-based URLs

✅ Pros	❌ Cons
Hierarchy is visible to users and Google	Moving a page means changing its URL
Easy reporting by folder	Deep folders can get long
Matches breadcrumbs	Needs planning up front

11.5 Where freshers go wrong in Chapter 11 topics

Mistake	Why it happens	Avoid it by	Fix it by
Changing a URL to add a keyword	"Optimization"	Leaving live URLs alone	Reverting or redirecting
Mixed slash / no-slash versions	Framework defaults	One convention + redirect	Developer fix
Underscores in URLs	Copying file names	The hyphen rule	Redirecting to hyphenated URLs

11.6 Thumb rules

👍 Lowercase, hyphens, readable words, one slash style.

👍 A live URL is a promise. Redirect, never break.

👍 The folder tells the silo.

11.7 Notes to remember

📝 Google: readable words, hyphens not underscores, consistent case.

📝 301 redirects are a strong canonical signal.

Chapter 11 Glossary

Term	Simple meaning
URL slug	The readable last part of a URL
Trailing slash	The "/" at the end of a URL
301 redirect	A permanent redirect
404 / 410	"Not found" / "gone" responses
Redirect map	A list of old → new URLs for a migration

Chapter 11 Quiz

1. What does Google recommend between words in URLs?

- A) Underscores
- B) Plus signs
- C) Spaces
- D) Hyphens

2. Are URLs case sensitive?

- A) No
- B) Only on mobile
- C) Yes
- D) Only for images

3. Which URL follows Ongo's rules?

- A) /Services/GLP_1/Ozempic-Online
- B) /services/glp-1/compounded-semaglutide/
- C) /2026/10/semaglutide/
- D) /post?id=4821

4. What should you do when renaming a live page?

- A) Create a duplicate

- B) Delete the old page
- C) Nothing
- D) 301-redirect old to new and update links

5. Why avoid dates in evergreen URLs?

- A) Google can't read numbers
- B) The content stays current; dates make it look old and complicate updates
- C) Dates are illegal
- D) No reason

6. What does the folder show?

- A) The date
- B) The author
- C) The silo or hub
- D) The price

7. Brand drug names in commercial URLs during launch are…

- A) Not allowed
- B) Required
- C) Encouraged
- D) Optional

8. What does Google say redirects signal?

- A) The target should become canonical (strong signal)
- B) Spam
- C) Nothing
- D) A penalty

9. Who decides URLs?

- A) The master map, before building
- B) Whoever publishes
- C) The CMS automatically
- D) Competitors

10. In the analogy, a redirect is like…

- A) A lost letter

- B) A forwarding address at the post office
- C) A new house
- D) A wedding card

Sources

1. Google Search Central, URL structure best practices for Google Search (last updated October 21, 2026)
2. Google Search Central, How to specify a canonical URL (last updated July 10, 2026)

Answer key, Chapter 11: 1-D · 2-C · 3-B · 4-D · 5-B · 6-C · 7-A · 8-A · 9-A · 10-B

LEVEL 2 · CHAPTER 12

Chapter 12: Navigation, Menus, Breadcrumbs and Footer

Navigation is the architecture patients actually see. If they can't find it, it might as well not exist.

> 💡 **Trivia**
>
> Google says a breadcrumb trail shows **a page's position in the site hierarchy** and can help users understand and explore a site, moving up one level at a time. [1] ● Google official
>
> Breadcrumbs are the cheapest navigation improvement on any site.

12.1 The four navigation systems

System	Job	What goes in it
Main menu	Get to the most important sections in one click	Weight Loss, How It Works, Pricing, Tools, Blog, About, Get Started
Breadcrumbs	Show where you are and go up	Home › Services › Weight Loss › GLP-1 › Compounded Semaglutide
Contextual links	Move to the next helpful page inside content	"Learn how compounded tirzepatide compares"
Footer	Trust, policies and secondary pages on every page	Medical Team, Contributors, Reviews, Policies, Contact, LegitScript badge

12.2 Ongo's Phase 1 main menu

Menu item	Links to	Notes
Weight Loss (dropdown)	/services/weight-loss/, /services/glp-1/, both money pages, nutrition, workouts	Main commercial entry
How It Works	/how-it-works/	Trust + process
Pricing	/pricing/	One source of truth
Tools	/tools/ (eligibility, BMI, cost first)	Lead-in to BOFU
Learn	/blog/	Cluster hubs inside
About	/about/, /medical-team/, /reviews/	Trust
Get Started (button)	/weightloss-onboard/	Fires `cta_nav_get_started` + `exit_to_portal`

Longevity, Men's and Women's Health appear in the menu **only** when their silos launch (Phase 3).

12.3 Footer: the trust strip on every page

Column	Links
Treatments	Compounded semaglutide, compounded tirzepatide, Weight Loss hub
Company	About, Medical Team, Contributors, Reviews, Success Stories, Contact
Resources	Blog, Tools, FAQ, Conditions
Policies	Privacy, Notice of Privacy Practices, Terms, Refund, Shipping, Consent to Telehealth, Editorial, Medical Review, Disclaimer, Accessibility, Patient Bill of Rights
Trust badges	LegitScript, HIPAA statement, licensed-provider statement

> 🍛 **Desi analogy: restaurant ka signboard aur menu card**
>
> Bahar ka signboard (main menu) batata hai "yahan khana milta hai". Table pe menu card (contextual links) batata hai "aaj kya special hai". Aur bill pe FSSAI number aur address (footer) **bharosa dilata hai ki yeh asli restaurant hai.**

12.4 Do's and Don'ts

✅ Do	❌ Don't
Keep the main menu short	List every page in the menu
Use breadcrumbs on every page below home	Hide the hierarchy
Put all policies in the footer	Bury policies
Track menu and footer clicks separately	Lump them into one event

12.5 Pros and cons of a short main menu

✅ Pros	❌ Cons
Clear choices for patients	Some pages need contextual links to be found
Concentrates attention on money pages	Teams compete for menu spots
Easier on mobile	Needs regular review

12.6 Where freshers go wrong in Chapter 12 topics

Mistake	Why it happens	Avoid it by	Fix it by
Adding Phase 3 items to the menu early	Excitement	Phase rules	Removing until launch

Mistake	Why it happens	Avoid it by	Fix it by
Breadcrumbs that don't match the hierarchy	CMS defaults	Matching the master map	Fixing templates
Footer with 80 links	"SEO juice" myth	Grouped, useful links only	Trimming

12.7 Thumb rules

> 👍 Menu for the important, footer for trust, links for the next step.
>
> 👍 Breadcrumbs on every page below home.
>
> 👍 Only live silos appear in navigation.

12.8 Notes to remember

> 📝 Four systems: main menu, breadcrumbs, contextual links, footer.
>
> 📝 The "Get Started" button fires both its own CTA event and `exit_to_portal`.

Chapter 12 Glossary

Term	Simple meaning
Main menu	The top navigation
Dropdown	A menu that expands to show sub-items
Breadcrumbs	A trail showing a page's place in the hierarchy
Contextual link	A link inside body content
Footer	The bottom section repeated on every page

Chapter 12 Quiz

1. What does Google say breadcrumbs show?

- A) Ad performance
- B) The page's price
- C) The author's name
- D) A page's position in the site hierarchy

2. Which item is a button in the main menu?

- A) Contributor policy
- B) Get Started
- C) Accessibility
- D) Privacy Policy

3. When do Longevity, Men's and Women's Health appear in the menu?

- A) Only in the footer
- B) Immediately
- C) Never
- D) Only when their silos launch

4. Where do all policies go?

- A) The footer
- B) The main menu
- C) Nowhere
- D) Only the portal

5. Which navigation system moves users to the next helpful page in content?

- A) Contextual links
- B) The logo
- C) The footer
- D) The favicon

6. A footer with 80 links is...

- A) Ideal
- B) A ranking factor
- C) Cluttered; keep grouped, useful links

- D) Required

7. What does the Get Started button fire?

- A) page_view only
- B) Nothing
- C) cta_nav_get_started and exit_to_portal
- D) tool_complete

8. Should breadcrumbs match the master map hierarchy?

- A) Only on mobile
- B) Only for blogs
- C) No
- D) Yes

9. Which belongs in the footer trust badges?

- A) LegitScript
- B) A countdown timer
- C) Competitor logos
- D) Brand drug logos

10. In the restaurant analogy, the footer is like…

- A) The chef
- B) The signboard
- C) The FSSAI number and address on the bill
- D) The kitchen

Sources

1. Google Search Central, Breadcrumb (BreadcrumbList) structured data (last updated September 8, 2026)

Answer key, Chapter 12: 1-D · 2-B · 3-D · 4-A · 5-A · 6-C · 7-C · 8-D · 9-A · 10-C

Chapter 13: The Trust Layer: Every Page and Element That Builds Trust

On a health site, trust isn't a page. It's a layer that sits on top of every page.

> 💡 **Trivia**
>
> Google's rater guidelines say **"Trust is the most important member of the E-E-A-T family because untrustworthy pages have low E-E-A-T no matter how"** experienced or expert their creators seem. [1] ● Google official
>
> For Ongo, a "Your Money or Your Life" health brand, the trust layer is the architecture's foundation.

13.1 Why health sites need more trust

Fact	Source
YMYL topics are those that can significantly affect people's **health**, financial stability, safety or society	[1] ●
Google asks creators to show **who** created content, **how** it was created and **why**	[2] ●
E-E-A-T itself is not a single ranking factor; it's how Google describes what its systems try to reward	[3] ●

> 🪔 **Desi analogy: mohalle ka naya clinic**
>
> Naya clinic khula. Log andar jaane se pehle dekhte hain: **doctor ka naam aur degree board pe hai? Registration number hai? Fees likhi hai? Pehle wale patients kya kehte hain?** Agar kuch nahi likha, log aage badh jaate hain.
>
> Website pe bhi yahi "board" chahiye: har page pe, har jagah.

13.2 Trust pages (dedicated pages)

#	Page	URL	What it proves
1	**About**	/about/	Who Ongo is, founder, founding date (December 18, 2024), mission, legal entity
2	**Medical Team**	/medical-team/	Real licensed clinicians with names and credentials
3	**Provider profiles**	/medical-team/[provider-slug]/	Each clinician's license, specialty, education, states, photo (real, not AI-generated)
4	**Contributors**	/contributors/	Writers, editors and medical reviewers behind content
5	**Contributor profiles**	/contributors/[contributor-slug]/	Each person's role, background and reviewed articles
6	**How It Works**	/how-it-works/	Transparent process: evaluation, provider can decline
7	**Quality & Safety**	(planned/live page)	Pharmacy standards, testing, cold chain
8	**Reviews**	/reviews/	Real, consented, unedited patient reviews
9	**Success Stories**	/success-stories/	Consented patient stories with "results vary"
10	**FAQ**	/faq/	Honest answers to hard questions
11	**Contact**	/contact/	Real ways to reach a human

#	Page	URL	What it proves
12	**Pricing**	/pricing/	Clear prices, what's included, no hidden fees
13	**Editorial Policy**	/policies/editorial-policy/	How content is created and updated
14	**Medical Review Policy**	/policies/medical-review-policy/	Who reviews clinical content and how
15	**Contributor Policy**	/policies/contributor-policy/	Standards and conflicts of interest for writers
16	**Consent to Telehealth**	/policies/consent-to-telehealth/	What patients agree to
17	**Privacy Policy**	/policies/privacy-policy/	Data practices (includes state privacy disclosures)
18	**Notice of Privacy Practices**	/policies/notice-of-privacy-practices/	HIPAA notice
19	**Terms of Service**	/policies/terms-of-service/	Legal terms
20	**Refund Policy**	/policies/refund-policy/	Money-back and cancellation rules
21	**Shipping Policy**	/policies/shipping-policy/	Delivery times, cold chain
22	**Disclaimer**	/policies/disclaimer/	Medical and informational limits
23	**Patient Bill of Rights**	/policies/bill-of-rights/	Patients' rights
24	**Accessibility Statement**	/policies/accessibility/	Commitment to accessible care
25	**Conditions pages**	/conditions/obesity/ etc.	Neutral, informational expertise

Source: Playbook v3 page list ●, plus Book One trust rules

13.3 Trust elements on individual pages

#	Element	Where	Why
1	**Named medical reviewer + review date**	Every clinical, commercial and blog page	Who checked it, and when
2	**Author byline** linking to profile	Blog articles	Who wrote it
3	**"Last updated" date**	Every content page	Freshness
4	**Citations to authoritative sources** (FDA, CDC, NIH, peer-reviewed studies)	Clinical claims	Evidence
5	**"Not FDA-approved" compounded disclosure**	Money pages, GLP-1 hub	Honesty and compliance
6	**Medical-relationship disclaimer**	Every commercial page	Providers decide; no guaranteed prescription
7	**Eligibility and contraindications**	Money pages	Safety
8	**Side effects**	Money pages, blog	Balance
9	**Clear price and what's included**	Money pages, pricing	No surprises
10	**Results-vary statement**	Any outcome or story	Honesty
11	**Trust badge row under CTAs**	Money pages, hubs	Reassurance at the decision point
12	**Portal-handoff notice**	Every conversion CTA	Explains the secure HIPAA environment
13	**Real photos** of real staff	Profiles, About	Authenticity (no AI headshots: Book Two, Chapter 28)
14	**Plain-language explanations**	Everywhere	Patients understand what they agree to

13.4 Sitewide trust elements

#	Element	Where
1	**LegitScript certification badge**	Footer + near CTAs
2	**HTTPS** everywhere	Whole site
3	**Footer policy links**	Every page
4	**Organization structured data** (name, logo, sameAs, contact point)	Homepage/About
5	**Consistent NAP** (name, address, phone) and support email	Footer, Contact, profiles
6	**Cookie and consent banner** that respects choices	Sitewide
7	**No dark patterns** (fake timers, hidden fees, pre-checked add-ons)	Sitewide
8	**Accessible design**	Sitewide
9	**Fast, error-free pages**	Sitewide

13.5 Off-site trust (covered in Book Two)

Consistent profiles, earned press, medical-body memberships of providers, real reviews on third-party platforms, and independent mentions. These all point back to the trust pages above.

13.6 How the trust layer supports every page

Page type	Required trust links
Money page	Reviewer profile, How It Works, Pricing, Refund, Consent to Telehealth, Quality & Safety, Reviews
Service hub	Medical Team, How It Works, Reviews
Blog article	Author profile, reviewer profile, Editorial and Medical Review policies, sources
Condition page	Reviewer profile, Disclaimer, sources
Tool page	Disclaimer, Privacy Policy (what we do and don't store)

- Expert model

13.7 Do's and Don'ts

✅ Do	❌ Don't
Show named reviewers with real credentials	Write "doctor-approved" with no name
Link every clinical page to the trust pages	Hide policies
Use real, consented reviews	Write or buy reviews
Keep founding date, founder and entity details consistent	Use different details on different pages

13.8 Pros and cons of a heavy trust layer

✅ Pros	❌ Cons
Fits YMYL expectations	More pages to maintain
Better conversion at the decision point	Needs medical and legal input
Supports Book Two's off-page work	Reviewer workload

13.9 Where freshers go wrong in Chapter 13 topics

Mistake	Why it happens	Avoid it by	Fix it by
Stock or AI photos on Medical Team	Speed	Real photos only	Replacing them
Reviewer name with no profile page	Profile not built yet	Building profiles first (launch order)	Creating the profile
Policies copied from another site	Templates	Legal review	Rewriting with counsel

Mistake	Why it happens	Avoid it by	Fix it by
Trust badges with no certification behind them	Wanting to look credible	Showing only real certifications	Removing the badge

13.10 Thumb rules

> 👍 Trust is a layer, not a page.
>
> 👍 Every clinical claim has a name and a date on it.
>
> 👍 Real people, real photos, real policies.

13.11 Notes to remember

> 📝 25 trust pages, 14 on-page trust elements, 9 sitewide elements; the full checklist is in the back matter.
>
> 📝 Trust is the most important part of E-E-A-T, per Google's rater guidelines.

Chapter 13 Glossary

Term	Simple meaning
E-E-A-T	Experience, Expertise, Authoritativeness, Trust
YMYL	"Your Money or Your Life": topics that can affect health, money or safety
Byline	The author's name on content
Dark pattern	A design trick that pushes users into actions
NAP	Name, address, phone

Chapter 13 Quiz

1. Which E-E-A-T member does Google call the most important?

- A) Trust
- B) Experience
- C) Expertise
- D) Authoritativeness

2. Which page proves real licensed clinicians exist?

- A) Tools hub
- B) Blog hub
- C) Medical Team and provider profiles
- D) Shipping policy

3. What must every clinical page show?

- A) A competitor's logo
- B) A countdown timer
- C) An AI headshot
- D) A named medical reviewer and review date

4. Is E-E-A-T a single ranking factor?

- A) Only for blogs
- B) Only for tools
- C) No
- D) Yes

5. Which is a dark pattern?

- A) A clear price table
- B) A fake countdown timer
- C) A privacy policy
- D) A named reviewer

6. What should a blog article link to for trust?

- A) Competitors
- B) Nothing
- C) Author profile, reviewer profile, editorial and medical review policies, sources

- D) Only the homepage

7. Where does the LegitScript badge go?

- A) Only in the portal
- B) On competitors' sites
- C) Footer and near CTAs
- D) Hidden

8. Which photo is acceptable on a provider profile?

- A) A real photo of the provider
- B) An AI-generated headshot
- C) A cartoon
- D) A stock photo

9. What does YMYL cover?

- A) Nothing
- B) Only finance
- C) Only entertainment
- D) Topics that can affect health, money, safety or society

10. In the clinic analogy, what do people check before entering?

- A) The paint color
- B) The parking
- C) Doctor's name, degree, registration, fees and reviews
- D) The music

Sources

1. Google, Search Quality Rater Guidelines (September 11, 2025), sections 2.3 and 3.4
2. Google Search Central, Creating helpful, reliable, people-first content (last updated October 5, 2026)
3. Google Search Central, SEO Starter Guide (last updated December 10, 2025)
4. Google Search Central, Organization structured data (last updated September 8, 2026)

Answer key, Chapter 13: 1-A · 2-C · 3-D · 4-C · 5-B · 6-C · 7-C · 8-A · 9-D · 10-C

LEVEL 2 · CHAPTER 14

Chapter 14: Indexing: Launch Phases and the Portal Boundary

Not every page should be in Google on day one. Some should never be. Knowing the difference protects patients and rankings.

> 💡 **Trivia**
>
> Ongo's Playbook v3 launch plan indexes **only the homepage** at first, with every other route behind a temporary noindex until it clears medical review. The onboarding portal's noindex is **permanent**. 🔵 Ongo internal
>
> Two kinds of "noindex" on one site: one is a waiting room, the other is a locked door.

14.1 How noindex works

Fact	Source
A `noindex` rule (meta tag or HTTP header) tells Google not to show a page in search results	[1] 🟢
For Google to see a noindex, the page **must not be blocked by robots.txt**; if crawling is blocked, Google can't read the noindex	[1] 🟢

> ⚠️ **Important correction to Playbook v3.** Appendix F suggests combining `X-Robots-Tag: noindex` with a robots.txt `Disallow: /`. Google says a page blocked by robots.txt can't have its noindex read, so blocked URLs can still appear in results (without content) if linked elsewhere. Use **noindex without blocking crawling** for pages you want kept out of results, and use robots.txt for crawl control only. Confirm the final setup with the developer. [1] 🟢

14.2 The two noindex zones

Zone	Pages	Reason	Lifts?
Permanent	/weightloss-onboard/, /weightloss-onboard/login/, all portal steps	PHI and payment data	**Never**
Temporary (launch)	Everything except the homepage at first	Waiting for medical review, disclaimers, links and schema	Page by page

14.3 Criteria to lift noindex on a page

☐	Criterion
☐	Named medical reviewer and review date populated
☐	Required disclaimers live on the page (compounded "not FDA-approved", medical relationship)
☐	No brand drug names on commercial pages (launch-phase rule)
☐	Internal links to and from the page resolve (no orphans)
☐	Structured data validated
☐	Tracking events tested (Chapter 27)
☐	Listed in the XML sitemap only after it's indexable

Based on Playbook v3 Appendix F 🔵, with Book Three additions.

14.4 Suggested lift order

Order	Pages	Why
1	About, Medical Team, Contributors, Policies (incl. Bill of Rights)	Trust infrastructure, lowest content risk
2	Weight Loss hub, GLP-1 hub, **compounded semaglutide and tirzepatide** pages, How It Works, Pricing	The commercial core
3	Conditions and Tools	Supporting TOFU/MOFU

Order	Pages	Why
4	Blog clusters, as each is reviewed	Education
5	Phase 2 educational brand pages	After compliance sign-off
6	Longevity, Men's, Women's verticals	At vertical launch

> 🪔 **Desi analogy: shaadi ka pandal**
>
> Pandal pehle reception aur stage taiyaar karta hai (trust pages), phir khana (commercial core), phir decoration (blog). **Mehmaanon ko andar tabhi bulao jab woh hissa poora taiyaar ho.** Aur dulhan ka room (portal) kabhi public nahi hota.

14.5 Sitemaps follow indexability

Rule	Why
Only indexable, canonical pages go in the XML sitemap	A sitemap is a list of pages you want found
Remove pages from the sitemap when noindexed	Avoid mixed signals
Never list portal URLs	Permanent noindex

- Expert judgment

14.6 Do's and Don'ts

✅ Do	❌ Don't
Keep portal noindex permanent	Ever index portal steps
Lift noindex page by page with the checklist	Lift everything at once
Let Google crawl pages you noindex	Block noindexed pages in robots.txt
Update the sitemap as pages go live	List noindexed pages in it

14.7 Pros and cons of a staged launch

✅ Pros	❌ Cons
Nothing unreviewed reaches Google	Slower organic growth at first
Each section launches compliant	Requires tracking which pages are live
Clean data from day one	Easy to forget a noindex on a ready page

14.8 Where freshers go wrong in Chapter 14 topics

Mistake	Why it happens	Avoid it by	Fix it by
Money pages left noindexed after review	Forgot to lift	Monthly indexing audit	Lifting and resubmitting in Search Console
robots.txt blocking noindexed pages	Belt-and-braces thinking	Google's noindex guidance	Allowing crawling
Building links to noindexed pages	Not checking	URL Inspection first	Pausing outreach (Book Two)

14.9 Thumb rules

👍 Portal noindex: forever. Launch noindex: until the checklist passes.

👍 To be noindexed, a page must be crawlable.

👍 Sitemaps list only pages you want found.

14.10 Notes to remember

📝 Lift order: trust → commercial core → conditions and tools → blog → Phase 2 → verticals.

📝 Don't combine robots.txt blocking with noindex for pages you want removed from results.

Chapter 14 Glossary

Term	Simple meaning
Index	Google's database of pages it can show
Noindex	A rule telling Google not to show a page in results
X-Robots-Tag	An HTTP header that can carry noindex
robots.txt	A file controlling which URLs crawlers may fetch
XML sitemap	A file listing URLs you want search engines to find
URL Inspection	A Search Console tool showing a page's index status

Chapter 14 Quiz

1. Which pages are permanently noindexed?

- A) The GLP-1 hub
- B) The homepage
- C) The onboarding portal and login
- D) Policies

2. Can Google read a noindex on a page blocked by robots.txt?

- A) Yes
- B) Only on mobile
- C) No
- D) Only on weekends

3. What's the first group to lift noindex?

- A) Trust infrastructure: About, Medical Team, Contributors, Policies
- B) Phase 2 brand pages
- C) Blog clusters
- D) Longevity

4. Which money pages are in lift group 2?

- A) Rapamycin and NAD+
- B) None
- C) Compounded semaglutide and compounded tirzepatide
- D) Ozempic and Wegovy

5. What goes in the XML sitemap?

- A) Only images
- B) Only indexable, canonical pages
- C) Every URL including the portal
- D) Noindexed pages

6. Which is a lift criterion?

- A) 3,000 words
- B) 100 backlinks
- C) A countdown timer
- D) Named medical reviewer and review date populated

7. What's wrong with Playbook v3's robots.txt Disallow plus noindex?

- A) Nothing
- B) It's illegal
- C) It's too slow
- D) Blocking crawling stops Google from reading the noindex

8. Should you build links to noindexed pages?

- A) Only paid links
- B) Only on Fridays
- C) No; check indexing first
- D) Yes

9. How should noindex be lifted?

- A) Page by page with the checklist
- B) All at once
- C) Randomly
- D) Never

10. In the pandal analogy, the dulhan's room is…

- A) The food counter
- B) The portal: never public
- C) The entrance
- D) The stage

Sources

1. Google Search Central, Block search indexing with noindex (last updated December 10, 2025)
2. Ongo, Master Playbook v3, Appendix F: launch & indexing strategy (internal)

Answer key, Chapter 14: 1-C · 2-C · 3-A · 4-C · 5-B · 6-D · 7-D · 8-C · 9-A · 10-B

LEVEL 2 · CHAPTER 15

Chapter 15: Commercial Pages vs. Blog Articles: Keeping Intent Separate

The blog's job is to teach and hand patients to the money page, never to compete with it.

> 💡 **Trivia**
>
> Google's John Mueller (September 2025): "Reduce unnecessary duplication and spend your energy on a fantastic page." He added that Search Console shows when pages were **actually** shown, so cannibalization should be judged on real data, not theory. [1] ● Google spokesperson
>
> The best defense against your blog stealing from your money pages is designing them for different jobs from the start.

15.1 The two jobs

	Money page (commercial)	Blog article (informational)
Job	Help a ready patient decide and start	Answer a question completely
Intent	Transactional / commercial (T-1, C-3, C-4)	Informational (I-1 to I-10)
Funnel	BOFU (or MOFU for hubs)	TOFU (or MOFU for comparisons)
Primary keyword	"compounded semaglutide online", "compounded semaglutide"	"how does semaglutide work", "semaglutide side effects"
H1 style	"Compounded Semaglutide for Weight Loss"	"How Does Semaglutide Work? A Simple Guide"
Content	Offer, eligibility, process, price, safety, disclaimers, CTA	Explanation, evidence, nuance, related questions

	Money page (commercial)	Blog article (informational)
CTA	"Get started", "Check eligibility"	One contextual link to the money page or hub
Schema	MedicalWebPage (+ product-style info as appropriate)	Article with author + reviewer
Links to	Hub, sibling, tools, trust pages, portal	Cluster hub, siblings, the money page (once)

15.2 Example pairs: right and wrong

Example 1: Semaglutide

	❌ Wrong (cannibalizing)	✅ Right (separated)
Blog title	"Compounded Semaglutide Online: Price, Plans and How to Get It"	"How Does Semaglutide Work? GLP-1 Explained Simply"
Blog keyword	compounded semaglutide online	how does semaglutide work
Blog content	Price table, plan comparison, three "Get started" buttons	Mechanism, timeline, what it does and doesn't do
Blog CTA	"Start today for $179!"	"Wondering if it's right for you? See our compounded semaglutide program" (one link)
Result	Blog and money page fight for "compounded semaglutide online"	Blog ranks for the question; money page ranks for the service

Example 2: Cost

	❌ Wrong	✅ Right
Blog	"/blog/semaglutide/compounded-semaglutide-cost/" with Ongo's full price table	No separate cost blog; cost lives on /pricing/ and /tools/cost-calculator/

	❌ Wrong	✅ Right
If an article must mention cost	Repeats the full price table	"Ongo's plans start at $179/month; see current pricing" (one link to /pricing/)

Example 3: Tirzepatide comparison

	❌ Wrong	✅ Right
Pages	/blog/semaglutide/semaglutide-vs-tirzepatide/ **and** /blog/tirzepatide/tirzepatide-vs-semaglutide/	**One** canonical comparison article; the other cluster links to it (Chapter 17)
Money pages	Both money pages carry long comparison essays	Money pages carry a short comparison callout linking to the article and to each other

Example 4: Eligibility

	❌ Wrong	✅ Right
Blog "Who can take GLP-1 medications?"	Embeds the full eligibility quiz and pricing	Explains criteria in general terms; links to /tools/eligibility-checker/
Money page	Says only "contact us to see if you qualify"	Lists Ongo's eligibility criteria and links to the checker

Example 5: Side effects

	❌ Wrong	✅ Right
Money page	1,500-word side-effects essay that outranks the blog	Short, accurate safety section + link to the full article
Blog	Thin 300-word list	The complete, reviewed side-effects guide

Example 6: Weight Loss hub vs. weight-loss blog

	❌ Wrong	✅ Right
Hub keyword	"how to lose weight"	"medical weight loss program online"

	❌ Wrong	✅ Right
Blog keyword	"medical weight loss program"	"how to lose weight safely"

15.3 The separation rules

#	Rule
1	**Different primary keywords.** No blog targets a money page's primary keyword (check the master map)
2	**Different H1 framing.** Money pages name the service; blogs ask or answer a question
3	**No price tables on blogs.** Link to /pricing/ instead
4	**One contextual link** from each blog to its commercial page, with descriptive anchor text
5	**Money pages summarize; blogs go deep** on education topics, and link to each other
6	**One comparison article per pair**, never two
7	**Check Search Console** monthly for queries where a blog and a money page both get impressions (Chapter 17)

● Expert rules, informed by [1] ●

> 🍛 **Desi analogy: restaurant ka waiter aur cashier**
>
> Waiter (blog) menu samjhata hai, dish ke baare mein batata hai, aur phir bolta hai "order counter pe de dijiye". Cashier (money page) order leta hai aur bill banata hai. **Agar waiter khud bill kaatne lage aur cashier dish samjhane lage, toh restaurant mein confusion ho jaata hai.**

15.4 Do's and Don'ts

✅ Do	❌ Don't
Check the master map's primary keyword before writing	Target a money-page keyword in a blog

✅ Do	❌ Don't
Keep prices on /pricing/	Copy price tables into articles
Link blog → money page once, contextually	Add five CTAs to a blog
Keep money-page education short with links out	Turn money pages into essays

15.5 Pros and cons of strict separation

✅ Pros	❌ Cons
Money pages rank for commercial searches	Blog conversions look lower in isolation
Blogs rank for questions	Needs discipline across writers
Clean attribution (blog → money page → portal)	Requires a maintained keyword map

15.6 Where freshers go wrong in Chapter 15 topics

Mistake	Why it happens	Avoid it by	Fix it by
Blog title starting "Buy..." or "Get... online"	Commercial pressure	Rule 2	Rewriting to a question
Price table in an article	Helpful intent	Rule 3	Replacing with a /pricing/ link
Money page stuffed with FAQs and essays	"More content ranks"	Rule 5	Moving depth to the blog

15.7 Thumb rules

👍 Blogs teach, money pages sell, and they link to each other.

👍 One keyword, one owner.

👍 Prices live in one place.

15.8 Notes to remember

📝 Seven separation rules; six example pairs.

📝 Judge cannibalization on real Search Console data, not theory (Mueller, 2025).

Chapter 15 Glossary

Term	Simple meaning
Money page	A commercial page meant to convert
Cannibalization	Two of your own pages competing for the same search
Primary keyword	The main search a page is designed to own
Contextual link	A link inside body content, in a relevant sentence
Commercial investigation	Researching options before buying

Chapter 15 Quiz

1. What's a blog article's job?

- A) Sell with five buttons
- B) Replace the money page
- C) Answer a question completely and hand off to the money page
- D) Show the full price table

2. Which blog title is right?

- A) "Compounded Semaglutide Online: Price and Plans"
- B) "Buy Semaglutide Today"
- C) "Cheapest Semaglutide Deals"
- D) "How Does Semaglutide Work? GLP-1 Explained Simply"

3. Where should Ongo's price table live?

- A) The privacy policy
- B) /pricing/ (and the cost calculator)
- C) Every blog article
- D) Social media

4. How many comparison articles per pair (semaglutide vs. tirzepatide)?

- A) Two
- B) Five
- C) None
- D) One

5. How many contextual links from a blog to its commercial page?

- A) Ten
- B) None
- C) One, with descriptive anchor text
- D) As many as possible

6. What did Mueller say to focus on?

- A) Writing more duplicate pages
- B) Reducing unnecessary duplication and making a fantastic page
- C) Ignoring Search Console
- D) Buying links

7. Money pages should handle side effects how?

- A) Not at all
- B) A 1,500-word essay
- C) Short accurate section + link to the full article
- D) Only in images

8. Which keyword fits the Weight Loss hub?

- A) "weight loss memes"
- B) "ozempic online"
- C) "medical weight loss program online"
- D) "how to lose weight"

9. What do you check monthly to spot overlap?

- A) Search Console queries where blog and money page both get impressions
- B) Competitor prices only
- C) Font sizes
- D) Image file names

10. In the restaurant analogy, the cashier is...

- A) The blog
- B) The money page
- C) The customer
- D) The chef

Sources

1. Search Engine Journal, Google answers SEO question about keyword cannibalization (September 22, 2025)
2. Google Search Central, Make your links crawlable: anchor text (last updated December 10, 2025)

Answer key, Chapter 15: 1-C · 2-D · 3-B · 4-D · 5-C · 6-B · 7-C · 8-C · 9-A · 10-B

LEVEL 2 · CHAPTER 16

Chapter 16: Where Does This Topic Belong? Weight Loss vs. GLP-1 vs. Semaglutide


The most common architecture question at Ongo, answered with one decision tree.

> 💡 **Trivia**
>
> Google says a breadcrumb trail should reflect **a typical user path** to a page. [1] 🟢 Google official
>
> If you can't write a sensible breadcrumb for a new article, you haven't decided where it belongs yet.

16.1 The scope of each level

Level	Scope	Belongs here if the topic is about…
Weight Loss	The whole problem and every method	Weight loss in general: diet, exercise, sleep, mindset, plateaus, medical weight loss as a concept
GLP-1	The medication class	Anything true of GLP-1 medications **as a group**: how they work, class side effects, who they suit, how long they take
Semaglutide / Tirzepatide	One specific molecule	Anything specific to **one** molecule: its dosing, its results, its unique effects, comparisons involving it

16.2 The decision tree



Ask in order; stop at the first yes.

Step	Question	If yes →
1	Is it **specific to one molecule** (semaglutide or tirzepatide)?	That molecule's cluster
2	Is it true for **GLP-1 medications as a class**?	GLP-1 cluster
3	Is it about **weight loss in general**, with or without medication?	Weight Loss cluster
4	Is it about a **condition** (obesity, PCOS)?	/conditions/ page (informational)
5	Is it **commercial** (start, price, eligibility)?	Service hub, money page, pricing or tool (not the blog)
6	None of the above?	Probably doesn't belong on Ongo yet

- Expert model

16.3 Worked examples

Topic	Answer	Why
"How long does semaglutide take to work?"	/blog/semaglutide/	Molecule-specific timeline
"How long do GLP-1 medications take to work?"	/blog/glp-1/	Class-level question

Topic	Answer	Why
"Why am I not losing weight?"	/blog/weight-loss/	General, with or without medication
"Semaglutide vs. tirzepatide"	/blog/semaglutide/ (one canonical page; tirzepatide cluster links to it)	Involves a specific molecule; one owner only
"What to eat on GLP-1 medication"	/blog/glp-1/	True for the class
"Tirzepatide and nausea"	Section inside /blog/tirzepatide/tirzepatide-side-effects/	Already covered; don't create a new page
"What is obesity?"	/conditions/obesity/	Condition definition
"Compounded semaglutide price"	/pricing/ + cost calculator	Commercial, not blog
"Is compounded semaglutide legal?"	/blog/semaglutide/ (compliance-reviewed) or FAQ	Molecule-specific regulatory question
"Rapamycin for longevity"	/blog/longevity/ (Phase 3)	Different silo; don't publish before the vertical launches

> 🍛 **Desi analogy: cricket ki team, format aur player**
>
> "Cricket mein fitness kaise rakhein?" (general = Weight Loss). "T20 format ki strategy" (format = GLP-1 class). "Virat Kohli ki cover drive" (specific player = semaglutide). **Virat ki cover drive ka video T20 strategy section mein nahi daalte.**

16.4 Do's and Don'ts

✅ Do	❌ Don't
Run the decision tree before every brief	Pick a cluster by gut feeling
Add a section to an existing page when the topic is a subtopic	Create a page for every subtopic
Record the decision in the master map	Leave it in someone's head

✅ Do	❌ Don't
Hold Phase 3 topics until the vertical launches	Publish Longevity articles early

16.5 Pros and cons of a strict decision tree

✅ Pros	❌ Cons
Consistent placement across writers	Some topics sit between levels
Prevents cannibalization	Needs judgment for edge cases
Clean breadcrumbs	Requires updating as clusters grow

16.6 Where freshers go wrong in Chapter 16 topics

Mistake	Why it happens	Avoid it by	Fix it by
Class-level topics in a molecule cluster	Writer's focus on one drug	Step 2 of the tree	Moving with a redirect
A new page for a subtopic	Keyword tool suggestion	Checking existing pages first	Merging into the existing page
Commercial topics in the blog	Easier to publish	Step 5	Moving to pricing, tools or money pages

16.7 Thumb rules

> 👍 Specific → molecule. Class → GLP-1. General → Weight Loss. Commercial → services.
>
> 👍 Subtopic? Add a section, not a page.
>
> 👍 Can't write the breadcrumb? Don't write the article yet.

16.8 Notes to remember

📝 Six-step decision tree; the printable version is in the back matter.

📝 Comparisons get one owner page; the other cluster links to it.

Chapter 16 Glossary

Term	Simple meaning
Topic scope	How broad or specific a topic is
Molecule-specific	True only of one active ingredient
Class-level	True of a whole group of drugs
Subtopic	A part of a bigger topic, usually a section, not a page
Decision tree	A step-by-step set of yes/no questions

Chapter 16 Quiz

1. "How long does semaglutide take to work?" belongs in…

- A) /pricing/
- B) /blog/weight-loss/
- C) /conditions/
- D) /blog/semaglutide/

2. "What to eat on GLP-1 medication" belongs in…

- A) /blog/glp-1/
- B) /blog/semaglutide/
- C) /policies/
- D) /about/

3. "Why am I not losing weight?" belongs in…

- A) The money page
- B) /blog/weight-loss/
- C) The portal
- D) /blog/tirzepatide/

4. "Compounded semaglutide price" belongs...

- A) On /pricing/ and the cost calculator
- B) In a new blog article
- C) In the footer only
- D) Nowhere

5. "Tirzepatide and nausea" should become...

- A) A new page
- B) A new silo
- C) A tool
- D) A section inside the tirzepatide side-effects article

6. What's step 1 of the tree?

- A) Is it commercial?
- B) Is it popular?
- C) Is it specific to one molecule?
- D) Is it a condition?

7. "What is obesity?" belongs...

- A) On /conditions/obesity/
- B) In the semaglutide cluster
- C) In the portal
- D) On the pricing page

8. When should Longevity articles be published?

- A) When the Longevity vertical launches
- B) Only in the footer
- C) Never
- D) Immediately

9. If you can't write a breadcrumb for a topic...

- A) Publish anyway
- B) You haven't decided where it belongs
- C) Put it at the root
- D) Delete the site

10. In the cricket analogy, Virat's cover drive is like…

- A) General fitness
- B) The stadium
- C) A molecule-specific topic (semaglutide)
- D) The T20 format

Sources

1. Google Search Central, Breadcrumb (BreadcrumbList) structured data (last updated September 8, 2026)

Answer key, Chapter 16: 1-D · 2-A · 3-B · 4-A · 5-D · 6-C · 7-A · 8-A · 9-B · 10-C

LEVEL 2 · CHAPTER 17

Chapter 17: Keyword Cannibalization: Spot, Prevent, Fix

When two of your own pages chase the same search, both can end up weaker. Here's how to tell when it's real, and what to do.

> 💡 **Trivia**
>
> Google's John Mueller: **"IMO it's not really 'cannibalization' if it's theoretical."** Search Console shows when pages were **actually** shown, "it's not a theoretical measurement." [1] 🟡 Google spokesperson
>
> Translation: don't panic about overlaps you imagine. Fix the ones the data shows.

17.1 What cannibalization is (and isn't)

It IS	It ISN'T
Two Ongo pages getting impressions for the **same query**, swapping positions, neither performing well	Two pages that mention the same word
A blog outranking the money page for a **commercial** query	A blog ranking for questions while the money page ranks for the service
Two near-duplicate pages with the same intent	A hub and a spoke both appearing for a broad query (often normal)

Also note: Google says **duplicate content isn't a violation of its spam policies**; it just picks one URL to show. [2] 🟢

17.2 Prevent it (at planning time)

Prevention	How
One primary keyword per page	Checked against the master map before writing (Playbook v3 Appendix E rule)
Intent separation	Chapter 15 rules
One comparison page per pair	Choose the owner; others link to it
Decision tree placement	Chapter 16
Subtopics as sections	Not new pages

17.3 Spot it (monthly)

Step	Action in Search Console
1	Performance → Search results → filter a query (e.g. "compounded semaglutide")
2	Open the **Pages** tab: are two or more Ongo URLs getting impressions?
3	Check over 3+ months: do positions swap between them?
4	Ask: does the wrong page (e.g. a blog) rank for a commercial query?
5	Log it in the cannibalization tracker (back matter)

● Expert process, based on [1] ●

17.4 Fix it

Situation	Fix
Two near-duplicate pages, same intent	**Merge**: combine the best content into one; 301 the other
Blog ranks for the money page's keyword	**Re-scope** the blog (new title, H1, focus on the question); strengthen the money page; add a contextual blog → money link

Situation	Fix
Two comparison articles	Keep one; 301 the other
Two pages, different intents, both useful	**Differentiate** titles and H1s; cross-link with clear anchors
Hub and spoke overlap on a broad query	Usually leave it; make sure the hub links clearly to the spoke
A page that should exist but not rank (e.g. a thin tag page)	**noindex** it, or merge it

> 🪔 **Desi analogy: ek hi gali mein do bhai ki dukaan**
>
> Do bhai, ek hi gali, dono same mithai bechte hain. Customer kabhi ek ke paas, kabhi doosre ke. **Dono ki kamaai aadhi.** Behtar yeh ki ek mithai beche, doosra namkeen, aur dono ek-doosre ko customer bhejein.

17.5 Ongo watch-list

Query	Owner page	Likely competitor page
compounded semaglutide	/services/glp-1/compounded-semaglutide/	Semaglutide blog hub
semaglutide vs tirzepatide	/blog/semaglutide/semaglutide-vs-tirzepatide/	/blog/tirzepatide/tirzepatide-vs-semaglutide/ (merge)
medical weight loss	/services/weight-loss/	/blog/weight-loss/medical-weight-loss-guide/
GLP-1 weight loss	/services/glp-1/	/blog/glp-1/ hub
semaglutide side effects	/blog/semaglutide/semaglutide-side-effects/	/blog/glp-1/glp-1-side-effects/

- Ongo planning

17.6 Do's and Don'ts

✅ Do	❌ Don't
Use real Search Console data	Panic over theoretical overlaps
Merge true duplicates with 301s	Delete pages without redirects
Re-scope blogs that steal commercial queries	Noindex the money page
Record every fix in the master map	Fix silently

17.7 Pros and cons of merging

✅ Pros	❌ Cons
One stronger page	Short-term ranking fluctuation
Simpler internal linking	Needs redirect and link updates
Cleaner reporting	Content must be genuinely combined

17.8 Where freshers go wrong in Chapter 17 topics

Mistake	Why it happens	Avoid it by	Fix it by
Calling every shared keyword "cannibalization"	Tool alerts	Checking real impressions	Ignoring theoretical overlaps
Deleting the weaker page	Quick fix	Merge + 301	Restoring and redirecting
Keeping both "vs" articles	Each cluster wants one	One owner rule	Merging

17.9 Thumb rules

👍 Real data, real problem. Theory isn't cannibalization.

👍 Merge, re-scope, differentiate, or noindex: never just delete.

👍 One query, one owner.

17.10 Notes to remember

📝 Spot it in Search Console's Pages tab for a query, over 3+ months.

📝 Duplicate content isn't a spam violation; Google picks one URL.

Chapter 17 Glossary

Term	Simple meaning
Keyword cannibalization	Your own pages competing for the same query
Merge	Combining two pages into one and redirecting the other
Re-scope	Changing a page's focus to a different intent
Owner page	The one page meant to rank for a query
Impressions	Times a page appeared in search results

Chapter 17 Quiz

1. What did Mueller say about theoretical cannibalization?

- A) It always causes penalties
- B) Delete both pages
- C) It's not really cannibalization if it's theoretical
- D) It doesn't exist ever

2. Is duplicate content a spam violation, per Google?

- A) Only for health sites
- B) Only on blogs
- C) No
- D) Yes

3. Where do you spot real cannibalization?

- A) Search Console Performance, Pages tab for a query
- B) The CMS theme
- C) Google Ads
- D) A competitor's site

4. Two near-duplicate pages with the same intent: fix?

- A) Keep both
- B) Delete both
- C) Merge and 301 the weaker
- D) Add more keywords

5. A blog outranks the money page for a commercial query: fix?

- A) Delete the blog
- B) Noindex the money page
- C) Nothing
- D) Re-scope the blog and strengthen the money page

6. Hub and spoke both appear for a broad query: usually...

- A) Noindex both
- B) Delete the hub
- C) Leave it; ensure the hub links clearly to the spoke
- D) Delete the spoke

7. How long should you watch positions before deciding?

- A) 5 years
- B) 1 hour
- C) 3+ months
- D) 1 day

8. Who owns "semaglutide vs tirzepatide"?

- A) Both clusters equally
- B) The money page
- C) One canonical comparison article
- D) The pricing page

9. What's the first prevention step?

- A) One primary keyword per page, checked against the map
- B) Write more pages
- C) Change URLs
- D) Buy links

10. In the two-brothers analogy, the solution is…

- A) Close both shops
- B) One sells mithai, the other namkeen, and they refer customers
- C) Raise prices
- D) Both sell the same thing

Sources

1. Search Engine Journal, Google answers SEO question about keyword cannibalization (September 22, 2025)
2. Google Search Central, SEO Starter Guide (last updated December 10, 2025)
3. Google Search Central, How to specify a canonical URL (last updated July 10, 2026)

Answer key, Chapter 17: 1-C · 2-C · 3-A · 4-C · 5-D · 6-C · 7-C · 8-C · 9-A · 10-B

LEVEL 2 · CHAPTER 18

Chapter 18: Blog Clusters: A Controlled Topical System

1,000 articles isn't success. A small set of clusters that fully answer patient questions, and lead them somewhere, is.

> 💡 **Trivia**
>
> Google asks creators to check whether their content provides **original information, reporting, research or analysis**, and whether it is **written by an expert or enthusiast who demonstrably knows the topic well**. [1] ● Google official
>
> Twenty genuinely useful, reviewed articles beat two hundred rewritten ones.

18.1 What a cluster is

A **cluster** is one blog hub plus the articles that cover its topic, all linked to each other and to the matching commercial page.

Part	Example
Cluster hub	/blog/semaglutide/
Articles	How semaglutide works, side effects, results, vs. tirzepatide, how long it takes
Commercial partner	/services/glp-1/compounded-semaglutide/
Related tools	Eligibility checker, BMI calculator, cost calculator

18.2 Ongo's Phase 1 clusters (from Playbook v3)

Cluster	Articles	Commercial partner
Weight Loss /blog/weight-loss/	How to lose weight safely · Medical weight loss guide · Why am I not losing weight? · How much weight can you lose? · Weight loss mistakes	/services/weight-loss/
GLP-1 /blog/glp-1/	What are GLP-1 medications? · How do GLP-1 medications work? · GLP-1 side effects · Who can take GLP-1 medications? · How long do GLP-1s take to work?	/services/glp-1/
Semaglutide /blog/semaglutide/	How does semaglutide work? · Side effects · Weight loss results · Semaglutide vs. tirzepatide · How long does it take to work?	Compounded semaglutide page
Tirzepatide /blog/tirzepatide/	How does tirzepatide work? · Side effects · Weight loss results · (vs. semaglutide → link to the one comparison page) · How long does it take to work?	Compounded tirzepatide page

Phase 2: Liraglutide cluster (educational). Phase 3: Longevity, Men's Health, Women's Health clusters. 🔵

> ⚠️ **Book Three corrections for these clusters**
>
> - "Weight loss results" articles must name the **brand product studied** (e.g. "In STEP 1, Wegovy...") and never attribute those results to compounded products (Book One, Chapter 5).
> - Keep **one** semaglutide-vs-tirzepatide article; the tirzepatide cluster links to it (Chapter 17).

18.3 Funnel balance inside a cluster

Stage	Share of articles	Example
TOFU	Most	What is / how does it work / side effects
MOFU	A few	Comparisons, "who can take", expectations

Stage	Share of articles	Example
BOFU	**None in the blog**	Commercial jobs belong to money pages and tools

- Expert model

18.4 Cluster linking rules

From	To
Every article	Its cluster hub
Every article	1–3 sibling articles
Every article	The commercial partner (once, contextually)
Cluster hub	Every article + commercial partner + the parent cluster (e.g. Semaglutide hub → GLP-1 hub)
GLP-1 hub	Semaglutide and Tirzepatide hubs

> 🪔 **Desi analogy: shaadi ki rasmein**
>
> Mehendi, haldi, sangeet, phere: har rasm alag hai par sab ek hi shaadi ka hissa hain, aur sab ka rasta mandap tak jaata hai. **Koi rasm akeli nahi hoti.**
>
> Cluster ke articles bhi alag-alag sawaal hain, par sab ek hub se jude hain aur sab ka rasta money page tak.

18.5 When to add a new article

☐	Check
☐	Real patient question (Search Console queries, People Also Ask, support tickets)
☐	Not already answered by an existing article (if partly, add a section)
☐	Fits the decision tree (Chapter 16)
☐	Has a unique primary keyword and micro-intent

☐	Check
☐	A medical reviewer is available
☐	Hub and links will be updated on publish

18.6 Do's and Don'ts

✅ Do	❌ Don't
Grow clusters from real questions	Publish to hit a monthly quota
Keep BOFU out of the blog	Write "buy" articles
Update existing articles before adding new ones	Add near-duplicates
Link every article to hub, siblings and partner	Leave articles isolated

18.7 Pros and cons of controlled clusters

✅ Pros	❌ Cons
Topical completeness	Slower publishing
Manageable medical review	Fewer total pages
Clear funnel movement	Needs editorial discipline

18.8 Where freshers go wrong in Chapter 18 topics

Mistake	Why it happens	Avoid it by	Fix it by
Publishing "Ozempic vs. Wegovy" in Phase 1	Search volume	Launch-phase rule	Holding for Phase 2
Articles not added to the hub	Forgot	Publish checklist	Updating the hub

Mistake	Why it happens	Avoid it by	Fix it by
Writing BOFU blogs	Conversion pressure	Funnel balance table	Moving to the money page

18.9 Thumb rules

> 👍 Clusters, not quotas.
>
> 👍 No BOFU in the blog.
>
> 👍 Update first; add second.

18.10 Notes to remember

> 📝 Four Phase 1 clusters, five articles each, one commercial partner each.
>
> 📝 Results articles name the brand product studied.

Chapter 18 Glossary

Term	Simple meaning
Topic cluster	A hub plus articles covering one topic
Cluster hub	The blog page that organizes a cluster
Commercial partner	The money page a cluster supports
People Also Ask	Google's box of related questions
Content quota	A target number of posts (we avoid this)

Chapter 18 Quiz

1. What's a cluster?

- A) A server
- B) A group of backlinks
- C) A random set of posts
- D) A blog hub plus articles on its topic, linked together and to a commercial page

2. How many Phase 1 clusters are there?

- A) Four
- B) Zero
- C) Ten
- D) One

3. Should BOFU articles be in the blog?

- A) No
- B) Only for tirzepatide
- C) Yes, many
- D) Only on weekends

4. What must "weight loss results" articles do?

- A) Promise results
- B) Show patient names
- C) Skip sources
- D) Name the brand product studied and never attribute results to compounded products

5. What does every article link to?

- A) Nothing
- B) Competitors
- C) Only the homepage
- D) Its hub, 1–3 siblings and the commercial partner once

6. What should you do before adding a new article?

- A) Publish immediately
- B) Check if an existing article already answers it
- C) Copy a competitor

- D) Add a price table

7. Which cluster partners with /services/glp-1/?

- A) Weight Loss
- B) Men's Health
- C) GLP-1
- D) Longevity

8. When does the Liraglutide cluster come?

- A) Never
- B) Phase 2, educational only
- C) Phase 3 commercial
- D) Phase 1

9. What does Google ask about content?

- A) Whether it's published daily
- B) Whether it has 50 keywords
- C) Whether it provides original information or analysis by someone who knows the topic
- D) Whether it's over 5,000 words

10. In the shaadi rasmein analogy, every rasm leads to...

- A) Nowhere
- B) The kitchen
- C) The mandap (the money page)
- D) The parking lot

Sources

1. Google Search Central, Creating helpful, reliable, people-first content (last updated October 5, 2026)
2. Ongo, Master Playbook v3: blog cluster sections (internal)

Answer key, Chapter 18: 1-D · 2-A · 3-A · 4-D · 5-D · 6-B · 7-C · 8-B · 9-C · 10-C

LEVEL 2 · CHAPTER 19

Chapter 19: Brand-Name and Comparison Content

Brand names carry huge search volume and huge risk. This chapter sets when, where and how Ongo uses them.

> 💡 **Trivia**
>
> Novo Nordisk's trademark suits since 2023 targeted businesses that advertised compounded semaglutide with references to **Ozempic** or **Wegovy**, alleging the ads confused patients and suggested Novo sponsored the products. Most settled with orders to correct advertising. [1] ● Industry
>
> A brand name on the wrong page is a legal risk, not just an SEO choice.

19.1 The launch-phase rule (from Book One, Chapter 9)

Where	Brand names (Wegovy, Ozempic, Rybelsus, Zepbound, Mounjaro, Foundayo, Saxenda)
Ads text and keywords	❌
Money pages, pricing, How It Works, landing pages	❌
Meta titles and descriptions of commercial pages	❌
URLs of commercial pages	❌
Phase 2 educational / comparison pages	✅ After launch, medical and compliance review, with "Ongo does not offer this medication"

📝 **Note to remember:** Google's ad policies don't ban brand names on websites; this is Ongo's own safety rule, because of trademark lawsuits against compounded sellers and FDA "sameness" concerns. [2] 🟢 [3] 🟠

19.2 How Playbook v3's brand pages change

Playbook v3 planned six commercial brand pages (Ozempic, Wegovy, Rybelsus, Mounjaro, Zepbound, Liraglutide), each with "Get Started" CTAs and drug-specific events. Under Book Three:

v3 plan	Book Three decision
Brand pages as BOFU money pages	**Phase 2 educational pages** (MOFU at most)
"Get Started" CTA for the brand	**No brand CTA**; link to the GLP-1 hub or Ongo's compounded options with clear labeling
`cta_ozempic_get_started` etc.	Replaced by `internal_link_click` to the GLP-1 hub; no brand conversion events
"Check My Insurance" secondary CTA	**Removed**: Ongo is self-pay
Indexed in lift group 2	Indexed only after Phase 2 sign-off
Under /services/glp-1/	Consider a non-commercial folder (e.g. /blog/ or /learn/), decided by leadership

🔵 Ongo decision (option a, confirmed October 2026)

19.3 How to write a Phase 2 educational brand page

✅ Must include	❌ Must never include
"Ongo does not offer [Brand]. [Brand] is a registered trademark of [maker]; Ongo is not affiliated with [maker]." above the fold	"Get [Brand] through Ongo"
The brand's FDA-approved uses, from the label	Off-label promises

✅ Must include	❌ Must never include
Who makes it and how patients get it (their doctor, the maker's program)	Implying our compounded product is the same
Neutral comparison of molecule and class	Price comparisons that imply equivalence
Link to the GLP-1 hub explaining the options Ongo does offer, clearly labeled compounded and not FDA-approved	"Generic [Brand]" or "same as [Brand]"
Named medical reviewer, sources (FDA label)	Brand logos or product images

> 🪔 **Desi analogy: mohalle ka electronics mechanic**
>
> Mechanic bata sakta hai "Samsung aur LG ka fridge aise kaam karta hai, yeh fark hai." **Par woh apni assemble ki hui fridge pe "Samsung" ka sticker nahi laga sakta.** Jaankaari dena theek; naam chura ke bechna nahi.

19.4 Comparison content rules

Comparison	Allowed in Phase 1?	Where
Semaglutide vs. tirzepatide (molecules)	✅	One blog article + short hub table
GLP-1 medication vs. lifestyle alone	✅	Blog
Compounded vs. FDA-approved (honest explainer)	✅ (compliance-reviewed)	Blog / GLP-1 hub
Wegovy vs. Zepbound	❌ Phase 2	Educational page
Ongo vs. named competitors	❌	Not built

19.5 Do's and Don'ts

✅ Do	❌ Don't
Compare molecules, not brands, in Phase 1	Publish brand pages early
Add non-affiliation and "we don't offer" lines	Use brand logos
Link brand-education readers to clearly labeled Ongo options	Promise brand outcomes
Get compliance sign-off for every brand mention	Bid on brand keywords

19.6 Pros and cons of delaying brand content

✅ Pros	❌ Cons
Lower legal and FDA risk	Misses high-volume brand searches at launch
Cleaner ad approvals	Competitors may rank first
Honest positioning	Requires patience

19.7 Where freshers go wrong in Chapter 19 topics

Mistake	Why it happens	Avoid it by	Fix it by
"Ozempic alternative" headline	Search volume	Launch rule	Rewriting to molecule language
Building v3 brand pages as-is	Following the playbook	Section 19.2 table	Converting to education, noindex until sign-off
"Check my insurance" CTA	Copied from v3	Self-pay model	Removing it

19.8 Thumb rules

👍 Molecules now; brands later, and only to educate.

👍 Their name, their trademark: never our CTA.

👍 Every brand page says "Ongo does not offer this."

19.9 Notes to remember

📝 Six v3 brand pages become Phase 2 educational pages with no brand CTAs or conversion events.

📝 Ongo is self-pay: remove every "Check my insurance" CTA.

Chapter 19 Glossary

Term	Simple meaning
Trademark	A protected brand name or logo
Non-affiliation statement	A line saying we're not connected to the brand's maker
On-label / off-label	Use approved / not approved on the FDA label
Educational page	A page that informs without selling
Molecule comparison	Comparing active ingredients, not brands

Chapter 19 Quiz

1. In Phase 1, are brand names allowed on money pages?

- A) Yes
- B) Only in titles
- C) Only in URLs

- D) No

2. What do v3's brand pages become?

- A) Phase 2 educational pages
- B) Deleted forever
- C) Ads
- D) Phase 1 money pages

3. Why remove "Check My Insurance"?

- A) Google bans it
- B) Ongo is self-pay
- C) It's too long
- D) Insurance is illegal

4. What must appear above the fold on a brand education page?

- A) "Ongo does not offer [Brand]" plus non-affiliation
- B) A discount code
- C) The brand's logo
- D) A "Get [Brand]" button

5. Which comparison is allowed in Phase 1?

- A) Semaglutide vs. tirzepatide (molecules)
- B) Wegovy vs. Zepbound
- C) Ongo vs. a named competitor
- D) Ozempic vs. Mounjaro

6. Does Google's ad policy ban brand names on websites?

- A) Yes
- B) No; it's Ongo's own safety rule
- C) Only on mobile
- D) Only in Texas

7. What legal basis did Novo use in its 2023+ suits?

- A) Traffic law
- B) Tax law
- C) Lanham Act trademark infringement and false advertising

- D) HIPAA

8. What replaces brand CTA events on education pages?

- A) Nothing ever
- B) internal_link_click to the GLP-1 hub
- C) cta_ozempic_get_started
- D) purchase

9. Where might educational brand pages live?

- A) The portal
- B) The pricing page
- C) The footer
- D) A non-commercial folder like /blog/ or /learn/, decided by leadership

10. In the mechanic analogy, what can't he do?

- A) Put a Samsung sticker on his own fridge
- B) Repair fridges
- C) Compare brands
- D) Explain how fridges work

Sources

1. IPWatchdog, A review of Novo Nordisk's Ozempic and Wegovy trademark enforcement campaign (July 23, 2024)
2. Google Ads Help, Trademarks policy and Restricted drug terms
3. Holland & Knight, Eli Lilly strikes back against pharmacy compounders and telehealth platforms (June 13, 2025)

Answer key, Chapter 19: 1-D · 2-A · 3-B · 4-A · 5-A · 6-B · 7-C · 8-B · 9-D · 10-A

Chapter 20: Tools and Conditions Pages

Tools answer "what about me?" Conditions pages answer "what is this?" Both feed the funnel without selling.

> 💡 **Trivia**
>
> Ongo's Playbook v3 lists **seven free tools** (eligibility checker, BMI, weight-loss goal, calorie, ideal weight, body fat and cost calculators) and **five conditions pages**. It flags free tools as natural, legitimate backlink magnets. 🔵 Ongo internal
>
> Tools are where TOFU readers turn into BOFU patients, often without noticing.

20.1 Tools: the funnel bridge

Tool	Micro-intent	Funnel	Next step it should offer
Eligibility checker	T-2	BOFU (micro-conversion)	Money pages / Get started
BMI calculator	I-12	TOFU → MOFU	Eligibility checker, obesity condition page
Cost calculator	C-3	MOFU → BOFU	/pricing/, money pages
Weight-loss goal calculator	I-12	TOFU	GLP-1 hub, blog
Calorie calculator	I-12	TOFU	Weight Loss blog cluster
Ideal weight calculator	I-12	TOFU	BMI calculator, condition pages
Body fat calculator	I-12	TOFU	Weight Loss blog cluster

Tool rules

Rule	Why
Tool completion fires `tool_complete_[tool]`, separate from the CTA click	Measure engagement and conversion separately (v3 Appendix C) 🔵
Never send inputs or results (weight, BMI, answers) to analytics	No-PHI rule
Explain the limits ("BMI is a screening tool")	Accuracy (Book One, Chapter 1)
Accept realistic inputs for all patients	Book One flagged a BMI calculator that rejected weights under 150 lb
Disclaimer: informational, not a diagnosis	YMYL trust

20.2 Conditions pages: neutral expertise

Page	Phase	Linked silo
/conditions/obesity/	1	Weight Loss
/conditions/overweight/	1	Weight Loss
/conditions/pcos/	3 (or 1 as informational)	Women's Health / Weight Loss
/conditions/perimenopause/	3	Women's Health
/conditions/low-testosterone/	3	Men's Health

Condition page rules (from Playbook v3, kept)

Rule	Detail
Informational only	No Offer or Product schema; "for informational purposes only" disclaimer
Outbound links	Use `outbound_click_*` events, not `cta_*`
Entity home	Each condition page is the entity home for that condition (Chapter 3)
Gentle next step	"Learn about medical weight loss options" → service hub

Rule	Detail
Citation magnets	Good targets for .gov/.edu citation outreach (Book Two)

> 🪔 **Desi analogy: mohalle ki chemist ki weighing machine**
>
> Chemist ki dukaan ke bahar weighing machine (tool) lagi hai. Log free mein wazan dekhte hain, phir andar aake poochte hain "mera wazan zyada hai kya?" **Machine ne kuch becha nahi, par baat-cheet shuru kar di.**

20.3 Do's and Don'ts

✅ Do	❌ Don't
Give every tool a clear next step	End tools with a dead end
Keep condition pages neutral	Turn condition pages into sales pages
Track completion and CTA separately	Track tool inputs
Make tools work for every body size	Restrict inputs unrealistically

20.4 Pros and cons of tools

✅ Pros	❌ Cons
Engaging, linkable assets	Development and testing time
Bridge TOFU to BOFU	Accuracy responsibility
Natural backlink magnets	Privacy care needed

20.5 Where freshers go wrong in Chapter 20 topics

Mistake	Why it happens	Avoid it by	Fix it by
Sending BMI result as a GA4 parameter	Wanting richer data	No-PHI rule	Removing the parameter
"Buy now" on condition pages	Conversion pressure	Informational rules	Replacing with a gentle link
Tool with no explanation of limits	Quick build	Adding the limits text	Updating copy

20.6 Thumb rules

👍 Tools start conversations; conditions build expertise.

👍 Track that the tool was used, never what was entered.

👍 Every tool and condition page has one clear next step.

20.7 Notes to remember

📝 Seven tools, five conditions pages; obesity and overweight launch in Phase 1.

📝 Condition pages: no commercial schema, informational disclaimer, outbound_click events.

Chapter 20 Glossary

Term	Simple meaning
Tool page	An interactive calculator or checker
Condition page	An informational page about a health condition

Term	Simple meaning
Micro-conversion	A small step toward the main goal
Outbound click	A click to another website
Linkable asset	Content others want to link to

Chapter 20 Quiz

1. Which tool is a BOFU micro-conversion?

- A) Eligibility checker
- B) Ideal weight calculator
- C) Calorie calculator
- D) Body fat calculator

2. What event fires when a tool shows a result?

- A) purchase
- B) Nothing
- C) tool_complete_[tool]
- D) cta_get_started

3. Can tool inputs be sent to analytics?

- A) Only BMI
- B) No
- C) Only weight
- D) Yes

4. What schema is NOT allowed on condition pages?

- A) Breadcrumb
- B) MedicalWebPage
- C) Offer or Product
- D) MedicalCondition

5. Which event do condition-page outbound links use?

- A) purchase

- B) portal_*
- C) outbound_click_*
- D) cta_*

6. What problem did Book One flag with the BMI calculator?

- A) It was too fast
- B) None
- C) It used kilograms
- D) It rejected weights under 150 lb

7. Which condition pages launch in Phase 1?

- A) Low testosterone
- B) Obesity and overweight
- C) Perimenopause
- D) None

8. What's the cost calculator's next step?

- A) /pricing/ and money pages
- B) A competitor
- C) The privacy policy
- D) Nothing

9. Why are tools good for Book Two's work?

- A) They're paid links
- B) They hide content
- C) They're natural backlink magnets
- D) They replace content

10. In the chemist analogy, the weighing machine…

- A) Sells medicine
- B) Starts a conversation without selling
- C) Replaces the doctor
- D) Is useless

Sources

1. Ongo, Master Playbook v3: Free Tools and Conditions sections, Appendices B and C (internal)
2. Google Search Central, Creating helpful, reliable, people-first content (last updated October 5, 2026)

Answer key, Chapter 20: 1-A · 2-C · 3-B · 4-C · 5-C · 6-D · 7-B · 8-A · 9-C · 10-B

LEVEL 2 · CHAPTER 21

Chapter 21: Competitors Inform the Architecture, Never Dictate It

"Ro has this page, so we need it" is not a reason. "Patients need this, and here's why Ro built it" might be.

> 💡 **Trivia**
>
> In Ongo's October 2026 scan of 100 competitors, **45 sitemaps were blocked or gated** (including many of the biggest brands), and one site had **10,000+ URLs but only 19 semaglutide pages**. ● Ongo team scan (Book One, Chapter 24)
>
> Page count tells you how big a site is, not how good its architecture is.

21.1 The four questions for every competitor page

#	Question	Example: a competitor's "/semaglutide-near-me/" page
1	**Why** did they build it?	To catch local-intent searches
2	**What intent** does it serve?	Transactional with local wording
3	**What does it do** for conversion?	Funnels to the same signup as their main page
4	**Does Ongo need it?**	No: Ongo is virtual; doorway risk (Chapter 10)

● Expert framework (from the Ongo project brief)

> 🍛 **Desi analogy: padosi ki shaadi**
>
> Padosi ne shaadi mein haathi bulaya. Kya tum bhi haathi bulaoge? **Pehle socho: unhone kyun bulaya, mehmaanon ko kya mila, aur kya tumhari shaadi ko haathi chahiye bhi?** Shayad tumhare mehmaanon ko achha khana zyada pasand aaye.

21.2 What to borrow, what to ignore

✅ Borrow the idea when…	❌ Ignore it when…
It answers a real patient question we don't answer	It exists only to rank (doorway, thin variants)
It improves trust (e.g. clear medical team pages)	It uses brand names commercially
It simplifies the journey (e.g. a cost calculator)	It relies on claims Ongo can't make
It fits an existing silo	It needs a new silo we don't plan

21.3 The competitor review table (template)

Competitor	Page / feature	Intent	Why they built it	Ongo decision	Where it lives on Ongo
(example)	Eligibility quiz	T-2	Micro-conversion before signup	✅ Adopt	/tools/eligibility-checker/
(example)	City landing pages	T-1 local	Local-intent capture	❌ Reject	Service-area statement
(example)	Brand drug pages with "Get started"	T-1	Brand search volume	❌ Reject (Phase 2 education only)	—
(example)	Medical reviewer bylines	Trust	E-E-A-T	✅ Adopt	Every clinical page

Use the full Ongo Competitor Audit document for specifics; verify any competitor fact on their live site before citing it. 🔵

21.4 Do's and Don'ts

✅ Do	❌ Don't
Ask the four questions every time	Copy menus or page lists

✅ Do	❌ Don't
Record decisions in the review table	Re-debate the same competitor idea
Verify on the live site before citing	Quote old screenshots
Learn from their trust features	Copy their claims

21.5 Pros and cons of competitor-informed architecture

✅ Pros	❌ Cons
Learn from others' tests	Easy to slide into copying
Spot gaps (e.g. tirzepatide content)	Blocked sitemaps hide big brands' structure
Benchmark trust features	Competitors may be non-compliant

21.6 Where freshers go wrong in Chapter 21 topics

Mistake	Why it happens	Avoid it by	Fix it by
"They have it, so we need it"	Fear of missing out	Question 4	Rejecting and recording why
Copying a non-compliant claim	Assuming big brands are compliant	Checking against Book One, Chapter 7	Removing
Judging by URL count	Easy metric	Looking at topical depth and purpose	Re-analysis

21.7 Thumb rules

👍 Learn why, then decide if.

👍 Never copy a claim; only copy good ideas that fit.

👍 Big isn't the same as well-built.

21.8 Notes to remember

📝 Four questions: why built, what intent, what conversion role, does Ongo need it?

📝 Record every decision in the competitor review table.

Chapter 21 Glossary

Term	Simple meaning
Competitor audit	A structured review of competitors' sites
Content gap	A topic competitors cover poorly
Benchmark	A reference point for comparison
Gated sitemap	A sitemap blocked from automated access

Chapter 21 Quiz

1. What's question 4 for every competitor page?

- A) What font does it use?
- B) How many words is it?
- C) Does Ongo need it?
- D) Who designed it?

2. Should Ongo build city landing pages because a competitor has them?

- A) Only on mobile
- B) No; doorway risk and Ongo is virtual
- C) Yes
- D) Only for Texas

3. When should we borrow a competitor idea?

- A) When it uses brand names
- B) Always
- C) Never
- D) When it answers a real patient need and fits an existing silo

4. How many competitor sitemaps were blocked in Ongo's scan?

- A) 0
- B) 5
- C) 100
- D) 45

5. What should you do before citing a competitor fact?

- A) Ask social media
- B) Verify it on their live site
- C) Guess
- D) Use an old screenshot

6. Which competitor feature should Ongo adopt?

- A) Medical reviewer bylines
- B) City landing pages
- C) Brand drug "Get started" pages
- D) Fake reviews

7. Does a big URL count mean good architecture?

- A) Always
- B) No
- C) Only above 10,000
- D) Yes

8. Where are decisions recorded?

- A) Nowhere
- B) On sticky notes
- C) The competitor review table
- D) In chat only

9. Can we copy a competitor's claim if they're big?

- A) Only if it ranks
- B) Yes
- C) Only in ads
- D) No; check it against compliance rules first

10. In the padosi ki shaadi analogy, the lesson is...

- A) Never invite guests
- B) Always copy the neighbor
- C) Ask why they did it and whether your wedding needs it
- D) Hire two elephants

Sources

1. Ongo team, competitor sitemap scan (October 2026), internal; Ongo Competitor Audit & Recommendations (project document)
2. Google Search Central, Spam policies for Google web search (last updated August 28, 2026)

Answer key, Chapter 21: 1-C · 2-B · 3-D · 4-D · 5-B · 6-A · 7-B · 8-C · 9-D · 10-C

03

LEVEL 3

Strategist

Plan every page: records, links, CTAs, schema, measurement and the complete master map.

22 · The Page Record: Every Field Explained

23 · Internal Linking Rules and Anchor Text

24 · The Internal-Link Map: Links That Move Patients

25 · CTA Architecture: Placement, Naming and Events

26 · Schema by Page Type

27 · Measurement Overview: GTM, GA4 and Search Console

28 · The Master Content Map

29 · Keeping the Map Alive: Governance

LEVEL 3 · CHAPTER 22

Chapter 22: The Page Record: Every Field Explained

Every page on the master map gets the same record. Fill every field, and the page's job is decided before anyone writes.

> 💡 **Trivia**
>
> Playbook v3's page records already carry **24 fields**, from funnel stage and primary keyword to Next.js route and required disclaimer. Book Three adds **9 more** so each record also shows the page's silo, hub role, entity, micro-intent, launch phase, index status and tracking. 🔵 Ongo internal
>
> One record, read top to bottom, should tell a writer, designer, developer, reviewer and analyst everything they need.

22.1 The 33 fields

Identity and placement (Book Three additions in bold)

Field	What it means	Example
Title	Page name	Compounded Semaglutide
URL	Final URL	/services/glp-1/compounded-semaglutide/
Breadcrumb	Path shown to users	Home › Services › Weight Loss › GLP-1 › Compounded Semaglutide
Page Type	Template family	Treatment / medication money page
Silo	Topic neighborhood	Weight Loss
Hub role	Hub, sub-hub, spoke, standalone	Spoke of /services/glp-1/

Field	What it means	Example
Parent	One parent page	/services/glp-1/
Launch phase	1, 2 or 3	1
Index status	Indexed / temporary noindex / permanent noindex	Temporary noindex until checklist passes

Search and content

Field	What it means	Example
Primary entity	The main "thing" (Chapter 3)	Compounded semaglutide
Funnel Stage	TOFU / MOFU / BOFU	BOFU
Search Intent	Macro intent	Transactional, commercial
Micro-intent	Code from Chapter 4	T-1
Primary Keyword	The one query the page owns	compounded semaglutide
Secondary Keywords	Close variants on the same page	compounded semaglutide online, cost, side effects
Meta Title	Under ~60 characters	Compounded Semaglutide Online | Ongo
Meta Description	Under ~155 characters	Licensed providers, clear pricing...
Target Word Count	Guide, not a goal	1,000–1,400
Content Outline	Sections in order	H1, how it works, eligibility, safety, price, FAQ...
Required Disclaimer	Legal and medical lines	Compounded not FDA-approved; medical relationship
Schema Type	Structured data	MedicalWebPage (+ Drug details)

People

Field	Example
Healthcare Professional	Prescribing physician / NP

Field	Example
Proofreader / Reviewer	Medical reviewer + Editorial Lead
YMYL Sensitivity	Clear YMYL: High

Links and conversion

Field	Example
Internal Links To	/services/glp-1/, sibling, tools, pricing, trust pages
Links from (must receive)	GLP-1 hub, semaglutide blog cluster, eligibility checker
External Links To	FDA compounding page; peer-reviewed sources
Primary CTA	Get started
Secondary CTA	Check eligibility
CTA Destination	/weightloss-onboard/
GA4 / GTM Event	cta_semaglutide_get_started + exit_to_portal
Tracking notes	page_meta values; internal_link_click targets to watch

Build and SEO

Field	Example
Priority	Now / Next / Later
Next.js Route	app/services/glp-1/[slug]/page.tsx
On-Page SEO Notes	Self-referencing canonical; reviewer + date visible
Off-Page SEO Notes	Book Two targets
Book Three corrections	What changed from Playbook v3 and why

> 🪔 **Desi analogy: patient ki file**
>
> Hospital mein har patient ki ek file hoti hai: naam, ward, doctor, dawai, tests, allergy, next visit. **Koi bhi nurse file padh ke samajh jaati hai kya karna hai.** Page record wahi file hai, har page ke liye.

22.2 Rules for filling records

Rule	Why
No record, no page	Prevents orphan or duplicate pages
Primary keyword checked against every other record	Prevents cannibalization
One parent only	Clean hierarchy
CTA event follows the naming convention (Chapter 25)	Clean reporting
Corrections field explains every change from v3	Keeps history

22.3 Do's and Don'ts

✅ Do	❌ Don't
Fill all 33 fields before writing	Leave "TBD" in key fields
Keep records in one master file	Spread them across documents
Update the record when the page changes	Let records go stale
Record who reviewed and when	Skip reviewer fields

22.4 Pros and cons of detailed records

✅ Pros	❌ Cons
Everyone works from the same plan	Time to fill
Easy audits and handovers	Needs a map owner
Tracking designed in, not bolted on	Long document

22.5 Where freshers go wrong in Chapter 22 topics

Mistake	Why it happens	Avoid it by	Fix it by
Copying a sibling's record without changing the keyword	Speed	Keyword check against all records	Rewriting the keyword fields
Missing "links from" field	Thinking only of outgoing links	Rule: every page must receive links	Adding incoming links
No corrections note	Forgetting history	Corrections field	Documenting

22.6 Thumb rules

👍 No record, no page.

👍 Fill every field; "TBD" is a blocker.

👍 The record is the single source of truth.

22.7 Notes to remember

📝 33 fields: 24 from Playbook v3 + 9 added in Book Three.

📝 The blank record template is in the back matter.

Chapter 22 Glossary

Term	Simple meaning
Page record	The complete plan for one page
Hub role	Whether a page is a hub, sub-hub, spoke or standalone
Index status	Whether a page may appear in search
Next.js route	The code file path that renders a page
Single source of truth	The one place everyone checks

Chapter 22 Quiz

1. How many fields does a Book Three page record have?

- A) 33
- B) 12
- C) 100
- D) 5

2. Which is a Book Three addition?

- A) Primary Keyword
- B) Micro-intent
- C) Schema Type
- D) Meta Title

3. "No record, no..."

- A) Page
- B) Link
- C) Coffee
- D) Meeting

4. What must the primary keyword be checked against?

- A) The logo
- B) Competitors only

- C) Every other record
- D) Nothing

5. What does the "Links from" field list?

- A) Pages that must link to this page
- B) Images
- C) Backlinks
- D) Pages this page links to

6. What does the corrections field record?

- A) Staff holidays
- B) Ad spend
- C) Spelling errors
- D) What changed from Playbook v3 and why

7. How many parents per page?

- A) Two
- B) Three
- C) One
- D) Any

8. What's the meta title limit guideline?

- A) 5 characters
- B) 300 characters
- C) No limit
- D) Under ~60 characters

9. Where is the blank template?

- A) Chapter 1
- B) Nowhere
- C) The back matter
- D) The footer

10. In the patient-file analogy, a nurse reading the file…

- A) Is confused
- B) Throws it away

- C) Knows what to do without asking
- D) Calls a competitor

Sources

1. Ongo, Master Page-by-Page Content, SEO & Build Playbook v3 (August 21, 2026), internal

Answer key, Chapter 22: 1-A · 2-B · 3-A · 4-C · 5-A · 6-D · 7-C · 8-D · 9-C · 10-C

LEVEL 3 · CHAPTER 23

Chapter 23: Internal Linking Rules and Anchor Text

Book Two taught you to earn links from other sites. This chapter teaches you to place the links you fully control.

> 💡 **Trivia**
>
> Google says good anchor text is **"descriptive, reasonably concise, and relevant to the page that it's on and to the page it links to,"** and suggests reading anchor text out of context to check it still makes sense. [1] ● Google official
>
> "Click here" fails that test every time.

23.1 The five link types at Ongo

Type	Direction	Example	Rule
Parent	Up	Money page → GLP-1 hub	Every page links to its parent
Child	Down	GLP-1 hub → both money pages	Every hub links to all its children
Sibling	Sideways	Semaglutide ↔ tirzepatide money pages	1–3 relevant siblings
Funnel	TOFU → MOFU → BOFU	Side-effects article → money page	One contextual link per article
Trust	Any → trust page	Money page → reviewer profile, policies	Required on clinical pages

23.2 Anchor text rules

✅ Good anchor	❌ Bad anchor	Why
"how compounded tirzepatide compares"	"click here"	Descriptive
"Ongo's compounded semaglutide program"	"best cheap semaglutide online buy now"	Concise, not stuffed
"check whether you may qualify"	"Ongo's Ozempic alternative"	Accurate, no brand misuse
"our medical review policy"	"here"	Readable out of context

Sources: [1] 🟢; brand rule from Chapter 19

> 📝 **Note to remember:** Internal anchors can be more descriptive than external ones (Book Two, Chapter 14), but they still shouldn't be stuffed or identical everywhere. Vary them naturally. 🔵

23.3 Placement rules

Position	Value	Use for
Early in body content	High: readers see it	The most important next step
Mid-content, in context	High	Supporting and sibling links
"Related articles" block	Medium	Siblings
Sidebar	Medium–low	Tools, hub
Footer	Sitewide, low per-page	Trust and policies

🔵 Expert judgment

> 🪔 **Desi analogy: shaadi mein guide karne wale cousins**
>
> Gate pe khada cousin bolta hai "khana left mein, stage seedha, washroom right mein." Agar woh sirf "udhar jao" bole, mehmaan bhatak jaate hain. **Sahi anchor text wahi clear direction hai.**

23.4 Link limits and hygiene

Rule	Why
Don't link the same target 5 times from one page	Once or twice is enough
No links to noindexed launch pages from indexed pages without a plan	Avoid dead ends for patients during launch
Fix broken internal links monthly	Patients and crawlers hit 404s
Never link into mid-flow portal steps	Only /weightloss-onboard/
Update links when URLs change	Avoid redirect chains

23.5 Do's and Don'ts

✅ Do	❌ Don't
Use descriptive, natural anchors	Use "click here"
Link every page to its parent	Leave pages without an upward link
Add the funnel link to every article	Add five buttons instead
Audit broken links monthly	Let 404s pile up

23.6 Pros and cons of strict linking rules

✅ Pros	❌ Cons
Predictable, measurable flow	Writers need training
No orphans	Can feel formulaic if overdone
Strong topical signals	Requires regular audits

23.7 Where freshers go wrong in Chapter 23 topics

Mistake	Why it happens	Avoid it by	Fix it by
Exact-match anchor on every link	Old SEO habit	Varying naturally	Rewriting anchors
Linking to a competitor instead of our page	Not checking the map	Entity home rule	Swapping the link
Linking to portal steps	Copying browser URLs	Portal rule	Pointing to the entry

23.8 Thumb rules

👍 Parent, child, sibling, funnel, trust: every page has the right ones.

👍 If the anchor makes no sense alone, rewrite it.

👍 The most important link goes early.

23.9 Notes to remember

📝 Google: anchors should be descriptive, concise and relevant to both pages.

📝 Five link types; placement matters.

Chapter 23 Glossary

Term	Simple meaning
Internal link	A link from one Ongo page to another
Anchor text	The clickable words of a link
Redirect chain	Multiple redirects in a row
Broken link	A link to a page that returns an error
Exact-match anchor	Anchor text identical to a target keyword

Chapter 23 Quiz

1. How does Google describe good anchor text?

- A) As many keywords as possible
- B) "Click here"
- C) Always one word
- D) Descriptive, reasonably concise, relevant to both pages

2. Which is a funnel link?

- A) Side-effects article → money page
- B) Money page → GLP-1 hub
- C) Footer → privacy policy
- D) Hub → child

3. Which anchor is good?

- A) "Ozempic alternative"
- B) "click here"
- C) "here"
- D) "how compounded tirzepatide compares"

4. Where should the most important next-step link go?

- A) At the very bottom only

- B) Early in the body content
- C) Hidden
- D) Only the footer

5. Can you link into mid-flow portal steps?

- A) Only from blogs
- B) No; only the portal entry
- C) Only from ads
- D) Yes

6. How often should broken links be audited?

- A) Every 5 years
- B) Only after a penalty
- C) Never
- D) Monthly

7. Should every page link to its parent?

- A) Only hubs
- B) Yes
- C) No
- D) Only blogs

8. What's the test for anchor text?

- A) Make it bold
- B) Read it out of context; does it still make sense?
- C) Make it red
- D) Count the keywords

9. Should internal anchors all be identical?

- A) Yes
- B) No; vary them naturally
- C) Only in footers
- D) Only for money pages

10. In the shaadi analogy, a good anchor is like...

- A) "Udhar jao"

- B) No directions
- C) A locked door
- D) A cousin giving clear directions

Sources

1. Google Search Central, Make your links crawlable: anchor text (last updated December 10, 2025)
2. Google Search Central, SEO Starter Guide (last updated December 10, 2025)

Answer key, Chapter 23: 1-D · 2-A · 3-D · 4-B · 5-B · 6-D · 7-B · 8-B · 9-B · 10-D


LEVEL 3 · CHAPTER 24

Chapter 24: The Internal-Link Map: Links That Move Patients

Not all links are equal. Some move patients toward booking; some just decorate. Map the ones that matter and measure them.

> 💡 **Trivia**
>
> Google says you should link to resources that help readers understand a page, **in context**, and that every page you care about should have at least one link from another page on your site. [1] ● Google official
>
> The internal-link map makes sure the most important pages get the most helpful links.

24.1 The Phase 1 conversion paths



#	Path	Link that matters	Event to watch
1	GLP-1 blog article → /blog/glp-1/ hub → /services/glp-1/	Blog hub → service hub	`internal_link_click` (target = /services/glp-1/)
2	Semaglutide article → compounded semaglutide page	Funnel link in body	`internal_link_click` (target = money page)

#	Path	Link that matters	Event to watch
3	Comparison article → both money pages	Two links, one per option	`internal_link_click` by target
4	BMI calculator → eligibility checker	Post-result next step	`tool_complete_bmi_calculator` → `internal_link_click`
5	Eligibility checker → money page / portal	Post-result CTA	`cta_eligibility_get_started` + `exit_to_portal`
6	Obesity condition page → Weight Loss hub	Gentle next step	`internal_link_click`
7	How It Works → money pages	Process → offer	`internal_link_click`
8	Reviews → money pages	Trust → offer	`internal_link_click`
9	Money page → portal	Primary CTA	`cta_[drug]_get_started` + `exit_to_portal`

- Ongo model

24.2 Required incoming links for each key page

Page	Must be linked from
/services/glp-1/compounded-semaglutide/	GLP-1 hub, Weight Loss hub, semaglutide blog hub + every semaglutide article, comparison article, eligibility checker result, cost calculator result, How It Works, homepage
/services/glp-1/compounded-tirzepatide/	Same pattern for tirzepatide
/services/glp-1/	Weight Loss hub, GLP-1 blog hub + articles, homepage, menu
/services/weight-loss/	Homepage, menu, weight-loss blog hub, obesity and overweight condition pages
/tools/eligibility-checker/	Money pages, hubs, "who can take" article, BMI calculator

Page	Must be linked from
Medical reviewer profiles	Every page they reviewed

24.3 How to read the map in GA4

Question	Exploration
Which articles send the most clicks to money pages?	Free-form: `internal_link_click`, rows = link_source, filter link_target = money pages
Which links lead to portal entry?	Funnel: internal_link_click (to money page) → exit_to_portal
Which link positions work best?	Breakdown by link_position
Which TOFU pages never send anyone up the funnel?	TOFU pages with zero `internal_link_click` to MOFU/BOFU targets

- Expert model

> 🍛 **Desi analogy: mohalle ke raste**
>
> Mohalle mein kai galiyan hain, par sabse zyada log jis raste se mandir tak jaate hain, wahi raasta pakka banaya jaata hai aur wahi pe light lagti hai. **Data batata hai kaun sa raasta kaam ka hai.**

24.4 Do's and Don'ts

✅ Do	❌ Don't
List required incoming links for key pages	Hope links happen naturally
Track internal links with source, target and position	Track only page views
Strengthen links that lead to portal entry	Keep links that never get clicked without review
Review the map quarterly	Set and forget

24.5 Pros and cons of a measured link map

✅ Pros	❌ Cons
Proves which content drives bookings	Needs event setup
Guides where to add links	Small numbers early on
Finds dead-end pages	Must respect no-PHI rules

24.6 Where freshers go wrong in Chapter 24 topics

Mistake	Why it happens	Avoid it by	Fix it by
Judging a blog only by its own conversions	Last-click thinking	Tracking link flow	Using funnel explorations
Missing required incoming links	No checklist	Section 24.2	Adding them
Removing "low-click" trust links	Misreading data	Remembering trust links reassure	Keeping them

24.7 Thumb rules

👍 Map the paths that end in the portal.

👍 Measure link flow, not just page views.

👍 Strengthen the roads people actually use.

24.8 Notes to remember

📝 Nine Phase 1 conversion paths; required incoming links for each key page.

📝 `internal_link_click` with source, target and position answers "which links move patients?"

Chapter 24 Glossary

Term	Simple meaning
Conversion path	The route a patient takes to a key event
Incoming link	A link pointing to a page
Free-form exploration	A flexible GA4 report
Funnel exploration	A GA4 report of step-by-step progress
Last-click thinking	Crediting only the final page before conversion

Chapter 24 Quiz

1. Which event measures links between Ongo pages?

- A) file_download
- B) purchase
- C) internal_link_click
- D) scroll

2. Which pages must link to the compounded semaglutide page?

- A) Only the privacy policy
- B) None
- C) GLP-1 hub, semaglutide blog content, eligibility and cost results, How It Works, homepage
- D) Only the footer

3. What does path 5 track?

- A) Footer → policy
- B) Eligibility checker → money page/portal
- C) Login → logout
- D) Logo → homepage

4. Which GA4 report shows step-by-step progress?

- A) Device report
- B) Funnel exploration
- C) Realtime only
- D) None

5. Why not judge a blog only by its own conversions?

- A) No reason
- B) Blogs never matter
- C) It may move patients to money pages that convert later
- D) Conversions are fake

6. Should trust links be removed if they get few clicks?

- A) Always
- B) Yes
- C) No; they reassure even without clicks
- D) Only on money pages

7. Which parameter shows where on the page a link was?

- A) page_title
- B) bmi
- C) user_name
- D) link_position

8. How often should the map be reviewed?

- A) Never
- B) Every 10 years
- C) Hourly
- D) Quarterly

9. What does Google say about linking?

- A) Hide links
- B) Link only to the homepage
- C) Never link
- D) Link to resources that help readers, in context

10. In the mohalla roads analogy, which road gets the light?

- A) The emptiest one
- B) A random one
- C) None
- D) The one most people actually use

Sources

1. Google Search Central, Make your links crawlable (last updated December 10, 2025)
2. Google Analytics Help, About key events

Answer key, Chapter 24: 1-C · 2-C · 3-B · 4-B · 5-C · 6-C · 7-D · 8-D · 9-D · 10-D

LEVEL 3 · CHAPTER 25

Chapter 25: CTA Architecture: Placement, Naming and Events

Every call to action is a question we ask the patient. Ask the right one, at the right moment, and record the answer.

> 💡 **Trivia**
>
> Playbook v3's tracking rule: every conversion CTA fires **its own page-specific event plus one shared `exit_to_portal` event**, and a page's primary and secondary CTAs must **never share an event name**. 🔵 Ongo internal (Appendix C)
>
> Two events per click: one says *which* button, the other says *someone is heading to book*.

25.1 Ongo's CTA types

CTA	Stage	Destination	Event pattern
Get Started	BOFU	/weightloss-onboard/	`cta_[pagegroup]_get_started` + `exit_to_portal`
Check Eligibility	MOFU/BOFU	/tools/eligibility-checker/	`cta_[pagegroup]_check_eligibility`
See How It Works	MOFU	/how-it-works/	`cta_[pagegroup]_how_it_works`
See Pricing	MOFU	/pricing/	`cta_[pagegroup]_pricing`
Book Appointment	BOFU	/weightloss-onboard/	`cta_[pagegroup]_book` + `exit_to_portal`
Call Us	Any	tel: link	`cta_[pagegroup]_call`
Chat With Us	Any	Chat widget	`cta_[pagegroup]_chat`

CTA	Stage	Destination	Event pattern
Email Us	Any	mailto: or form	`cta_[pagegroup]_email` / `form_submit_contact`
Vertical CTAs	Phase 3	Vertical portal entry	`cta_longevity_get_started`, `cta_menshealth_…`, `cta_womenshealth_…`

⚠️ **Book Three corrections:** remove "Check My Insurance" everywhere (Ongo is self-pay); no brand-name CTAs (`cta_ozempic_get_started` etc. are retired in Phase 1).

25.2 Placement by page type

Page type	Primary CTA	Secondary CTA	Positions
Money page	Get Started	Check Eligibility	Hero, after "how it works", after pricing, sticky on mobile, end
Service hub	Check Eligibility	Get Started	Hero, after comparison table, end
How It Works	Get Started	See Pricing	After each phase, end
Pricing	Get Started	Check Eligibility	Under each plan
Blog article	(none)	One contextual funnel link	In body, plus a soft end box
Condition page	(none)	Gentle link to the service hub	End
Tool	Post-result next step	Related tool	After result
Trust pages	See How It Works	Get Started	End

- Expert model

25.3 Naming convention

```
cta_[pagegroup]_[action]
  pagegroup: home, nav, weightloss, glp1, semaglutide, tirzepatide, howitworks, pricing,
eligibility, blog, tools …
  action:    get_started, check_eligibility, how_it_works, pricing, call, chat, email,
book
```

Plus parameters: `cta_text`, `cta_position` (hero, mid, end, sticky, nav), `page_silo`, `funnel_stage`.

> 🪔 **Desi analogy: shaadi ka RSVP**
>
> Card pe likha hai "RSVP: Sharma ji ko call karein" aur "WhatsApp karein". **Agar sab "haan" ek hi register mein bina naam ke likh diye, toh pata nahi chalega kaun aa raha hai.** Har CTA ka alag naam wahi alag register hai.

25.4 Do's and Don'ts

✅ Do	❌ Don't
One primary CTA per page	Five competing buttons
Distinct event names for primary and secondary	One generic `button_click`
Add `exit_to_portal` to every portal-bound CTA	Forget the shared event
Surround strong CTAs with trust signals	Put "Get Started" next to nothing

---

25.5 Pros and cons of a strict CTA system

✅ Pros	❌ Cons
Clear reports by CTA and position	More events to set up
Consistent patient experience	Designers have less freedom
Easy A/B comparisons	Needs QA on every page

25.6 Where freshers go wrong in Chapter 25 topics

Mistake	Why it happens	Avoid it by	Fix it by
Same event for two buttons	Copy-paste in GTM	Naming convention	Renaming one
"Get Started" on blog articles	Conversion pressure	Placement table	Replacing with a contextual link
Keeping "Check My Insurance"	Copied from v3	Self-pay rule	Removing

25.7 Thumb rules

👍 One page, one primary question.

👍 Every button has its own name.

👍 Portal-bound clicks always fire `exit_to_portal` too.

25.8 Notes to remember

📝 Pattern: `cta_[pagegroup]_[action]` + parameters.

📝 Blogs and condition pages have no hard CTA, only a contextual next step.

Chapter 25 Glossary

Term	Simple meaning
CTA	Call to action: what we ask the user to do
Primary CTA	The main action on a page

Term	Simple meaning
Secondary CTA	A softer alternative action
Sticky CTA	A button that stays visible while scrolling
exit_to_portal	The shared event for any click into the booking portal

Chapter 25 Quiz

1. What fires on every portal-bound CTA, besides its own event?

- A) page_view
- B) purchase
- C) scroll
- D) exit_to_portal

2. Can primary and secondary CTAs share an event name?

- A) No
- B) Only on mobile
- C) Yes
- D) Only on blogs

3. What's the primary CTA on a money page?

- A) Email Us
- B) Read the blog
- C) None
- D) Get Started

4. What CTA does a blog article have?

- A) A countdown
- B) One contextual funnel link (no hard CTA)
- C) Five Get Started buttons
- D) Check My Insurance

5. Why remove "Check My Insurance"?

- A) Ongo is self-pay

- B) No reason
- C) Google bans it
- D) It's too long

6. What's the naming pattern?

- A) random IDs
- B) cta_[pagegroup]_[action]
- C) click_here
- D) button1, button2

7. Which parameter records where the CTA was?

- A) user_email
- B) bmi
- C) cta_position
- D) weight

8. What should surround strong CTAs?

- A) Competitor logos
- B) Pop-ups
- C) Trust signals
- D) Nothing

9. Are brand CTAs like cta_ozempic_get_started used in Phase 1?

- A) No, they're retired
- B) Yes
- C) Only in ads
- D) Only for Wegovy

10. In the RSVP analogy, separate CTA names are like...

- A) One unnamed register
- B) No register
- C) Separate registers that show who's coming
- D) A lost card

Sources

1. Ongo, Master Playbook v3, Appendix C: GA4 / GTM event naming convention (internal)
2. Google Analytics Help, About events

Answer key, Chapter 25: 1-D · 2-A · 3-D · 4-B · 5-A · 6-B · 7-C · 8-C · 9-A · 10-C

Chapter 26: Schema by Page Type

Structured data describes a page in machine-readable form. It can't make a weak page strong, but it can make a good page clearer.

> 💡 **Trivia**
>
> In August 2023, Google limited FAQ rich results to well-known, authoritative government and health websites. On **May 7, 2026**, FAQ rich results **stopped appearing in Google Search** altogether; Google's documentation says FAQ markup can stay on pages without causing problems, but won't produce visible results. [1] 🟠 Industry report of Google's announcement
>
> Playbook v3 adds FAQPage to many records. Book Three keeps it optional, and never as a reason to add FAQs.

26.1 Schema by page type (Book Three version)

Page type	Recommended types	Notes
Homepage	Organization (or MedicalOrganization), WebSite	Root entity; name, url, logo, sameAs, contactPoint [2] 🟢
About	Organization details, founder (Person), foundingDate 2024-12-18	Keep identical to homepage entity
Service hub	MedicalWebPage, BreadcrumbList	Optional FAQPage only if a real FAQ exists (no rich result)
Money page	MedicalWebPage with `about` (Drug: active ingredient), BreadcrumbList	Don't mark up anything not visible on the page; no brand names in Phase 1
Condition page	MedicalWebPage + `about` MedicalCondition	No Offer/Product (v3 rule, kept)
Tool page	WebApplication / SoftwareApplication, `isAccessibleForFree`	v3 rule, kept

Page type	Recommended types	Notes
Blog hub	Blog / CollectionPage	—
Blog article	Article with `author` (contributor) and `reviewedBy` (medical reviewer)	Separate Person entities (v3 rule, kept)
Provider profile	ProfilePage + Person/Physician, credentials	Real credentials only
Contributor profile	ProfilePage + Person	Medical credentials only for reviewers
Reviews	Review / AggregateRating	One canonical source; real reviews only; follow Google's review snippet rules
Policy pages	WebPage	Low priority
All pages below home	BreadcrumbList	Reflect the user path [3] 🟢

Sources: Playbook v3 Appendix B 🔵, adapted; [2][3] 🟢

📝 **Note to remember:** schema.org medical types (MedicalWebPage, MedicalCondition, Drug) describe content to machines; Google doesn't publish rich-result features for most of them. Use them for clarity, not for "rich snippets". 🔵

🪔 **Desi analogy: medicine ka label**

Dawai ki strip pe naam, salt, dose, expiry likha hota hai, taaki chemist bina khole samajh jaaye. **Par label galat likha ho toh dawai aur khatarnaak ho jaati hai.** Schema bhi label hai: sahi ho, aur page ke andar jo hai wahi likho.

26.2 Schema rules

Rule	Why
Mark up only what's visible on the page	Mismatched markup is misleading
Never mark up fake reviews or ratings	Google review and FTC rules
One Organization entity, reused	Consistent entity (Chapter 3)

Rule	Why
Validate before lifting noindex	Launch checklist (Chapter 14)
No brand drug markup on commercial pages in Phase 1	Launch-phase rule

26.3 Do's and Don'ts

✅ Do	❌ Don't
Use breadcrumbs everywhere below home	Skip breadcrumbs
Mark author and reviewer as separate people	Merge them into one
Keep Organization details identical everywhere	Use different founding dates
Treat FAQPage as optional	Add FAQs just for markup

26.4 Pros and cons of structured data

✅ Pros	❌ Cons
Clear machine-readable meaning	No guaranteed rich results
Supports entity understanding	Needs developer upkeep
Breadcrumbs improve result display	Easy to break during redesigns

26.5 Where freshers go wrong in Chapter 26 topics

Mistake	Why it happens	Avoid it by	Fix it by
Expecting FAQ rich results	Old tutorials	Knowing the 2026 change	Removing expectations, not necessarily markup

Mistake	Why it happens	Avoid it by	Fix it by
AggregateRating on every page	Wanting stars	One canonical source	Removing duplicates
Drug markup naming Ozempic on a compounded page	Copying v3	Phase 1 rule	Fixing markup

26.6 Thumb rules

👍 Markup describes reality; it never invents it.

👍 Breadcrumbs everywhere, Organization once, reviewer always.

👍 FAQ markup is optional now; helpful FAQs are still welcome.

26.7 Notes to remember

📝 FAQ rich results stopped appearing in Google Search on May 7, 2026.

📝 Articles carry `author` and `reviewedBy` as separate Person entities.

Chapter 26 Glossary

Term	Simple meaning
Structured data	Machine-readable code describing a page
Rich result	An enhanced search listing (stars, breadcrumbs, etc.)
JSON-LD	The recommended format for structured data
reviewedBy	A property naming who reviewed content
AggregateRating	An average rating from many reviews

Chapter 26 Quiz

1. What happened to FAQ rich results on May 7, 2026?

- A) Nothing
- B) They became mandatory
- C) They stopped appearing in Google Search
- D) They doubled

2. Which schema goes on every page below home?

- A) BreadcrumbList
- B) AggregateRating
- C) Product
- D) Event

3. What may NOT go on condition pages?

- A) MedicalWebPage
- B) Breadcrumbs
- C) MedicalCondition
- D) Offer or Product schema

4. How should blog articles mark authorship?

- A) One combined person
- B) The company only
- C) author (contributor) and reviewedBy (medical reviewer) as separate Person entities
- D) No author

5. What's the rule for marking up content?

- A) Only mark up what's visible on the page
- B) Mark up competitors
- C) Mark up anything
- D) Add fake ratings

6. Which foundingDate goes in Organization data?

- A) 2020-01-01
- B) None
- C) 2024-12-18

- D) 2026-10-30

7. Do most schema.org medical types produce Google rich results?

- A) Only for brands
- B) No; use them for clarity
- C) Only on Fridays
- D) Yes, always

8. Where does AggregateRating come from?

- A) Made-up numbers
- B) Every page
- C) One canonical, real-review source
- D) Competitors

9. When should schema be validated?

- A) After a penalty
- B) Once a decade
- C) Never
- D) Before lifting noindex

10. In the medicine-label analogy, a wrong label is…

- A) Helpful
- B) Required
- C) Dangerous
- D) Harmless

Sources

1. Search Engine Journal, Google drops FAQ rich results from Search (May 2026); Google Search Central Blog, Changes to HowTo and FAQ rich results (August 2023)
2. Google Search Central, Organization structured data (last updated September 8, 2026)
3. Google Search Central, Breadcrumb (BreadcrumbList) structured data (last updated September 8, 2026)
4. Ongo, Master Playbook v3, Appendix B: schema markup reference (internal)

Answer key, Chapter 26: 1-C · 2-A · 3-D · 4-C · 5-A · 6-C · 7-B · 8-C · 9-D · 10-C

LEVEL 3 · CHAPTER 27

Chapter 27: Measurement Overview: GTM, GA4 and Search Console

A short tour of the 360° measurement system. The full Measurement book will go deeper; this chapter makes sure the architecture is built ready to be measured.

> 💡 **Trivia**
>
> Search Console data appears in GA4 **48 hours** after it's collected, and GA4 keeps at most **16 months** of it. [1] ● Google official
>
> If you want year-over-year search history, export it. Otherwise it disappears.

27.1 The three tools and their jobs

Tool	Job	Answers
Google Tag Manager (GTM)	Collects page metadata and clicks from the data layer, sends them to GA4	"What happened on the page?"
Google Analytics 4 (GA4)	Stores events, builds reports and explorations, marks key events	"What did users do, and in what order?"
Google Search Console (GSC)	Shows queries, impressions, clicks and positions per page	"How did people find us in Google?"

> 🪔 **Desi analogy: IT office ka CCTV, attendance aur visitor log**
>
> Gate ka visitor log (Search Console) batata hai kaun kahan se aaya. Attendance system (GA4) batata hai kaun kis floor pe kitni der raha. Aur CCTV ke sensors (GTM) har darwaaza khulne ko record karte hain. **Teeno milke poori kahani batate hain.**

27.2 The minimum setup checklist (Phase 1)

☐	Item	Chapter
☐	`page_meta` data layer push on every page (silo, page type, hub, funnel stage, intents, entity, phase)	9
☐	Custom dimensions in GA4 for the most important page_meta fields	9
☐	`internal_link_click` with source, target, position	24
☐	Named CTA events + `exit_to_portal`	25
☐	`tool_complete_*` events with no inputs or results	20
☐	`outbound_click_*` on citations	20
☐	`portal_*` events inside the portal, step names only	9
☐	Key events: `exit_to_portal` , eligibility completion, portal signup and payment	5, 9
☐	Search Console verified and linked to GA4	27.1
☐	First landing page stored as a user-scoped dimension	9
☐	Consent banner respected by all tags	Book One, 12
☐	No PHI in any event, parameter, URL or page title sent to analytics	Book One, 12

27.3 The reports every lead should see monthly

Report	Built from
Entry pages by funnel stage	GA4 landing page + funnel_stage
TOFU → MOFU → BOFU movement	Path/funnel explorations by funnel_stage
Top internal links to money pages	`internal_link_click` by source and target
CTA performance by page and position	`cta_*` events

Report	Built from
Portal entries by first landing page	`exit_to_portal` by first_landing_page
Queries by landing page	Search Console Performance
Cannibalization watch-list	Search Console Pages tab per query (Chapter 17)

- Expert model

27.4 What belongs in the Measurement book (not here)

GTM container design, trigger and variable setup, consent mode, server-side tagging, BigQuery export, Looker Studio dashboards, attribution model choices, QA procedures and debugging.

27.5 Do's and Don'ts

✅ Do	❌ Don't
Build the data layer with the site	Add tracking after launch
Link Search Console to GA4	Treat them as separate worlds
Export Search Console data you want to keep	Rely on 16 months forever
Review the 7 monthly reports	Report only total traffic

27.6 Pros and cons of architecture-aware tracking

✅ Pros	❌ Cons
Reports speak the architecture's language	Upfront dev work
Proves content's role in bookings	Custom dimension limits
Finds weak links and dead ends	Needs privacy discipline

27.7 Where freshers go wrong in Chapter 27 topics

Mistake	Why it happens	Avoid it by	Fix it by
Health details in page titles sent to GA4	Personalized titles	Generic titles in the portal	Changing titles; data deletion request
No Search Console link	Forgot	Setup checklist	Linking properties
Reporting only sessions	Easy number	Monthly report list	Adding stage and link reports

27.8 Thumb rules

👍 Track the architecture: silo, hub, stage, link, CTA.

👍 Search Console tells you how they arrived; GA4 tells you what they did.

👍 No PHI, ever, anywhere in analytics.

27.9 Notes to remember

📝 Search Console data reaches GA4 after 48 hours; GA4 keeps up to 16 months.

📝 Twelve-item Phase 1 setup checklist; seven monthly reports.

Chapter 27 Glossary

Term	Simple meaning
GTM	Google Tag Manager: manages tracking tags
GA4	Google Analytics 4: stores and reports events
GSC	Google Search Console: search performance data
Exploration	A custom GA4 analysis

Term	Simple meaning
Consent mode	Adjusting tags based on user consent

Chapter 27 Quiz

1. How long until Search Console data appears in GA4?

- A) 48 hours
- B) 1 year
- C) Never
- D) Instantly

2. How much Search Console data does GA4 keep?

- A) 1 week
- B) 10 years
- C) Forever
- D) Up to 16 months

3. Which tool shows queries and positions?

- A) Figma
- B) Google Search Console
- C) Slack
- D) GTM

4. Which tool sends page metadata and clicks to GA4?

- A) Search Console
- B) Gmail
- C) Google Tag Manager
- D) Google Docs

5. What must never appear in analytics?

- A) Page silo
- B) CTA names
- C) PHI

- D) Funnel stage

6. When should tracking be built?

- A) A year after launch
- B) Only after a drop
- C) With the site, before launch
- D) Never

7. Which is a monthly report?

- A) Staff birthdays
- B) Font usage
- C) Server temperature
- D) Portal entries by first landing page

8. What belongs in the Measurement book, not here?

- A) Silos
- B) The site tree
- C) Server-side tagging and BigQuery export
- D) The funnel stages

9. Which events are key events?

- A) Every page view
- B) None
- C) exit_to_portal, eligibility completion, portal signup and payment
- D) Every scroll

10. In the office analogy, the visitor log at the gate is...

- A) GA4
- B) The cafeteria
- C) Search Console
- D) GTM

Sources

1. Google Analytics Help, Search Console integration: Queries report

2. Google for Developers, The data layer (Tag Manager)
3. Google Analytics Help, About key events
4. Google Search Central, Using Search Console and Google Analytics data for SEO

Answer key, Chapter 27: 1-A · 2-D · 3-B · 4-C · 5-C · 6-C · 7-D · 8-C · 9-C · 10-C

LEVEL 3 · CHAPTER 28

Chapter 28: The Master Content Map

Every page Ongo plans, in one place: 124 records, each with all 33 fields, organized by section and launch phase.

> 💡 **Trivia**
>
> Of the 124 records in this map, only **69 are Phase 1** pages. **10 are Phase 2** educational pages (the brand and liraglutide content), and **45 are Phase 3** pages that wait for the Longevity, Men's and Women's Health verticals. 🔵 Ongo internal
>
> The map is big because it plans years ahead. The launch is deliberately smaller.

28.0 How to read this map

Item	Meaning
Source	Every record from Playbook v3 (121), plus 3 new Book Three records: compounded semaglutide, compounded tirzepatide and /pricing/
Fields	The 33 fields from Chapter 22. Fields Book Three adds: silo, hub role, parent, launch phase, index status, primary entity, micro-intent, must be linked from, tracking notes and corrections
Corrections	The last field of each record lists every change from Playbook v3 and why (brand pages, insurance CTAs, FAQ markup, blog CTAs, outcome claims, linking)
Phase	1 = launch; 2 = educational brand and liraglutide content after compliance sign-off; 3 = new verticals
Micro-intent codes	From Chapter 4 and Appendix B

> 🪔 **Desi analogy: shaadi ka master plan**
>
> Badi shaadi mein ek master file hoti hai: har function, har vendor, har mehmaan ka kamra, har gaadi ka time. **Wedding planner har sawaal ka jawab usi file se deta hai.** Yeh map Ongo ki wahi master file hai.
>
> ⚠️ **Where freshers go wrong: building straight from Playbook v3.** The playbook is the starting point; this map is the corrected version. When the two disagree, follow this map, and log any new change in the corrections field.

28.1–28.124 Quick index

#	Page	URL	Silo	Phase	Funnel	Micro-intent
28.1	Home	/	Core	1	TOFU	N-1
28.2	How It Works	/how-it-works/	Trust layer (sitewide)	1	MOFU	C-4
28.3	Pricing	/pricing/	Weight Loss	1	MOFU/BOFU	C-3
28.4	FAQ	/faq/	Trust layer (sitewide)	1	MOFU/BOFU	N-5
28.5	Reviews	/reviews/	Trust layer (sitewide)	1	BOFU	C-5
28.6	Success Stories	/success-stories/	Trust layer (sitewide)	1	BOFU	C-5
28.7	Onboarding Portal	/weightloss-onboard/	Portal	1	BOFU	T-3
28.8	Patient Login	/weightloss-onboard/login/	Portal	1	N/A — retention/servicing, not acquisition	N-2
28.9	Services	/services/	Core	1	TOFU	C-4
28.10	Weight Loss	/services/weight-loss/	Weight Loss	1	TOFU/MOFU	C-4

#	Page	URL	Silo	Phase	Funnel	Micro-intent
28.11	GLP-1 Medications	/services/glp-1/	Weight Loss	1	MOFU/BOFU	C-4
28.12	Nutrition Therapy	/services/weight-loss/nutrition-therapy/	Weight Loss	1	MOFU	T-1
28.13	Guided Workout Plans	/services/weight-loss/guided-workout-plans/	Weight Loss	1	MOFU	T-1
28.14	Compounded Semaglutide	/services/glp-1/compounded-semaglutide/	Weight Loss	1	BOFU	T-1
28.15	Compounded Tirzepatide	/services/glp-1/compounded-tirzepatide/	Weight Loss	1	BOFU	T-1
28.16	Ozempic®	/services/glp-1/ozempic/	Weight Loss	2	MOFU	I-1
28.17	Wegovy®	/services/glp-1/wegovy/	Weight Loss	2	MOFU	I-1
28.18	Rybelsus®	/services/glp-1/rybelsus/	Weight Loss	2	MOFU	I-1
28.19	Mounjaro®	/services/glp-1/mounjaro/	Weight Loss	2	MOFU	I-1
28.20	Zepbound®	/services/glp-1/zepbound/	Weight Loss	2	MOFU	I-1
28.21	Liraglutide (Saxenda® & Victoza®)	/services/glp-1/liraglutide/	Weight Loss	2	MOFU	I-1
28.22	Rapamycin	/services/longevity-anti-aging/rapamycin/	Longevity	3	BOFU	T-1
28.23	NAD+	/services/longevity-anti-aging/nad/	Longevity	3	BOFU	T-1
28.24	Glutathione	/services/longevity-anti-aging/glutathione/	Longevity	3	BOFU	T-1
28.25	Sermorelin	/services/longevity-anti-aging/sermorelin/	Longevity	3	BOFU	T-1
28.26	Methylene Blue	/services/longevity-anti-aging/methylene-blue/	Longevity	3	BOFU	T-1
28.27	Testosterone (TRT)	/services/mens-health/testosterone-trt/	Men's Health	3	BOFU	T-1

#	Page	URL	Silo	Phase	Funnel	Micro-intent
28.28	Enclomiphene	/services/mens-health/enclomiphene/	Men's Health	3	BOFU	T-1
28.29	Oxytocin	/services/mens-health/oxytocin/	Men's Health	3	BOFU	T-1
28.30	Perimenopause	/services/womens-health/perimenopause/	Women's Health	3	BOFU	T-1
28.31	PCOS	/services/womens-health/pcos/	Women's Health	3	BOFU	T-1
28.32	Oxytocin	/services/womens-health/oxytocin/	Women's Health	3	BOFU	T-1
28.33	Longevity & Anti-Aging	/services/longevity-anti-aging/	Longevity	3	TOFU/MOFU	C-4
28.34	Men's Health	/services/mens-health/	Men's Health	3	TOFU/MOFU	C-4
28.35	Women's Health	/services/womens-health/	Women's Health	3	TOFU/MOFU	C-4
28.36	Conditions	/conditions/	Core	1	TOFU	I-3
28.37	Obesity	/conditions/obesity/	Weight Loss	1	TOFU	I-3
28.38	Overweight	/conditions/overweight/	Weight Loss	1	TOFU	I-3
28.39	PCOS	/conditions/pcos/	Women's Health	3	TOFU	I-3
28.40	Perimenopause	/conditions/perimenopause/	Women's Health	3	TOFU	I-3
28.41	Low Testosterone	/conditions/low-testosterone/	Men's Health	3	TOFU	I-3
28.42	Free Tools	/tools/	Weight Loss	1	TOFU/MOFU	I-12
28.43	Eligibility Checker	/tools/eligibility-checker/	Weight Loss	1	MOFU/BOFU	T-2
28.44	BMI Calculator	/tools/bmi-calculator/	Weight Loss	1	TOFU/MOFU	I-12
28.45	Weight Loss Goal Calculator	/tools/weight-loss-goal-calculator/	Weight Loss	1	TOFU/MOFU	I-12

#	Page	URL	Silo	Phase	Funnel	Micro-intent
28.46	Calorie Calculator	/tools/calorie-calculator/	Weight Loss	1	TOFU/MOFU	I-12
28.47	Ideal Weight Calculator	/tools/ideal-weight-calculator/	Weight Loss	1	TOFU/MOFU	I-12
28.48	Body Fat Calculator	/tools/body-fat-calculator/	Weight Loss	1	TOFU/MOFU	I-12
28.49	Cost Calculator	/tools/cost-calculator/	Weight Loss	1	MOFU/BOFU	C-3
28.50	Blog hub: Weight Loss	/blog/weight-loss/	Weight Loss	1	TOFU/MOFU	I-1
28.51	How to Lose Weight Safely	/blog/weight-loss/how-to-lose-weight-safely/	Weight Loss	1	TOFU	I-8
28.52	Medical Weight Loss Guide	/blog/weight-loss/medical-weight-loss-guide/	Weight Loss	1	MOFU	C-4
28.53	Why Am I Not Losing Weight	/blog/weight-loss/why-am-i-not-losing-weight/	Weight Loss	1	MOFU	I-9
28.54	How Much Weight Can You Lose	/blog/weight-loss/how-much-weight-can-you-lose/	Weight Loss	1	MOFU	I-6
28.55	Weight Loss Mistakes	/blog/weight-loss/weight-loss-mistakes/	Weight Loss	1	MOFU	I-9
28.56	Blog hub: GLP-1 Medications	/blog/glp-1/	Weight Loss	1	TOFU/MOFU	I-1
28.57	What Are GLP-1 Medications	/blog/glp-1/what-are-glp-1-medications/	Weight Loss	1	TOFU	I-1
28.58	How Do GLP-1 Medications Work	/blog/glp-1/how-do-glp-1-medications-work/	Weight Loss	1	TOFU	I-2
28.59	GLP-1 Side Effects	/blog/glp-1/glp-1-side-effects/	Weight Loss	1	MOFU	I-5
28.60	Who Can Take GLP-1 Medications	/blog/glp-1/who-can-take-glp-1-medications/	Weight Loss	1	MOFU	I-7
28.61	How Long Do GLP-1 Medications Take to Work	/blog/glp-1/how-long-do-glp-1-medications-take-to-work/	Weight Loss	1	MOFU	I-6

#	Page	URL	Silo	Phase	Funnel	Micro-intent
28.62	Blog hub: Semaglutide	/blog/semaglutide/	Weight Loss	1	TOFU/MOFU	I-1
28.63	How Does Semaglutide Work	/blog/semaglutide/how-does-semaglutide-work/	Weight Loss	1	TOFU	I-2
28.64	Semaglutide Side Effects	/blog/semaglutide/semaglutide-side-effects/	Weight Loss	1	MOFU	I-5
28.65	Semaglutide Weight Loss Results	/blog/semaglutide/semaglutide-weight-loss-results/	Weight Loss	1	MOFU	I-6
28.66	Semaglutide vs. Tirzepatide	/blog/semaglutide/semaglutide-vs-tirzepatide/	Weight Loss	1	MOFU	C-1
28.67	How Long Does Semaglutide Take to Work	/blog/semaglutide/how-long-does-semaglutide-take-to-work/	Weight Loss	1	MOFU	I-6
28.68	Blog hub: Tirzepatide	/blog/tirzepatide/	Weight Loss	1	TOFU/MOFU	I-1
28.69	How Does Tirzepatide Work	/blog/tirzepatide/how-does-tirzepatide-work/	Weight Loss	1	TOFU	I-2
28.70	Tirzepatide Side Effects	/blog/tirzepatide/tirzepatide-side-effects/	Weight Loss	1	MOFU	I-5
28.71	Tirzepatide Weight Loss Results	/blog/tirzepatide/tirzepatide-weight-loss-results/	Weight Loss	1	MOFU	I-6
28.72	Tirzepatide vs. Semaglutide	/blog/tirzepatide/tirzepatide-vs-semaglutide/	Weight Loss	1	MOFU	C-1
28.73	How Long Does Tirzepatide Take to Work	/blog/tirzepatide/how-long-does-tirzepatide-take-to-work/	Weight Loss	1	MOFU	I-6
28.74	Blog hub: Liraglutide (Saxenda® & Victoza®)	/blog/liraglutide/	Weight Loss	2	TOFU/MOFU	I-1

#	Page	URL	Silo	Phase	Funnel	Micro-intent
28.75	How Does Liraglutide Work	/blog/liraglutide/how-does-liraglutide-work/	Weight Loss	2	TOFU	I-2
28.76	Liraglutide Side Effects	/blog/liraglutide/liraglutide-side-effects/	Weight Loss	2	MOFU	I-5
28.77	Liraglutide Weight Loss Results	/blog/liraglutide/liraglutide-weight-loss-results/	Weight Loss	2	MOFU	I-6
28.78	Blog hub: Longevity	/blog/longevity/	Longevity	3	TOFU/MOFU	I-1
28.79	What is Longevity Medicine	/blog/longevity/what-is-longevity-medicine/	Longevity	3	TOFU	I-1
28.80	Healthy Aging Guide	/blog/longevity/healthy-aging-guide/	Longevity	3	TOFU	I-1
28.81	Anti Aging Treatments	/blog/longevity/anti-aging-treatments/	Longevity	3	MOFU	I-1
28.82	Peptide Therapy Guide	/blog/longevity/peptide-therapy-guide/	Longevity	3	MOFU	I-1
28.83	NAD+ and Longevity	/blog/longevity/nad-and-longevity/	Longevity	3	MOFU	I-1
28.84	Rapamycin for Longevity	/blog/longevity/rapamycin-for-longevity/	Longevity	3	MOFU	I-1
28.85	Rapamycin Side Effects	/blog/longevity/rapamycin-side-effects/	Longevity	3	MOFU	I-5
28.86	Glutathione Benefits	/blog/longevity/glutathione-benefits/	Longevity	3	MOFU	I-1
28.87	Glutathione Side Effects	/blog/longevity/glutathione-side-effects/	Longevity	3	MOFU	I-5
28.88	Sermorelin Benefits	/blog/longevity/sermorelin-benefits/	Longevity	3	MOFU	I-1
28.89	Sermorelin vs. HGH	/blog/longevity/sermorelin-vs-hgh/	Longevity	3	MOFU	C-1
28.90	Methylene Blue Benefits	/blog/longevity/methylene-blue-benefits/	Longevity	3	MOFU	I-1

#	Page	URL	Silo	Phase	Funnel	Micro-intent
28.91	Methylene Blue Safety	/blog/longevity/methylene-blue-safety/	Longevity	3	MOFU	I-5
28.92	Blog hub: Men's Health	/blog/mens-health/	Men's Health	3	TOFU/MOFU	I-1
28.93	What is Low Testosterone	/blog/mens-health/what-is-low-testosterone/	Men's Health	3	TOFU	I-1
28.94	Signs of Low Testosterone	/blog/mens-health/signs-of-low-testosterone/	Men's Health	3	TOFU	I-4
28.95	TRT Guide	/blog/mens-health/trt-guide/	Men's Health	3	MOFU	I-1
28.96	Enclomiphene Guide	/blog/mens-health/enclomiphene-guide/	Men's Health	3	MOFU	I-1
28.97	Testosterone and Aging	/blog/mens-health/testosterone-and-aging/	Men's Health	3	TOFU	I-1
28.98	Oxytocin Benefits for Men	/blog/mens-health/oxytocin-benefits-for-men/	Men's Health	3	MOFU	I-1
28.99	Blog hub: Women's Health	/blog/womens-health/	Women's Health	3	TOFU/MOFU	I-1
28.100	Perimenopause Guide	/blog/womens-health/perimenopause-guide/	Women's Health	3	TOFU	I-1
28.101	PCOS and Weight Loss	/blog/womens-health/pcos-and-weight-loss/	Women's Health	3	MOFU	I-1
28.102	Signs of Perimenopause	/blog/womens-health/signs-of-perimenopause/	Women's Health	3	TOFU	I-4
28.103	Women's Hormone Health	/blog/womens-health/womens-hormone-health/	Women's Health	3	TOFU	I-1
28.104	Weight Loss and Hormones	/blog/womens-health/weight-loss-and-hormones/	Women's Health	3	MOFU	I-1
28.105	Oxytocin Benefits for Women	/blog/womens-health/oxytocin-benefits-for-women/	Women's Health	3	MOFU	I-1
28.106	Medical Team	/medical-team/	Trust layer (sitewide)	1	N/A — trust/EEAT infrastructure	N-4

#	Page	URL	Silo	Phase	Funnel	Micro-intent
28.107	Provider Bio (Template)	/medical-team/[provider-slug]/	Trust layer (sitewide)	1	N/A — trust/EEAT infrastructure	N-4
28.108	Contributors	/contributors/	Trust layer (sitewide)	1	N/A — EEAT infrastructure	N-4
28.109	Contributor Bio (Template)	/contributors/[contributor-slug]/	Trust layer (sitewide)	1	N/A	N-4
28.110	About	/about/	Trust layer (sitewide)	1	TOFU — brand trust	N-1
28.111	Contact	/contact/	Trust layer (sitewide)	1	N/A — support/utility	T-5
28.112	Policies	/policies/	Trust layer (sitewide)	1	N/A — legal/trust infrastructure	N-3
28.113	Patient Bill of Rights	/policies/bill-of-rights/	Trust layer (sitewide)	1	N/A — legal/trust infrastructure	N-3
28.114	Medical Disclaimer	/policies/disclaimer/	Trust layer (sitewide)	1	N/A — legal/trust infrastructure	N-3
28.115	Privacy Policy	/policies/privacy-policy/	Trust layer (sitewide)	1	N/A — legal/trust infrastructure	N-3
28.116	Refund Policy	/policies/refund-policy/	Trust layer (sitewide)	1	N/A — legal/trust infrastructure	N-3
28.117	Consent to Telehealth	/policies/consent-to-telehealth/	Trust layer (sitewide)	1	N/A — legal/trust infrastructure	N-3
28.118	Editorial Policy	/policies/editorial-policy/	Trust layer (sitewide)	1	N/A — legal/trust infrastructure	N-3

#	Page	URL	Silo	Phase	Funnel	Micro-intent
28.119	Shipping Policy	/policies/shipping-policy/	Trust layer (sitewide)	1	N/A — legal/trust infrastructure	N-3
28.120	Contributor Policy	/policies/contributor-policy/	Trust layer (sitewide)	1	N/A — legal/trust infrastructure	N-3
28.121	Medical Review Policy	/policies/medical-review-policy/	Trust layer (sitewide)	1	N/A — legal/trust infrastructure	N-3
28.122	Terms of Service	/policies/terms-of-service/	Trust layer (sitewide)	1	N/A — legal/trust infrastructure	N-3
28.123	Accessibility Statement	/policies/accessibility/	Trust layer (sitewide)	1	N/A — legal/trust infrastructure	N-3
28.124	HIPAA Notice of Privacy Practices	/policies/notice-of-privacy-practices/	Trust layer (sitewide)	1	N/A — legal/trust infrastructure	N-3

The page records

Section: Core Pages

28.1 Home

Field	Value
URL	/
Breadcrumb	Home
Page Type	Core Page — Homepage (v2: brand-only, not conversion-first)
Silo	Core
Hub role	Root (homepage)
Parent	—
Launch phase	1
Index status	Indexed from launch
Primary entity	Ongo Weight Loss (organization)
Funnel stage	TOFU
Search intent (macro)	Brand / trust building — NOT the primary conversion page anymore. Its job is to make a visitor believe in Ongo, then route them to a vertical; the actual conversion work happens on service pages and inside the portal.
Micro-intent	N-1 Brand home
Primary keyword	ongo weight loss
Secondary keywords	ongo weight loss reviews, is ongo weight loss legit, medical weight loss and hormone clinic
Meta title	Ongo | Medical Weight Loss, Longevity & Hormone Care
Meta description	Ongo pairs licensed medical care with real support — weight loss, longevity, and hormone health, built around you.
Target word count	450–700 words (shorter than v1 — brand-only pages read leaner)

Field	Value
Content outline	• Hero: mission/brand statement — no hard sell, no dense feature list. One softened primary CTA present but visually de-emphasized (not a banner-wide button), reflecting the v2 brand-only direction • Founding story / why Ongo exists — 2-3 short paragraphs, human tone • Trust badge row: LegitScript, HIPAA, licensed-pharmacy badge — brand-level trust, not plan-specific • Named medical team preview (2-3 providers) — soft CTA 'Meet Our Medical Team' linking to /medical-team/ • Vertical preview cards: Weight Loss / Longevity / Men's Health / Women's Health — each a soft entry point, not a comparison table (that lives one level down) • Social proof strip — soft CTA 'Read Success Stories' linking to /success-stories/ • Footnoted outcome stat (sample size + as-of date) kept minimal — full stats live on vertical hub pages, not here • Soft CTA 'See How It Works' linking to /how-it-works/ • One primary CTA repeated near the footer, still minimal in visual weight vs. the old hero-banner treatment • Compliance disclaimer
Required disclaimer	General medical-relationship disclaimer: providers are independently licensed; payment does not guarantee a prescription.
Schema type	Organization + WebSite + MedicalOrganization
Healthcare professional	Medical Director (final sign-off on all brand/trust claims)
Proofreader / reviewer	Head of Content / Editorial Lead
YMYL sensitivity	Clear YMYL — High (brand promise + medical claims, even without a hard sell)
Internal links to	• /services/weight-loss/ • /services/longevity-anti-aging/ • /services/mens-health/ • /services/womens-health/ • /medical-team/ • /success-stories/ • /how-it-works/
Must be linked from	• Its parent hub and the main menu or footer
External links to	• FDA.gov (drug approval status) • LegitScript.com (certification verification)
Primary CTA	Get Started
Secondary CTA	Meet Our Team / Read Success Stories / See How It Works (soft, multiple, no single hard push)
CTA destination	/weightloss-onboard/ (primary CTA only — soft CTAs stay on-site, routing to Medical Team / Success Stories / How It Works)
GA4 / GTM event	cta_home_get_started (fires exit_to_portal, see Appendix C) / cta_home_soft_meetteam / cta_home_soft_stories / cta_home_soft_howitworks

Field	Value
Tracking notes	page_meta: silo=Core, page_type=core_or_trust, funnel_stage=tofu, micro_intent=N-1, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/page.tsx
On-page SEO notes	• Single H1 only — brand statement, not a keyword-stuffed value prop • Internal links to every vertical and every soft-CTA destination above the fold or in nav • LCP element optimized — this page still carries the most crawl weight on the domain even though it's no longer the conversion page • Do not let this page compete on 'medical weight loss program' — that keyword now belongs to /services/weight-loss/; homepage targets brand/navigational queries only
Off-page SEO notes	• Primary link-building target for PR, guest posts, and directory submissions • Digital PR angle: founder/medical-director interviews, press mentions should link here or to /about/
Book Three corrections	• Phase 1: show only the Weight Loss vertical card; Longevity, Men's and Women's Health cards appear at their launch. Add founding date (December 18, 2024) to Organization data.

28.2 How It Works

Field	Value
URL	/how-it-works/
Breadcrumb	Home > How It Works
Page Type	Core Page (v2: rewritten to explain the two-part journey)
Silo	Trust layer (sitewide)
Hub role	Standalone (linked from nav/footer)
Parent	/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Ongo Weight Loss (organization)
Funnel stage	MOFU
Search intent (macro)	Informational, objection-handling — now carries extra weight since the homepage no longer explains the process at all
Micro-intent	C-4 Provider evaluation / C-6 Safety of the provider
Primary keyword	how does online weight loss treatment work
Secondary keywords	telehealth weight loss process, what happens after i sign up for ongo
Meta title	How Ongo Works | From Consult to Care, Step by Step
Meta description	See exactly what happens at every step — from exploring your options here to booking and intake in your secure portal.
Target word count	900–1,200 words (longer than v1 — now doing more explanatory work)
Content outline	• Explicitly frame the journey in TWO stages, visually separated: 'On this site' vs. 'In your portal' — this is the single most important structural change from v1 • Stage 1 (on the marketing site): explore verticals, compare medications/treatments, use free tools (BMI, eligibility, cost), read FAQs — no account needed • Stage 2 (in the portal at /weightloss-onboard/): create account or log in > select your program/vertical > complete intake form > book appointment > provider review > payment > prescription (if eligible) > pharmacy fulfillment > ongoing check-ins • Be explicit that clicking 'Get Started' anywhere on the site moves them to the portal — set that expectation here so it isn't a surprise the first time it happens • What happens if you're not eligible (referral / alternative pathway) — builds trust by not overselling • Timeline expectations for each stage • FAQ: is my information secure moving to the portal, can I come back to the marketing site, how do refills/logins work afterward

Field	Value
Required disclaimer	Consent-to-telehealth summary + link to full policy + brief note that the portal is a HIPAA-secure, separate environment
Schema type	HowTo + FAQPage
Healthcare professional	Nurse Practitioner or Care Coordinator lead (process accuracy)
Proofreader / reviewer	Content writer + Medical reviewer sign-off
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/weight-loss/ • /tools/eligibility-checker/ • /faq/ • /policies/consent-to-telehealth/ • /weightloss-onboard/
Must be linked from	• / • /pricing/ • /services/glp-1/compounded-semaglutide/ • /services/glp-1/compounded-tirzepatide/
External links to	• State telehealth practice regulation reference (if citing licensure scope)
Primary CTA	Get Started
Secondary CTA	Check Eligibility First
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_howitworks_get_started (fires exit_to_portal, see Appendix C)
Tracking notes	page_meta: silo=Trust layer (sitewide), page_type=core_or_trust, funnel_stage=mofu, micro_intent=C-4, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/how-it-works/page.tsx
On-page SEO notes	• HowTo schema markup for the numbered steps, split into two HowToSection groups (marketing site / portal) • Internal link to eligibility checker directly inside Stage 1
Off-page SEO notes	• Low priority for external links — internal trust page, not a target for backlinks
Book Three corrections	• FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26).

28.3 Pricing

Field	Value
URL	/pricing/
Breadcrumb	Home > Pricing
Page Type	Core Page: pricing (one source of truth)
Silo	Weight Loss
Hub role	Standalone (linked from nav/footer)
Parent	/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Ongo Weight Loss (organization)
Funnel stage	MOFU/BOFU
Search intent (macro)	Commercial, transactional
Micro-intent	C-3 Cost research / T-4 Get a price now
Primary keyword	ongo weight loss pricing
Secondary keywords	compounded semaglutide cost, compounded tirzepatide cost, weight loss program cost without insurance
Meta title	Pricing | Compounded GLP-1 Plans | Ongo
Meta description	Clear monthly plans for compounded semaglutide and tirzepatide. No insurance needed. See what's included.
Target word count	400–800 words
Content outline	• Plans by medication (Kickstart, Momentum, Transform), confirmed with operations • What every plan includes • Clear statement of whether medication is included (fix the current FAQ conflict) • No-insurance / self-pay explanation • Refund and cancellation summary + link
Required disclaimer	Medical-relationship disclaimer; payment does not guarantee a prescription; refund policy link; compounded not FDA-approved.
Schema type	WebPage + BreadcrumbList (Offer details only if they match checkout exactly)
Healthcare professional	Medical Director (claims)
Proofreader / reviewer	Operations + Compliance
YMYL sensitivity	Clear YMYL: High (financial + medical)

Field	Value
Internal links to	• /services/glp-1/compounded-semaglutide/ • /services/glp-1/compounded-tirzepatide/ • /tools/cost-calculator/ • /policies/refund-policy/ • /how-it-works/
Must be linked from	• / • /services/glp-1/compounded-semaglutide/ • /services/glp-1/compounded-tirzepatide/
External links to	• None required
Primary CTA	Get Started
Secondary CTA	Check Eligibility
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_pricing_get_started / cta_pricing_check_eligibility | fires exit_to_portal
Tracking notes	page_meta: silo=Weight Loss, page_type=core_or_trust, funnel_stage=mofu/bofu, micro_intent=C-3, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/pricing/page.tsx
On-page SEO notes	• Prices must match checkout, schema, ads and emails (price-hygiene rule)
Off-page SEO notes	• Not a link-building target
Book Three corrections	• New in Book Three: /pricing/ exists on the live site but has no v3 record. • None: matches Book Three rules.

28.4 FAQ

Field	Value
URL	/faq/
Breadcrumb	Home > FAQ
Page Type	Core Page
Silo	Trust layer (sitewide)
Hub role	Standalone (linked from nav/footer)
Parent	/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Ongo Weight Loss (organization)
Funnel stage	MOFU/BOFU
Search intent (macro)	Informational, objection-handling, schema capture
Micro-intent	N-5 Support / C-5 Trust check
Primary keyword	ongo weight loss faq
Secondary keywords	is online weight loss treatment safe, does insurance cover glp-1
Meta title	Frequently Asked Questions | Ongo Weight Loss
Meta description	Answers to the most common questions about cost, insurance, eligibility, medications, and cancellation.
Target word count	1,200–1,800 words total across all Q&As
Content outline	• Grouped by category: Getting Started / Cost & Insurance / Medications / Safety / Cancellation & Billing • This is a SUPPLEMENT to on-page FAQ blocks on commercial pages, not a replacement — those stay in place • Cancellation answer must match /policies/refund-policy/ word-for-word to avoid conflicting claims • Link every medication-specific question to its dedicated page rather than answering in depth here
Required disclaimer	Standard medical-relationship disclaimer footer
Schema type	FAQPage
Healthcare professional	Medical Director (answer accuracy)
Proofreader / reviewer	Editorial Lead + Legal/Compliance sign-off on cancellation & billing answers
YMYL sensitivity	Clear YMYL — Moderate

Field	Value
Internal links to	• /policies/refund-policy/ • /services/glp-1/ • /tools/cost-calculator/ • /policies/consent-to-telehealth/
Must be linked from	• / • /contact/ • /how-it-works/
External links to	• None specified.
Primary CTA	Get Started
Secondary CTA	Contact Support
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_faq_get_started | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Trust layer (sitewide), page_type=core_or_trust, funnel_stage=mofu/bofu, micro_intent=N-5, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/faq/page.tsx
On-page SEO notes	• FAQPage schema on every Q&A pair • Accordion UI must still render full text server-side for crawlability
Off-page SEO notes	• Good target for 'people also ask' style outreach and comparison-site citations
Book Three corrections	• FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26).

28.5 Reviews

Field	Value
URL	/reviews/
Breadcrumb	Home > Reviews
Page Type	Core Page — Social Proof
Silo	Trust layer (sitewide)
Hub role	Standalone (linked from nav/footer)
Parent	/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Ongo Weight Loss (organization)
Funnel stage	BOFU
Search intent (macro)	Trust / conversion support
Micro-intent	C-5 Trust check
Primary keyword	ongo weight loss reviews
Secondary keywords	is ongo weight loss legit, ongo weight loss customer reviews
Meta title	Ongo Weight Loss Reviews | Verified Patient Ratings
Meta description	Read verified patient reviews and ratings for Ongo's GLP-1, nutrition, and hormone care programs.
Target word count	300–500 words of framing copy + review widget
Content outline	• Aggregate rating + total review count at the top • Filterable by vertical (Weight Loss / Longevity / Men's / Women's Health) • Star-rating reviews distinct in format from long-form narratives (those live on /success-stories/) • FTC-compliant disclosure: 'individual results vary' near every outcome-referencing quote
Required disclaimer	Results-vary disclaimer adjacent to every outcome claim in a review
Schema type	Review + AggregateRating
Healthcare professional	N/A (patient-generated content; Compliance reviews for PHI/HIPAA before publishing any quote)
Proofreader / reviewer	Compliance/Legal review for every published quote (no identifying health details without consent)
YMYL sensitivity	Moderate — testimonial claims are FTC-scrutinized in health marketing

Field	Value
Internal links to	• /success-stories/ • /services/weight-loss/ • /tools/eligibility-checker/
Must be linked from	• / • /success-stories/
External links to	• Trustpilot / Google Business Profile (if syndicating third-party reviews)
Primary CTA	Get Started
Secondary CTA	Read Full Success Stories
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_reviews_get_started | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Trust layer (sitewide), page_type=core_or_trust, funnel_stage=bofu, micro_intent=C-5, launch_phase=1; internal_link_click on all in-content links
Priority	Next
Next.js route	app/reviews/page.tsx
On-page SEO notes	• AggregateRating schema for review-star rich results • Avoid duplicate review schema also firing on homepage — pick one canonical source
Off-page SEO notes	• Encourage patients to also review on Google/Trustpilot — off-site reviews support local/branded SERP trust panels
Book Three corrections	• None: matches Book Three rules.

28.6 Success Stories

Field	Value
URL	/success-stories/
Breadcrumb	Home > Success Stories
Page Type	Core Page — Social Proof
Silo	Trust layer (sitewide)
Hub role	Standalone (linked from nav/footer)
Parent	/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Ongo Weight Loss (organization)
Funnel stage	BOFU
Search intent (macro)	Trust / emotional conversion support
Micro-intent	C-5 Trust check
Primary keyword	ongo weight loss success stories
Secondary keywords	real patient weight loss results, glp-1 before and after
Meta title	Real Patient Success Stories | Ongo Weight Loss
Meta description	Long-form patient journeys — starting point, treatment path, and outcome — from real Ongo patients.
Target word count	150–300 words per story, 5-8 stories at launch
Content outline	• 3-5 sentence narrative arc per story: starting point > what they tried > current status • Explicit 'results not typical / individual results vary' disclosure on every story, not just once in a footer • Distinct from /reviews/ — this is long-form narrative, not star ratings • Diversity of body types, starting points, and vertical (not all GLP-1 — include Longevity/Men's/Women's stories over time)
Required disclaimer	Individual-results-vary disclosure on every single story block, plus signed release on file
Schema type	Article (per story) + ImageObject if before/after images used
Healthcare professional	N/A (patient narrative; Medical Director reviews any clinical claims embedded in the story)
Proofreader / reviewer	Compliance/Legal — written consent + HIPAA release on file for every story published
YMYL sensitivity	Clear YMYL — High (before/after imagery and outcome claims are heavily regulated in health marketing)

Field	Value
Internal links to	• /reviews/ • /services/weight-loss/ • /services/glp-1/
Must be linked from	• / • /reviews/
External links to	• None specified.
Primary CTA	Get Started
Secondary CTA	Check If You Qualify
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_successstories_get_started | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Trust layer (sitewide), page_type=core_or_trust, funnel_stage=bofu, micro_intent=C-5, launch_phase=1; internal_link_click on all in-content links
Priority	Next
Next.js route	app/success-stories/page.tsx
On-page SEO notes	• Each story as its own Article schema block if long enough to stand alone • Alt text on before/after images describing content factually, not promotionally
Off-page SEO notes	• Strong asset for press/PR pitches and influencer partnership content — always link back here
Book Three corrections	• None: matches Book Three rules.

Section: Portal — Onboarding, Booking & Intake (Not Indexed)

28.7 Onboarding Portal

Field	Value
URL	/weightloss-onboard/
Breadcrumb	Home > Onboarding Portal
Page Type	Portal Entry Point — universal, all 4 verticals
Silo	Portal
Hub role	Portal (outside the content architecture)
Parent	/
Launch phase	1
Index status	Permanent noindex (PHI and payment)
Primary entity	Ongo Weight Loss (organization)
Funnel stage	BOFU (post-decision — visitor already clicked a Get Started CTA elsewhere)
Search intent (macro)	Transactional — booking, intake, and payment. This is a product/app flow, not a content page.
Micro-intent	T-3 Book consultation
Primary keyword	N/A — noindexed, not an SEO asset
Secondary keywords	—
Meta title	N/A — noindex, nofollow
Meta description	N/A
Target word count	N/A — UI/flow, not long-form content; microcopy only
Content outline	• Step 0 — Vertical selector: Weight Loss / Longevity / Men's Health / Women's Health (arrives pre-selected if the user clicked a vertical-specific CTA; otherwise asks) • Step 1 — Account creation or login (link over to /weightloss-onboard/login/ for returning patients) • Step 2 — Intake form: health history, current medications, relevant labs if available, state of residence (licensure/eligibility check) • Step 3 — Appointment booking: calendar, provider assignment or selection depending on your model • Step 4 — Payment: plan selection, payment method, clear display of what's billed today vs. recurring • Step 5 — Confirmation + what happens next (provider review timeline, how they'll be contacted) • Persistent progress indicator across steps — abandonment at any step should be resumable, not restart-from-zero • Every step States clearly this is a secure, HIPAA-compliant environment separate from the public site

Field	Value
Required disclaimer	Full consent-to-telehealth flow must be completed and logged before any provider review; payment does not guarantee a prescription — restate at the payment step specifically, not just once at the start
Schema type	None — noindex this entire subtree in robots.txt and via <meta name="robots" content="noindex,nofollow">
Healthcare professional	Medical Director + Compliance Officer (intake form content, consent language)
Proofreader / reviewer	Legal counsel (payment/consent flows) + Product/Ops Lead (UX)
YMYL sensitivity	Clear YMYL — High (collects health information and payment; HIPAA and PCI-relevant even though not search-facing)
Internal links to	• /weightloss-onboard/login/ • /policies/consent-to-telehealth/ • /policies/notice-of-privacy-practices/ • /policies/refund-policy/
Must be linked from	• / • /how-it-works/ • /weightloss-onboard/login/
External links to	• None specified.
Primary CTA	Continue
Secondary CTA	Already have an account? Log in
CTA destination	N/A — this page is the destination
GA4 / GTM event	portal_step_view (param: step_name, vertical) / portal_signup_complete / portal_payment_complete — funnel these as a explicit multi-step GA4 funnel report, separate from the marketing-site CTA events
Tracking notes	portal_* events only (step names, never answers); no page_meta health fields
Priority	Now
Next.js route	app/weightloss-onboard/page.tsx (or a client-heavy multi-step flow — likely (portal) route group with its own layout.tsx, separate from the marketing site's layout, since nav/footer needs differ)
On-page SEO notes	• N/A — noindexed • Ensure robots.txt disallows /weightloss-onboard/ AND the meta robots tag is present, redundantly — belt and suspenders on a subdirectory this sensitive
Off-page SEO notes	• N/A — never a link-building target; do not let any external content link directly into a mid-flow step, only to the top-level entry
Book Three corrections	• Keep the permanent noindex (meta robots / X-Robots-Tag). Note: if robots.txt also disallows the folder, Google can't read the noindex; decide with the developer whether to rely on noindex alone (Chapter 14).

28.8 Patient Login

Field	Value
URL	/weightloss-onboard/login/
Breadcrumb	Home > Onboarding Portal > Patient Login
Page Type	Portal Entry Point — returning patient login
Silo	Portal
Hub role	Portal (outside the content architecture)
Parent	/weightloss-onboard/
Launch phase	1
Index status	Permanent noindex (PHI and payment)
Primary entity	Ongo Weight Loss (organization)
Funnel stage	N/A — retention/servicing, not acquisition
Search intent (macro)	Transactional — authentication only
Micro-intent	N-2 Login
Primary keyword	N/A — noindexed, not an SEO asset
Secondary keywords	—
Meta title	N/A — noindex, nofollow
Meta description	N/A
Target word count	N/A — UI/flow, microcopy only
Content outline	• Standard email/password (or SSO) login form • Forgot password flow • Link back to /weightloss-onboard/ for new-patient signup, clearly labeled so returning vs. new patients don't cross paths confused • Consider MFA given the sensitivity of what's behind the login (PHI, payment methods on file)
Required disclaimer	Standard account security notice
Schema type	None — noindex
Healthcare professional	N/A
Proofreader / reviewer	Security/Compliance review (auth flow, password policy, MFA if applicable)
YMYL sensitivity	Clear YMYL — High (gateway to PHI)
Internal links to	• /weightloss-onboard/ • /contact/
Must be linked from	• /weightloss-onboard/

Field	Value
External links to	• None specified.
Primary CTA	Log In
Secondary CTA	New patient? Start here
CTA destination	Post-login: patient dashboard (out of scope for this playbook — product spec, not content/SEO)
GA4 / GTM event	portal_login_success / portal_login_failed
Tracking notes	portal_* events only (step names, never answers); no page_meta health fields
Priority	Now
Next.js route	app/weightloss-onboard/login/page.tsx
On-page SEO notes	• N/A — noindexed
Off-page SEO notes	• N/A
Book Three corrections	• Keep the permanent noindex (meta robots / X-Robots-Tag). Note: if robots.txt also disallows the folder, Google can't read the noindex; decide with the developer whether to rely on noindex alone (Chapter 14).

Section: Services — Hubs Overview

28.9 Services

Field	Value
URL	/services/
Breadcrumb	Home > Services
Page Type	Service Hub (top-level)
Silo	Core
Hub role	Hub
Parent	/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Ongo Weight Loss (organization)
Funnel stage	TOFU
Search intent (macro)	Navigational / commercial overview
Micro-intent	C-4 Provider evaluation
Primary keyword	ongo weight loss services
Secondary keywords	telehealth services, medical weight loss and hormone therapy
Meta title	Our Services | Weight Loss, Longevity, Men's & Women's Health
Meta description	Explore Ongo's four care pathways: Weight Loss, Longevity & Anti-Aging, Men's Health, and Women's Health.
Target word count	250–400 words
Content outline	• Four vertical cards: Weight Loss, Longevity & Anti-Aging, Men's Health, Women's Health — short blurb + link each • No medication-level detail here — this page routes, it doesn't sell • Brief 'why Ongo' trust strip (licensed providers, named medical team link)
Required disclaimer	Standard footer disclaimer only
Schema type	CollectionPage
Healthcare professional	Medical Director (vertical positioning accuracy)
Proofreader / reviewer	Editorial Lead
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/weight-loss/ • /services/longevity-anti-aging/ • /services/mens-health/ • /services/womens-health/

Field	Value
Must be linked from	• /
External links to	• None specified.
Primary CTA	Explore Weight Loss
Secondary CTA	See All Services
CTA destination	N/A — internal navigation to /services/weight-loss/, not a portal handoff
GA4 / GTM event	cta_services_vertical_click (parameterized by vertical)
Tracking notes	page_meta: silo=Core, page_type=service_hub, funnel_stage=tofu, micro_intent=C-4, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/services/page.tsx
On-page SEO notes	• Keep this page short and link-dense — it exists to distribute authority to the four vertical hubs, not to rank on its own
Off-page SEO notes	• Low priority — not a link-building target
Book Three corrections	• None: matches Book Three rules.

Section: Services — Weight Loss Vertical

28.10 Weight Loss

Field	Value
URL	/services/weight-loss/
Breadcrumb	Home > Services > Weight Loss
Page Type	Service Hub (vertical umbrella)
Silo	Weight Loss
Hub role	Sub-hub
Parent	/services/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Weight loss / medical weight management
Funnel stage	TOFU/MOFU
Search intent (macro)	Commercial, pre-decision ('how do I lose weight')
Micro-intent	C-4 Provider evaluation
Primary keyword	medical weight loss program
Secondary keywords	online weight loss clinic, weight loss doctor near me (localize if applicable), prescription weight loss program
Meta title	Medical Weight Loss Program | GLP-1, Nutrition & Fitness | Ongo
Meta description	A complete weight loss program — GLP-1 medication, nutrition coaching, and fitness plans — built around your goals.
Target word count	900–1,300 words
Content outline	• 'Medication alone isn't a strategy' positioning — pairs GLP-1 with nutrition/fitness, does NOT go deep on drug-specific detail • Three-pathway strip: GLP-1 Medication / Nutrition Therapy / Guided Workout Plans, each linking to its own page • Generic 3-4 step 'how it works' at the program level (not GLP-1 dosing/titration specifics — that lives one level down) • General eligibility (broad BMI/age ranges only) • Program-level outcome stat with methodology footnote (sample size + as-of date) • Trust badge row directly under primary CTA • Named medical reviewer + review date • FAQ block: program-level only (cost, insurance, 'is this right for me') — NOT injection/side-effect FAQs, those live on /services/glp-1/
Required disclaimer	Medical-relationship disclaimer + 'results vary' outcome disclosure
Schema type	MedicalWebPage + FAQPage

Field	Value
Healthcare professional	Obesity-medicine-credentialed physician (ABOM if held) or Medical Director
Proofreader / reviewer	Editorial Lead + Medical reviewer
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/glp-1/ • /services/weight-loss/nutrition-therapy/ • /services/weight-loss/guided-workout-plans/ • /conditions/obesity/ • /tools/eligibility-checker/ • /blog/weight-loss/
Must be linked from	• / • /blog/weight-loss/ • /blog/weight-loss/how-much-weight-can-you-lose/ • /blog/weight-loss/how-to-lose-weight-safely/ • /blog/weight-loss/medical-weight-loss-guide/ • /blog/weight-loss/weight-loss-mistakes/ • /blog/weight-loss/why-am-i-not-losing-weight/ • /conditions/obesity/ • /conditions/overweight/ • /how-it-works/ • /reviews/ • /services/
External links to	• CDC.gov (obesity statistics) • NIH/NIDDK (weight management overview)
Primary CTA	Get Started
Secondary CTA	Check If You Qualify
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_weightloss_get_started / cta_weightloss_check_eligibility | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=service_hub, funnel_stage=tofu/mofu, micro_intent=C-4, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/services/weight-loss/page.tsx
On-page SEO notes	• This is the page that should rank for the broad 'weight loss program' term — do not let /services/glp-1/ compete for it • No duplicated section copy from /services/glp-1/ — same section labels, different content depth and angle
Off-page SEO notes	• Prime target for guest posts and PR anchored on the 'medication isn't a strategy alone' differentiation angle

Field	Value
Book Three corrections	• FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Any outcome numbers must name the brand product and trial studied (e.g. STEP 1, SURMOUNT-1) and never be attributed to compounded products (Book One, Chapter 5).

28.11 GLP-1 Medications

Field	Value
URL	/services/glp-1/
Breadcrumb	Home > Services > GLP-1 Medications
Page Type	Service Hub (medication pathway)
Silo	Weight Loss
Hub role	Sub-hub
Parent	/services/weight-loss/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	GLP-1 receptor agonists
Funnel stage	MOFU/BOFU
Search intent (macro)	Commercial, post-decision ('I want the medication route')
Micro-intent	C-4 Provider evaluation
Primary keyword	GLP-1 weight loss medication
Secondary keywords	ozempic vs wegovy, mounjaro vs zepbound, semaglutide vs tirzepatide, compounded vs brand name GLP-1
Meta title	GLP-1 Weight Loss Medications | Compare Semaglutide, Tirzepatide & More
Meta description	Compare GLP-1 options side by side and find the medication that fits your goals, with licensed provider guidance.
Target word count	1,000–1,400 words

Field	Value
Content outline	• Mechanism explainer at the drug-class level (what GLP-1 receptor agonists do) • Side-by-side comparison table grouped by active-ingredient family: Ozempic / Wegovy / Rybelsus (semaglutide) and Mounjaro / Zepbound (tirzepatide) and Liraglutide (Saxenda®/Victoza®) — each row shows brand, ingredient, FDA-approved use (on-label vs. off-label for weight loss), form factor, and dosing frequency — each row links to its brand page • This table absorbs the brand-vs-brand comparison search intent (e.g. 'Ozempic vs Wegovy') that a separate /compare/ section would otherwise have served — kept here rather than standing up a new content type • 'Which medication fits you' framing paragraph — personalization angle, not a hard sell on one drug • GLP-1-specific eligibility criteria (BMI thresholds, contraindications, age range) • Cost transparency block, linking to /tools/cost-calculator/ • Trust badge row under CTA • Outcome stats with methodology footnote — GLP-1-specific, not program-wide • FAQ block: injections vs. oral, side effects, shipping timeline, cancellation • Named medical reviewer + review date
Required disclaimer	Medical-relationship disclaimer + compounded-vs-brand-name sourcing disclosure (finalize wording with legal close to launch — regulatory target is moving)
Schema type	MedicalWebPage + Drug (ItemList of drugs) + FAQPage
Healthcare professional	Prescribing physician / NP (obesity medicine focus if available)
Proofreader / reviewer	Medical reviewer + Editorial Lead
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/weight-loss/ • /services/glp-1/compounded-semaglutide/ • /services/glp-1/compounded-tirzepatide/ • /tools/cost-calculator/ • /tools/eligibility-checker/ • /blog/glp-1/
Must be linked from	• /blog/glp-1/ • /blog/glp-1/glp-1-side-effects/ • /blog/glp-1/how-do-glp-1-medications-work/ • /blog/glp-1/how-long-do-glp-1-medications-take-to-work/ • /blog/glp-1/what-are-glp-1-medications/ • /blog/glp-1/who-can-take-glp-1-medications/ • /faq/ • /services/glp-1/compounded-semaglutide/ • /services/glp-1/compounded-tirzepatide/ • /services/glp-1/liraglutide/ • /services/glp-1/mounjaro/ • /services/glp-1/ozempic/

Field	Value
External links to	• FDA.gov (drug approval database) • NIH/PubMed (GLP-1 clinical trial data)
Primary CTA	Get Started with GLP-1
Secondary CTA	Check My Insurance
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_glp1_get_started / cta_glp1_check_insurance | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=service_hub, funnel_stage=mofu/bofu, micro_intent=C-4, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/services/glp-1/page.tsx
On-page SEO notes	• ItemList schema for the comparison table so it's AI-Overview/rich-result eligible • Breadcrumb links up to Weight Loss, not Services directly
Off-page SEO notes	• Target for comparison-content backlinks (roundups of 'best GLP-1 telehealth providers')
Book Three corrections	• Remove "Check My Insurance" (Ongo is self-pay). Replace with "Check Eligibility" and event cta_[pagegroup]_check_eligibility. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 1 launch rule: remove brand names (Wegovy, Ozempic, Rybelsus, Mounjaro, Zepbound) from commercial copy, keywords, meta and links on this page; point links at the compounded semaglutide and tirzepatide pages instead. Brand names may appear only in compliance-reviewed education with "Ongo does not offer this medication". • Any outcome numbers must name the brand product and trial studied (e.g. STEP 1, SURMOUNT-1) and never be attributed to compounded products (Book One, Chapter 5). • Phase 1 comparison table covers compounded semaglutide vs. compounded tirzepatide only (both labeled not FDA-approved); brand rows move to Phase 2 educational content. • Internal links to v3 brand or liraglutide pages were re-pointed to the compounded semaglutide / tirzepatide pages for Phase 1.

Section: Services — Weight Loss: Nutrition & Fitness

28.12 Nutrition Therapy

Field	Value
URL	/services/weight-loss/nutrition-therapy/
Breadcrumb	Home > Services > ... > Nutrition Therapy
Page Type	Service Sub-Page (bundled or add-on offering)
Silo	Weight Loss
Hub role	Spoke of /services/weight-loss/
Parent	/services/weight-loss/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Weight loss / medical weight management
Funnel stage	MOFU
Search intent (macro)	Commercial — supporting pathway, not the primary conversion driver
Micro-intent	T-1 Start treatment
Primary keyword	medical nutrition therapy for weight loss
Secondary keywords	online medical nutrition therapy for weight loss, medical nutrition therapy for weight loss program
Meta title	Nutrition Therapy | Ongo Weight Loss
Meta description	Registered-dietitian-led nutrition plans personalized to the patient's medication protocol, labs, and lifestyle — a real clinical service, not generic diet advice. Available standalone or bundled with GLP-1 treatment.
Target word count	600–900 words
Content outline	• Registered-dietitian-led nutrition plans personalized to the patient's medication protocol, labs, and lifestyle — a real clinical service, not generic diet advice. • Clarify up front whether this is bundled into every plan or a separate purchase — this changes whether the page needs its own checkout CTA or just an informational + 'included in your plan' framing • Named provider credential (RD/RDN or exercise physiologist) — matches the FuturHealth 'named specialist' pattern from the original competitor audit • How it integrates with GLP-1 treatment specifically, for patients doing both • FAQ: is this required, can I do this without medication, how is progress tracked
Required disclaimer	Medical-relationship disclaimer; note that this service supplements, not replaces, medical treatment
Schema type	MedicalWebPage + Service
Healthcare professional	Registered Dietitian (RD/RDN)

Field	Value
Proofreader / reviewer	Medical reviewer + Editorial Lead
YMYL sensitivity	Moderate
Internal links to	• /services/weight-loss/ • /services/glp-1/ • /tools/calorie-calculator/ • /blog/weight-loss/
Must be linked from	• /services/weight-loss/
External links to	• Academy of Nutrition and Dietetics
Primary CTA	Add to My Plan
Secondary CTA	Learn More
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_nutrition_therapy_add_to_plan | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=money_page, funnel_stage=mofu, micro_intent=T-1, launch_phase=1; internal_link_click on all in-content links
Priority	Next
Next.js route	app/services/weight-loss/nutrition-therapy/page.tsx (static — sibling to guided-workout-plans, both nested directly under the weight-loss route, no dynamic param needed for just two pages)
On-page SEO notes	• Distinct register from sibling page — nutrition content can read more clinical, fitness content more approachable, per the brand-voice discussion already had on these two slugs
Off-page SEO notes	• Registered dietitian byline is a legitimate authority signal for outreach to nutrition-focused publications
Book Three corrections	• None: matches Book Three rules.

28.13 Guided Workout Plans

Field	Value
URL	/services/weight-loss/guided-workout-plans/
Breadcrumb	Home > Services > ... > Guided Workout Plans
Page Type	Service Sub-Page (bundled or add-on offering)
Silo	Weight Loss
Hub role	Spoke of /services/weight-loss/
Parent	/services/weight-loss/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Weight loss / medical weight management
Funnel stage	MOFU
Search intent (macro)	Commercial — supporting pathway, not the primary conversion driver
Micro-intent	T-1 Start treatment
Primary keyword	guided exercise plans for weight loss
Secondary keywords	online guided exercise plans for weight loss, guided exercise plans for weight loss program
Meta title	Guided Workout Plans | Ongo Weight Loss
Meta description	Structured, personalized fitness programming that accounts for the patient's current activity level, mobility, and weight-loss treatment plan. Available standalone or bundled with GLP-1 treatment.
Target word count	600–900 words
Content outline	• Structured, personalized fitness programming that accounts for the patient's current activity level, mobility, and weight-loss treatment plan. • Clarify up front whether this is bundled into every plan or a separate purchase — this changes whether the page needs its own checkout CTA or just an informational + 'included in your plan' framing • Named provider credential (RD/RDN or exercise physiologist) — matches the FuturHealth 'named specialist' pattern from the original competitor audit • How it integrates with GLP-1 treatment specifically, for patients doing both • FAQ: is this required, can I do this without medication, how is progress tracked
Required disclaimer	Medical-relationship disclaimer; note that this service supplements, not replaces, medical treatment
Schema type	MedicalWebPage + Service
Healthcare professional	Exercise Physiologist or certified fitness professional, supervised by Medical Director
Proofreader / reviewer	Medical reviewer + Editorial Lead

Field	Value
YMYL sensitivity	Moderate
Internal links to	• /services/weight-loss/ • /services/glp-1/ • /tools/body-fat-calculator/ • /blog/weight-loss/
Must be linked from	• /services/weight-loss/
External links to	• ACSM (American College of Sports Medicine) guidelines
Primary CTA	Add to My Plan
Secondary CTA	Learn More
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_guided_workout_plans_add_to_plan | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=money_page, funnel_stage=mofu, micro_intent=T-1, launch_phase=1; internal_link_click on all in-content links
Priority	Next
Next.js route	app/services/weight-loss/guided-workout-plans/page.tsx (static)
On-page SEO notes	• Distinct register from sibling page — nutrition content can read more clinical, fitness content more approachable, per the brand-voice discussion already had on these two slugs
Off-page SEO notes	• Registered dietitian byline is a legitimate authority signal for outreach to nutrition-focused publications Part II Treatment & Medication Pages
Book Three corrections	• None: matches Book Three rules.

Section: Weight Loss — GLP-1 Medication Pages

28.14 Compounded Semaglutide

Field	Value
URL	/services/glp-1/compounded-semaglutide/
Breadcrumb	Home > Services > Weight Loss > GLP-1 > Compounded Semaglutide
Page Type	Treatment / Medication Money Page (Phase 1)
Silo	Weight Loss
Hub role	Spoke of /services/glp-1/
Parent	/services/glp-1/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Semaglutide
Funnel stage	BOFU
Search intent (macro)	Transactional, commercial
Micro-intent	T-1 Start treatment
Primary keyword	compounded semaglutide
Secondary keywords	compounded semaglutide online, compounded semaglutide cost, compounded semaglutide side effects, how does semaglutide work
Meta title	Compounded Semaglutide Online | Licensed Providers | Ongo
Meta description	Compounded semaglutide prescribed by licensed U.S. providers when appropriate. Not FDA-approved. Clear pricing, ongoing support.
Target word count	1,000–1,400 words

Field	Value
Content outline	• H1 + short mechanism explainer: Mimics the GLP-1 hormone to slow gastric emptying, increase satiety, and support insulin regulation. • How it works — 3-step process (consult > prescription if eligible > ongoing monitoring) • Plain-language eligibility criteria (explicit contraindications, age range) • Cost transparency block — what's included vs. billed separately, linking to /tools/cost-calculator/ • Trust badge row directly under the primary CTA • Outcome stats with a methodology footnote (sample size + date) — never a bare percentage • Objection-handling FAQ block (side effects, timeline, cancellation, shipping) • Named medical reviewer + review date • Medical-relationship / compliance disclaimer stated on-page, not buried in Terms • Above the fold: "Compounded semaglutide is not FDA-approved" disclosure and "Prepared by a licensed U.S. partner pharmacy" • Eligibility criteria and contraindications (Book One, Chapters 6 and 20) • Price and what's included, linking to /pricing/ (one source of truth) • Named medical reviewer + review date; trust badge row under the primary CTA
Required disclaimer	Compounded medications are not FDA-approved and have not been evaluated by the FDA for safety, effectiveness or quality + medical-relationship disclaimer (payment does not guarantee a prescription) + compliance sign-off on all outcome claims.
Schema type	MedicalWebPage (about: Drug, active ingredient semaglutide) + BreadcrumbList
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Medical reviewer + Editorial Lead
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/glp-1/ • /services/glp-1/compounded-tirzepatide/ • /pricing/ • /tools/eligibility-checker/ • /tools/cost-calculator/ • /blog/semaglutide/ • /how-it-works/ • /policies/consent-to-telehealth/ • /medical-team/[reviewer]/
Must be linked from	• /blog/semaglutide/ • /blog/semaglutide/how-does-semaglutide-work/ • /blog/semaglutide/how-long-does-semaglutide-take-to-work/ • /blog/semaglutide/semaglutide-side-effects/ • /blog/semaglutide/semaglutide-vs-tirzepatide/ • /blog/semaglutide/semaglutide-weight-loss-results/ • /pricing/ • /services/glp-1/ • /services/glp-1/compounded-tirzepatide/

Field	Value
External links to	• FDA: "FDA's concerns with unapproved GLP-1 drugs used for weight loss" and compounding law pages • Peer-reviewed sources for mechanism (no brand outcome claims)
Primary CTA	Get Started
Secondary CTA	Check Eligibility
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_semaglutide_get_started / cta_semaglutide_check_eligibility | fires exit_to_portal
Tracking notes	page_meta: silo=Weight Loss, page_type=money_page, funnel_stage=bofu, micro_intent=T-1, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/services/glp-1/[slug]/page.tsx (slugs: compounded-semaglutide, compounded-tirzepatide)
On-page SEO notes	• Self-referencing canonical; owns the primary keyword "compounded semaglutide" • No brand drug names in title, H1, meta, URL or schema (launch-phase rule) • Reviewer + last-updated date visible
Off-page SEO notes	• Earn links via the GLP-1 hub and tools first; avoid exact-match anchors (Book Two, Chapter 14)
Book Three corrections	• New in Book Three: replaces v3's brand pages as the Phase 1 money pages; matches the live URL. • Any outcome numbers must name the brand product and trial studied (e.g. STEP 1, SURMOUNT-1) and never be attributed to compounded products (Book One, Chapter 5).

28.15 Compounded Tirzepatide

Field	Value
URL	/services/glp-1/compounded-tirzepatide/
Breadcrumb	Home > Services > Weight Loss > GLP-1 > Compounded Tirzepatide
Page Type	Treatment / Medication Money Page (Phase 1)
Silo	Weight Loss
Hub role	Spoke of /services/glp-1/
Parent	/services/glp-1/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Tirzepatide
Funnel stage	BOFU
Search intent (macro)	Transactional, commercial
Micro-intent	T-1 Start treatment
Primary keyword	compounded tirzepatide
Secondary keywords	compounded tirzepatide online, compounded tirzepatide cost, compounded tirzepatide side effects, how does tirzepatide work
Meta title	Compounded Tirzepatide Online | Licensed Providers | Ongo
Meta description	Compounded tirzepatide prescribed by licensed U.S. providers when appropriate. Not FDA-approved. Clear pricing, ongoing support.
Target word count	1,000–1,400 words

Field	Value
Content outline	• H1 + short mechanism explainer: Activates both GIP and GLP-1 receptors — a dual-hormone mechanism associated with strong outcome data. • How it works — 3-step process (consult > prescription if eligible > ongoing monitoring) • Plain-language eligibility criteria (explicit contraindications, age range) • Cost transparency block — what's included vs. billed separately, linking to /tools/cost-calculator/ • Trust badge row directly under the primary CTA • Outcome stats with a methodology footnote (sample size + date) — never a bare percentage • Objection-handling FAQ block (side effects, timeline, cancellation, shipping) • Named medical reviewer + review date • Medical-relationship / compliance disclaimer stated on-page, not buried in Terms • Above the fold: "Compounded tirzepatide is not FDA-approved" disclosure and "Prepared by a licensed U.S. partner pharmacy" • Eligibility criteria and contraindications (Book One, Chapters 6 and 20) • Price and what's included, linking to /pricing/ (one source of truth) • Named medical reviewer + review date; trust badge row under the primary CTA
Required disclaimer	Compounded medications are not FDA-approved and have not been evaluated by the FDA for safety, effectiveness or quality + medical-relationship disclaimer (payment does not guarantee a prescription) + compliance sign-off on all outcome claims.
Schema type	MedicalWebPage (about: Drug, active ingredient tirzepatide) + BreadcrumbList
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Medical reviewer + Editorial Lead
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/glp-1/ • /services/glp-1/compounded-semaglutide/ • /pricing/ • /tools/eligibility-checker/ • /tools/cost-calculator/ • /blog/tirzepatide/ • /how-it-works/ • /policies/consent-to-telehealth/ • /medical-team/[reviewer]/
Must be linked from	• /blog/tirzepatide/ • /blog/tirzepatide/how-does-tirzepatide-work/ • /blog/tirzepatide/how-long-does-tirzepatide-take-to-work/ • /blog/tirzepatide/tirzepatide-side-effects/ • /blog/tirzepatide/tirzepatide-vs-semaglutide/ • /blog/tirzepatide/tirzepatide-weight-loss-results/ • /pricing/ • /services/glp-1/ • /services/glp-1/compounded-semaglutide/

Field	Value
External links to	• FDA: "FDA's concerns with unapproved GLP-1 drugs used for weight loss" and compounding law pages • Peer-reviewed sources for mechanism (no brand outcome claims)
Primary CTA	Get Started
Secondary CTA	Check Eligibility
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_tirzepatide_get_started / cta_tirzepatide_check_eligibility | fires exit_to_portal
Tracking notes	page_meta: silo=Weight Loss, page_type=money_page, funnel_stage=bofu, micro_intent=T-1, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/services/glp-1/[slug]/page.tsx (slugs: compounded-semaglutide, compounded-tirzepatide)
On-page SEO notes	• Self-referencing canonical; owns the primary keyword "compounded tirzepatide" • No brand drug names in title, H1, meta, URL or schema (launch-phase rule) • Reviewer + last-updated date visible
Off-page SEO notes	• Earn links via the GLP-1 hub and tools first; avoid exact-match anchors (Book Two, Chapter 14)
Book Three corrections	• New in Book Three: replaces v3's brand pages as the Phase 1 money pages; matches the live URL. • Any outcome numbers must name the brand product and trial studied (e.g. STEP 1, SURMOUNT-1) and never be attributed to compounded products (Book One, Chapter 5).

28.16 Ozempic®

Field	Value
URL	/services/glp-1/ozempic/
Breadcrumb	Home > Services > ... > Ozempic®
Page Type	Treatment / Medication Spoke Page
Silo	Weight Loss
Hub role	Spoke of /services/glp-1/
Parent	/services/glp-1/
Launch phase	2 (educational only)
Index status	Noindexed until Phase 2 compliance sign-off
Primary entity	Ozempic (brand; education only)
Funnel stage	MOFU (educational; no conversion)
Search intent (macro)	Commercial, transactional
Micro-intent	I-1 Definition / C-1 Option comparison (education only)
Primary keyword	ozempic for weight loss
Secondary keywords	ozempic side effects, ozempic cost, how does ozempic work, is ozempic fda-approved for weight loss
Meta title	Ozempic Treatment Online | Licensed Providers | Ongo
Meta description	Get Ozempic through Ongo — licensed provider consult, transparent pricing, and ongoing support.
Target word count	1,000–1,400 words

Field	Value
Content outline	• H1 + short mechanism explainer: Mimics the GLP-1 hormone to slow gastric emptying, increase satiety, and support insulin regulation. • Prominent off-label disclosure stated above the fold: “Ozempic® is FDA-approved for the treatment of type 2 diabetes. When prescribed by Ongo’s providers for weight management, this represents an off-label use — a common and legal medical practice.” • “Ozempic® is a registered trademark of Novo Nordisk. Ongo is not affiliated with or endorsed by Novo Nordisk.” • How it works — 3-step process (consult > prescription if eligible > ongoing monitoring) • Brief comparison callout vs. Wegovy — same active ingredient (semaglutide), different FDA-approved use and dose — linking to Wegovy's page so patients understand the relationship • Plain-language eligibility criteria (explicit contraindications, age range) • Cost transparency block — what's included vs. billed separately, linking to /tools/cost-calculator/ • Trust badge row directly under the primary CTA • Outcome stats with a methodology footnote (sample size + date) — never a bare percentage • Objection-handling FAQ block including ‘Is Ozempic FDA-approved for weight loss?’ as its own entry, addressed head-on rather than avoided • Named medical reviewer + review date • Medical-relationship / compliance disclaimer stated on-page, not buried in Terms
Required disclaimer	Off-label use disclosure (FDA-approved for type 2 diabetes; prescribed here for weight management is off-label) + medical-relationship disclaimer + manufacturer non-affiliation disclaimer + compliance sign-off on all outcome claims.
Schema type	Drug + MedicalWebPage + FAQPage
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Medical reviewer + Editorial Lead
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/glp-1/ • /services/glp-1/wegovy/ • /tools/cost-calculator/ • /tools/eligibility-checker/ • /blog/semaglutide/
Must be linked from	• /services/glp-1/ • /services/glp-1/rybelsus/ • /services/glp-1/wegovy/
External links to	• FDA.gov (Ozempic prescribing information) + NIH/PubMed (semaglutide clinical trials)
Primary CTA	Get Started
Secondary CTA	Check My Insurance
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_ozempic_get_started | fires exit_to_portal (see Appendix C)

Field	Value
Tracking notes	page_meta: silo=Weight Loss, page_type=money_page, funnel_stage=mofu, micro_intent=I-1, launch_phase=2; internal_link_click on all in-content links
Priority	Now
Next.js route	app/services/glp-1/[drug]/page.tsx (dynamic segment — generateStaticParams for: ozempic, wegovy, rybelsus, mounjaro, zepbound, liraglutide)
On-page SEO notes	• Drug schema markup with active ingredient, dosage form, and administration route • Canonical, self-referencing — do not let this cannibalize /services/glp-1/'s comparison-table ranking
Off-page SEO notes	• Target drug-comparison roundups and 'best online GLP-1 provider' style content for backlinks
Book Three corrections	• Phase 2 educational page only. Remove "Get Started" for the brand and the brand CTA event; add "Ongo does not offer this medication" plus the non-affiliation line above the fold; meta title and description rewritten as educational; consider a non-commercial folder (Chapter 19). • Remove "Check My Insurance" (Ongo is self-pay). Replace with "Check Eligibility" and event cta_[pagegroup]_check_eligibility. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Any outcome numbers must name the brand product and trial studied (e.g. STEP 1, SURMOUNT-1) and never be attributed to compounded products (Book One, Chapter 5).

28.17 Wegovy®

Field	Value
URL	/services/glp-1/wegovy/
Breadcrumb	Home > Services > … > Wegovy®
Page Type	Treatment / Medication Spoke Page
Silo	Weight Loss
Hub role	Spoke of /services/glp-1/
Parent	/services/glp-1/
Launch phase	2 (educational only)
Index status	Noindexed until Phase 2 compliance sign-off
Primary entity	Wegovy (brand; education only)
Funnel stage	MOFU (educational; no conversion)
Search intent (macro)	Commercial, transactional
Micro-intent	I-1 Definition / C-1 Option comparison (education only)
Primary keyword	wegovy for weight loss
Secondary keywords	wegovy side effects, wegovy cost, how does wegovy work
Meta title	Wegovy Treatment Online | Licensed Providers | Ongo
Meta description	Get Wegovy through Ongo — licensed provider consult, transparent pricing, and ongoing support.
Target word count	1,000–1,400 words

Field	Value
Content outline	• H1 + short mechanism explainer: Mimics the GLP-1 hormone to slow gastric emptying, increase satiety, and support sustained weight loss. • On-label status stated above the fold: “Wegovy® is FDA-approved for chronic weight management in adults who meet BMI and health criteria.” — no off-label disclosure needed. • “Wegovy® is a registered trademark of Novo Nordisk. Ongo is not affiliated with or endorsed by Novo Nordisk.” • How it works — 3-step process (consult > prescription if eligible > ongoing monitoring) • Brief comparison callout vs. Ozempic — same active ingredient (semaglutide), different FDA-approved use and dose — linking to Ozempic's page so patients aren't confused by two drugs sharing one molecule • Plain-language eligibility criteria (explicit BMI thresholds, contraindications, age range) • Cost transparency block — what's included vs. billed separately, linking to /tools/cost-calculator/ • Trust badge row directly under the primary CTA • Outcome stats with a methodology footnote (sample size + date, e.g. pivotal trial data) — never a bare percentage • Objection-handling FAQ block (side effects, timeline, cancellation, shipping, injectable vs. the newer oral tablet) • Named medical reviewer + review date • Medical-relationship / compliance disclaimer stated on-page, not buried in Terms
Required disclaimer	Medical-relationship disclaimer + manufacturer non-affiliation disclaimer + compliance sign-off on all outcome claims. On-label — no off-label disclosure required.
Schema type	Drug + MedicalWebPage + FAQPage
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Medical reviewer + Editorial Lead
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/glp-1/ • /services/glp-1/ozempic/ • /tools/cost-calculator/ • /tools/eligibility-checker/ • /blog/semaglutide/
Must be linked from	• /services/glp-1/ • /services/glp-1/liraglutide/ • /services/glp-1/ozempic/ • /services/glp-1/rybelsus/
External links to	• FDA.gov (Wegovy prescribing information) + NIH/PubMed (semaglutide clinical trials)
Primary CTA	Get Started
Secondary CTA	Check My Insurance
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_wegovy_get_started | fires exit_to_portal (see Appendix C)

Field	Value
Tracking notes	page_meta: silo=Weight Loss, page_type=money_page, funnel_stage=mofu, micro_intent=I-1, launch_phase=2; internal_link_click on all in-content links
Priority	Now
Next.js route	app/services/glp-1/[drug]/page.tsx (dynamic segment — generateStaticParams for: ozempic, wegovy, rybelsus, mounjaro, zepbound, liraglutide)
On-page SEO notes	• Drug schema markup with active ingredient, dosage form, and administration route • Canonical, self-referencing — do not let this cannibalize /services/glp-1/'s comparison-table ranking
Off-page SEO notes	• Target drug-comparison roundups and 'best online GLP-1 provider' style content for backlinks
Book Three corrections	• Phase 2 educational page only. Remove "Get Started" for the brand and the brand CTA event; add "Ongo does not offer this medication" plus the non-affiliation line above the fold; meta title and description rewritten as educational; consider a non-commercial folder (Chapter 19). • Remove "Check My Insurance" (Ongo is self-pay). Replace with "Check Eligibility" and event cta_[pagegroup]_check_eligibility. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Any outcome numbers must name the brand product and trial studied (e.g. STEP 1, SURMOUNT-1) and never be attributed to compounded products (Book One, Chapter 5).

28.18 Rybelsus®

Field	Value
URL	/services/glp-1/rybelsus/
Breadcrumb	Home > Services > ... > Rybelsus®
Page Type	Treatment / Medication Spoke Page
Silo	Weight Loss
Hub role	Spoke of /services/glp-1/
Parent	/services/glp-1/
Launch phase	2 (educational only)
Index status	Noindexed until Phase 2 compliance sign-off
Primary entity	Rybelsus (brand; education only)
Funnel stage	MOFU (educational; no conversion)
Search intent (macro)	Commercial, transactional
Micro-intent	I-1 Definition / C-1 Option comparison (education only)
Primary keyword	rybelsus for weight loss
Secondary keywords	rybelsus side effects, rybelsus cost, how does rybelsus work, is rybelsus fda-approved for weight loss
Meta title	Rybelsus Treatment Online | Licensed Providers | Ongo
Meta description	Get Rybelsus through Ongo — licensed provider consult, transparent pricing, and ongoing support.
Target word count	1,000–1,400 words

Field	Value
Content outline	• H1 + short mechanism explainer: Oral semaglutide — same active ingredient as Ozempic/Wegovy, taken as a daily pill instead of a weekly injection. • Prominent off-label disclosure stated above the fold: “Rybelsus® is FDA-approved for the treatment of type 2 diabetes. When prescribed by Ongo’s providers for weight management, this represents an off-label use — a common and legal medical practice.” • “Rybelsus® is a registered trademark of Novo Nordisk. Ongo is not affiliated with or endorsed by Novo Nordisk.” • How it works — includes the specific administration requirement (fasting window, timing on an empty stomach) since this is a common and important patient question • Comparison callout vs. Wegovy's oral tablet and vs. injectable options — helps needle-averse patients understand where Rybelsus fits, and clarifies it is dosed lower than weight-management-indicated options • Plain-language eligibility criteria (explicit contraindications, age range) • Cost transparency block — what's included vs. billed separately, linking to /tools/cost-calculator/ • Trust badge row directly under the primary CTA • Outcome stats with a methodology footnote — honestly frames expected weight loss at diabetes-approved doses as more modest than weight-management-dosed brands • Objection-handling FAQ block including administration instructions and the off-label question directly • Named medical reviewer + review date • Medical-relationship / compliance disclaimer stated on-page, not buried in Terms
Required disclaimer	Off-label use disclosure (FDA-approved for type 2 diabetes; prescribed here for weight management is off-label) + medical-relationship disclaimer + manufacturer non-affiliation disclaimer + compliance sign-off on all outcome claims.
Schema type	Drug + MedicalWebPage + FAQPage
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Medical reviewer + Editorial Lead
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/glp-1/ • /services/glp-1/wegovy/ • /services/glp-1/ozempic/ • /tools/cost-calculator/ • /tools/eligibility-checker/ • /blog/semaglutide/
Must be linked from	• /services/glp-1/
External links to	• FDA.gov (Rybelsus prescribing information) + NIH/PubMed (semaglutide clinical trials)
Primary CTA	Get Started
Secondary CTA	Check My Insurance
CTA destination	/weightloss-onboard/

Field	Value
GA4 / GTM event	cta_rybelsus_get_started | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=money_page, funnel_stage=mofu, micro_intent=I-1, launch_phase=2; internal_link_click on all in-content links
Priority	Now
Next.js route	app/services/glp-1/[drug]/page.tsx (dynamic segment — generateStaticParams for: ozempic, wegovy, rybelsus, mounjaro, zepbound, liraglutide)
On-page SEO notes	• Drug schema markup with active ingredient, dosage form, and administration route • Canonical, self-referencing — do not let this cannibalize /services/glp-1/'s comparison-table ranking
Off-page SEO notes	• Target drug-comparison roundups and 'best online GLP-1 provider' style content for backlinks
Book Three corrections	• Phase 2 educational page only. Remove "Get Started" for the brand and the brand CTA event; add "Ongo does not offer this medication" plus the non-affiliation line above the fold; meta title and description rewritten as educational; consider a non-commercial folder (Chapter 19). • Remove "Check My Insurance" (Ongo is self-pay). Replace with "Check Eligibility" and event cta_[pagegroup]_check_eligibility. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Any outcome numbers must name the brand product and trial studied (e.g. STEP 1, SURMOUNT-1) and never be attributed to compounded products (Book One, Chapter 5).

28.19 Mounjaro®

Field	Value
URL	/services/glp-1/mounjaro/
Breadcrumb	Home > Services > ... > Mounjaro®
Page Type	Treatment / Medication Spoke Page
Silo	Weight Loss
Hub role	Spoke of /services/glp-1/
Parent	/services/glp-1/
Launch phase	2 (educational only)
Index status	Noindexed until Phase 2 compliance sign-off
Primary entity	Mounjaro (brand; education only)
Funnel stage	MOFU (educational; no conversion)
Search intent (macro)	Commercial, transactional
Micro-intent	I-1 Definition / C-1 Option comparison (education only)
Primary keyword	mounjaro for weight loss
Secondary keywords	mounjaro side effects, mounjaro cost, how does mounjaro work, is mounjaro fda-approved for weight loss
Meta title	Mounjaro Treatment Online | Licensed Providers | Ongo
Meta description	Get Mounjaro through Ongo — licensed provider consult, transparent pricing, and ongoing support.
Target word count	1,000–1,400 words

Field	Value
Content outline	• H1 + short mechanism explainer: A dual GLP-1/GIP receptor agonist that slows gastric emptying, increases satiety, and supports insulin regulation. • Prominent off-label disclosure stated above the fold: “Mounjaro® is FDA-approved for the treatment of type 2 diabetes. When prescribed by Ongo’s providers for weight management, this represents an off-label use — a common and legal medical practice.” • “Mounjaro® is a registered trademark of Eli Lilly. Ongo is not affiliated with or endorsed by Eli Lilly.” • How it works — 3-step process (consult > prescription if eligible > ongoing monitoring) • Brief comparison callout vs. Zepbound — same active ingredient (tirzepatide), different FDA-approved use — linking to Zepbound's page • Plain-language eligibility criteria (explicit contraindications, age range) • Cost transparency block — what's included vs. billed separately, linking to /tools/cost-calculator/ • Trust badge row directly under the primary CTA • Outcome stats with a methodology footnote (sample size + date) — never a bare percentage • Objection-handling FAQ block including ‘Is Mounjaro FDA-approved for weight loss?’ as its own entry • Named medical reviewer + review date • Medical-relationship / compliance disclaimer stated on-page, not buried in Terms
Required disclaimer	Off-label use disclosure (FDA-approved for type 2 diabetes; prescribed here for weight management is off-label) + medical-relationship disclaimer + manufacturer non-affiliation disclaimer + compliance sign-off on all outcome claims.
Schema type	Drug + MedicalWebPage + FAQPage
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Medical reviewer + Editorial Lead
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/glp-1/ • /services/glp-1/zepbound/ • /tools/cost-calculator/ • /tools/eligibility-checker/ • /blog/tirzepatide/
Must be linked from	• /services/glp-1/ • /services/glp-1/zepbound/
External links to	• FDA.gov (Mounjaro prescribing information) + NIH/PubMed (tirzepatide clinical trials)
Primary CTA	Get Started
Secondary CTA	Check My Insurance
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_mounjaro_get_started | fires exit_to_portal (see Appendix C)

Field	Value
Tracking notes	page_meta: silo=Weight Loss, page_type=money_page, funnel_stage=mofu, micro_intent=I-1, launch_phase=2; internal_link_click on all in-content links
Priority	Now
Next.js route	app/services/glp-1/[drug]/page.tsx (dynamic segment — generateStaticParams for: ozempic, wegovy, rybelsus, mounjaro, zepbound, liraglutide)
On-page SEO notes	• Drug schema markup with active ingredient, dosage form, and administration route • Canonical, self-referencing — do not let this cannibalize /services/glp-1/'s comparison-table ranking
Off-page SEO notes	• Target drug-comparison roundups and 'best online GLP-1 provider' style content for backlinks
Book Three corrections	• Phase 2 educational page only. Remove "Get Started" for the brand and the brand CTA event; add "Ongo does not offer this medication" plus the non-affiliation line above the fold; meta title and description rewritten as educational; consider a non-commercial folder (Chapter 19). • Remove "Check My Insurance" (Ongo is self-pay). Replace with "Check Eligibility" and event cta_[pagegroup]_check_eligibility. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Any outcome numbers must name the brand product and trial studied (e.g. STEP 1, SURMOUNT-1) and never be attributed to compounded products (Book One, Chapter 5).

28.20 Zepbound®

Field	Value
URL	/services/glp-1/zepbound/
Breadcrumb	Home > Services > ... > Zepbound®
Page Type	Treatment / Medication Spoke Page
Silo	Weight Loss
Hub role	Spoke of /services/glp-1/
Parent	/services/glp-1/
Launch phase	2 (educational only)
Index status	Noindexed until Phase 2 compliance sign-off
Primary entity	Zepbound (brand; education only)
Funnel stage	MOFU (educational; no conversion)
Search intent (macro)	Commercial, transactional
Micro-intent	I-1 Definition / C-1 Option comparison (education only)
Primary keyword	zepbound for weight loss
Secondary keywords	zepbound side effects, zepbound cost, how does zepbound work
Meta title	Zepbound Treatment Online | Licensed Providers | Ongo
Meta description	Get Zepbound through Ongo — licensed provider consult, transparent pricing, and ongoing support.
Target word count	1,000–1,400 words

Field	Value
Content outline	• H1 + short mechanism explainer: A dual GLP-1/GIP receptor agonist FDA-approved specifically for chronic weight management (and, for some patients, moderate-to-severe obstructive sleep apnea). • On-label status stated above the fold: “Zepbound® is FDA-approved for chronic weight management in adults who meet BMI and health criteria.” — no off-label disclosure needed. • “Zepbound® is a registered trademark of Eli Lilly. Ongo is not affiliated with or endorsed by Eli Lilly.” • How it works — 3-step process (consult > prescription if eligible > ongoing monitoring) • Brief comparison callout vs. Mounjaro — same active ingredient (tirzepatide), different FDA-approved use and dose — linking to Mounjaro's page • Plain-language eligibility criteria (explicit BMI thresholds, contraindications, age range; note the sleep-apnea co-indication as a secondary eligibility pathway) • Cost transparency block — what's included vs. billed separately, linking to /tools/cost-calculator/ • Trust badge row directly under the primary CTA • Outcome stats with a methodology footnote (sample size + date, e.g. pivotal trial data) — never a bare percentage • Objection-handling FAQ block (side effects, timeline, cancellation, shipping) • Named medical reviewer + review date • Medical-relationship / compliance disclaimer stated on-page, not buried in Terms
Required disclaimer	Medical-relationship disclaimer + manufacturer non-affiliation disclaimer + compliance sign-off on all outcome claims. On-label — no off-label disclosure required.
Schema type	Drug + MedicalWebPage + FAQPage
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Medical reviewer + Editorial Lead
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/glp-1/ • /services/glp-1/mounjaro/ • /tools/cost-calculator/ • /tools/eligibility-checker/ • /blog/tirzepatide/
Must be linked from	• /services/glp-1/ • /services/glp-1/liraglutide/ • /services/glp-1/mounjaro/
External links to	• FDA.gov (Zepbound prescribing information) + NIH/PubMed (tirzepatide clinical trials)
Primary CTA	Get Started
Secondary CTA	Check My Insurance
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_zepbound_get_started | fires exit_to_portal (see Appendix C)

Field	Value
Tracking notes	page_meta: silo=Weight Loss, page_type=money_page, funnel_stage=mofu, micro_intent=I-1, launch_phase=2; internal_link_click on all in-content links
Priority	Now
Next.js route	app/services/glp-1/[drug]/page.tsx (dynamic segment — generateStaticParams for: ozempic, wegovy, rybelsus, mounjaro, zepbound, liraglutide)
On-page SEO notes	• Drug schema markup with active ingredient, dosage form, and administration route • Canonical, self-referencing — do not let this cannibalize /services/glp-1/'s comparison-table ranking
Off-page SEO notes	• Target drug-comparison roundups and 'best online GLP-1 provider' style content for backlinks
Book Three corrections	• Phase 2 educational page only. Remove "Get Started" for the brand and the brand CTA event; add "Ongo does not offer this medication" plus the non-affiliation line above the fold; meta title and description rewritten as educational; consider a non-commercial folder (Chapter 19). • Remove "Check My Insurance" (Ongo is self-pay). Replace with "Check Eligibility" and event cta_[pagegroup]_check_eligibility. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Any outcome numbers must name the brand product and trial studied (e.g. STEP 1, SURMOUNT-1) and never be attributed to compounded products (Book One, Chapter 5).

28.21 Liraglutide (Saxenda® & Victoza®)

Field	Value
URL	/services/glp-1/liraglutide/
Breadcrumb	Home > Services > ... > Liraglutide (Saxenda® & Victoza®)
Page Type	Treatment / Medication Spoke Page (dual-brand)
Silo	Weight Loss
Hub role	Spoke of /services/glp-1/
Parent	/services/glp-1/
Launch phase	2 (educational only)
Index status	Noindexed until Phase 2 compliance sign-off
Primary entity	Liraglutide
Funnel stage	MOFU (educational; no conversion)
Search intent (macro)	Commercial, transactional
Micro-intent	I-1 Definition / C-1 Option comparison (education only)
Primary keyword	liraglutide for weight loss
Secondary keywords	saxenda vs victoza, liraglutide side effects, liraglutide cost, is victoza fda-approved for weight loss
Meta title	Liraglutide Treatment Online (Saxenda® & Victoza®) | Ongo
Meta description	Get liraglutide through Ongo — licensed provider consult, transparent pricing, and ongoing support. Covers both Saxenda® and Victoza®.
Target word count	1,400–1,800 words (covers two brand names on one page)

Field	Value
Content outline	• H1 + short mechanism explainer: Liraglutide is a once-daily GLP-1 receptor agonist sold under two brand names with different FDA-approved uses. • Dual disclosure stated prominently above the fold, clearly distinguishing the two: “Saxenda® is FDA-approved for chronic weight management. Victoza® is FDA-approved for type 2 diabetes; when prescribed for weight management, this represents an off-label use.” • “Saxenda® and Victoza® are registered trademarks of Novo Nordisk. Ongo is not affiliated with or endorsed by Novo Nordisk.” • How it works — note the once-daily injection schedule, which differs from the once-weekly semaglutide/tirzepatide brands — a real, practical differentiator worth surfacing plainly • Comparison callout vs. once-weekly options (Wegovy / Zepbound) for patients weighing daily vs. weekly dosing, linking to both • Plain-language eligibility criteria — separated by brand where the FDA-approved population differs • Cost transparency block — what's included vs. billed separately, linking to /tools/cost-calculator/ • Trust badge row directly under the primary CTA • Outcome stats with a methodology footnote (sample size + date, e.g. pivotal trial data for Saxenda) — never a bare percentage • Objection-handling FAQ block including ‘What's the difference between Saxenda and Victoza?’ as its own entry • Named medical reviewer + review date • Medical-relationship / compliance disclaimer stated on-page, not buried in Terms
Required disclaimer	Dual disclosure required — Saxenda® (on-label) vs. Victoza® (off-label for weight loss) must be clearly and separately labeled on-page + medical-relationship disclaimer + manufacturer non-affiliation disclaimer + compliance sign-off on all outcome claims.
Schema type	Drug + MedicalWebPage + FAQPage
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Medical reviewer + Editorial Lead
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/glp-1/ • /services/glp-1/wegovy/ • /services/glp-1/zepbound/ • /tools/cost-calculator/ • /tools/eligibility-checker/ • /blog/liraglutide/
Must be linked from	• /services/glp-1/ • /blog/liraglutide/ • /blog/liraglutide/how-does-liraglutide-work/ • /blog/liraglutide/liraglutide-side-effects/ • /blog/liraglutide/liraglutide-weight-loss-results/
External links to	• FDA.gov (Saxenda and Victoza prescribing information) + NIH/PubMed (liraglutide clinical trials)

Field	Value
Primary CTA	Get Started
Secondary CTA	Check My Insurance
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_liraglutide_get_started | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=money_page, funnel_stage=mofu, micro_intent=I-1, launch_phase=2; internal_link_click on all in-content links
Priority	Now
Next.js route	app/services/glp-1/[drug]/page.tsx (dynamic segment — generateStaticParams for: ozempic, wegovy, rybelsus, mounjaro, zepbound, liraglutide)
On-page SEO notes	• Drug schema markup — note both brand names (Saxenda, Victoza) in structured data, not just the active ingredient • Canonical, self-referencing — do not let this cannibalize /services/glp-1/'s comparison-table ranking
Off-page SEO notes	• Target drug-comparison roundups and 'best online GLP-1 provider' style content for backlinks
Book Three corrections	• Ongo does not offer liraglutide. Educational only, Phase 2; no conversion CTA; link to the GLP-1 hub with clear labeling. • Remove "Check My Insurance" (Ongo is self-pay). Replace with "Check Eligibility" and event cta_[pagegroup]_check_eligibility. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Any outcome numbers must name the brand product and trial studied (e.g. STEP 1, SURMOUNT-1) and never be attributed to compounded products (Book One, Chapter 5).

Section: Longevity & Anti-Aging — Treatment Pages

28.22 Rapamycin

Field	Value
URL	/services/longevity-anti-aging/rapamycin/
Breadcrumb	Home > Services > ... > Rapamycin
Page Type	Treatment / Medication Spoke Page
Silo	Longevity
Hub role	Spoke of /services/longevity-anti-aging/
Parent	/services/longevity-anti-aging/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Rapamycin
Funnel stage	BOFU
Search intent (macro)	Commercial, transactional
Micro-intent	T-1 Start treatment
Primary keyword	rapamycin treatment online
Secondary keywords	rapamycin side effects, rapamycin cost, how does rapamycin work
Meta title	Rapamycin Treatment Online | Licensed Providers | Ongo
Meta description	Get Rapamycin through Ongo — licensed provider consult, transparent pricing, and ongoing support.
Target word count	1,000–1,400 words
Content outline	• H1 + short mechanism explainer: Inhibits the mTOR pathway implicated in cellular aging in animal studies; longevity use in humans is off-label and evidence is still emerging. • How it works — 3-step process (consult > prescription if eligible > ongoing monitoring) • Plain-language eligibility criteria (explicit contraindications, age range) • Cost transparency block — what's included vs. billed separately, linking to /tools/cost-calculator/ • Trust badge row directly under the primary CTA • Outcome stats with a methodology footnote (sample size + date) — never a bare percentage • Objection-handling FAQ block (side effects, timeline, cancellation, shipping) • Named medical reviewer + review date • Medical-relationship / compliance disclaimer stated on-page, not buried in Terms
Required disclaimer	Medical-relationship disclaimer + compliance sign-off on all outcome claims. MUST explicitly disclose off-label status and that human longevity evidence is preliminary — highest compliance bar on the site.
Schema type	Drug + MedicalWebPage + FAQPage

Field	Value
Healthcare professional	Longevity/functional-medicine physician
Proofreader / reviewer	Medical reviewer + Editorial Lead — HIGHEST priority review
YMYL sensitivity	Clear YMYL — Highest scrutiny tier
Internal links to	• /services/longevity-anti-aging/ • /tools/cost-calculator/ • /tools/eligibility-checker/ • /blog/longevity/
Must be linked from	• /services/longevity-anti-aging/
External links to	• PubMed (mTOR inhibition / lifespan research, largely preclinical/animal models)
Primary CTA	Get Started
Secondary CTA	Book a Consult
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_rapamycin_get_started | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Longevity, page_type=money_page, funnel_stage=bofu, micro_intent=T-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/services/longevity-anti-aging/[drug]/page.tsx (dynamic segment — generateStaticParams for: rapamycin, nad, glutathione, sermorelin, methylene-blue)
On-page SEO notes	• Drug schema markup with active ingredient, dosage form, and administration route • Canonical, self-referencing — do not let this cannibalize /services/longevity-anti-aging/'s comparison-table ranking
Off-page SEO notes	• Lower near-term backlink priority than GLP-1 pages
Book Three corrections	• FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.23 NAD+

Field	Value
URL	/services/longevity-anti-aging/nad/
Breadcrumb	Home > Services > ... > NAD+
Page Type	Treatment / Medication Spoke Page
Silo	Longevity
Hub role	Spoke of /services/longevity-anti-aging/
Parent	/services/longevity-anti-aging/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	NAD+
Funnel stage	BOFU
Search intent (macro)	Commercial, transactional
Micro-intent	T-1 Start treatment
Primary keyword	nad+ treatment online
Secondary keywords	nad+ side effects, nad+ cost, how does nad+ work
Meta title	NAD+ Treatment Online | Licensed Providers | Ongo
Meta description	Get NAD+ through Ongo — licensed provider consult, transparent pricing, and ongoing support.
Target word count	1,000–1,400 words
Content outline	• H1 + short mechanism explainer: Supports cellular energy production pathways; marketed for recovery and cellular repair, with evidence still developing for anti-aging-specific claims. • How it works — 3-step process (consult > prescription if eligible > ongoing monitoring) • Plain-language eligibility criteria (explicit contraindications, age range) • Cost transparency block — what's included vs. billed separately, linking to /tools/cost-calculator/ • Trust badge row directly under the primary CTA • Outcome stats with a methodology footnote (sample size + date) — never a bare percentage • Objection-handling FAQ block (side effects, timeline, cancellation, shipping) • Named medical reviewer + review date • Medical-relationship / compliance disclaimer stated on-page, not buried in Terms
Required disclaimer	Medical-relationship disclaimer + compliance sign-off on all outcome claims. Avoid definitive anti-aging claims — frame as 'associated with' not 'proven to reverse'.
Schema type	Drug + MedicalWebPage + FAQPage

Field	Value
Healthcare professional	Longevity/functional-medicine physician
Proofreader / reviewer	Medical reviewer + Editorial Lead
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/longevity-anti-aging/ • /tools/cost-calculator/ • /tools/eligibility-checker/ • /blog/longevity/
Must be linked from	• /services/longevity-anti-aging/
External links to	• PubMed (NAD+ and cellular metabolism research)
Primary CTA	Get Started
Secondary CTA	Book a Consult
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_nad_get_started | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Longevity, page_type=money_page, funnel_stage=bofu, micro_intent=T-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/services/longevity-anti-aging/[drug]/page.tsx (dynamic segment — generateStaticParams for: rapamycin, nad, glutathione, sermorelin, methylene-blue)
On-page SEO notes	• Drug schema markup with active ingredient, dosage form, and administration route • Canonical, self-referencing — do not let this cannibalize /services/longevity-anti-aging/'s comparison-table ranking
Off-page SEO notes	• Lower near-term backlink priority than GLP-1 pages
Book Three corrections	• FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.24 Glutathione

Field	Value
URL	/services/longevity-anti-aging/glutathione/
Breadcrumb	Home > Services > ... > Glutathione
Page Type	Treatment / Medication Spoke Page
Silo	Longevity
Hub role	Spoke of /services/longevity-anti-aging/
Parent	/services/longevity-anti-aging/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Glutathione
Funnel stage	BOFU
Search intent (macro)	Commercial, transactional
Micro-intent	T-1 Start treatment
Primary keyword	glutathione treatment online
Secondary keywords	glutathione side effects, glutathione cost, how does glutathione work
Meta title	Glutathione Treatment Online | Licensed Providers | Ongo
Meta description	Get Glutathione through Ongo — licensed provider consult, transparent pricing, and ongoing support.
Target word count	1,000–1,400 words
Content outline	• H1 + short mechanism explainer: A naturally occurring antioxidant; used for general antioxidant support, with more evidence for aesthetic/detox-adjacent use than for longevity-specific outcomes. • How it works — 3-step process (consult > prescription if eligible > ongoing monitoring) • Plain-language eligibility criteria (explicit contraindications, age range) • Cost transparency block — what's included vs. billed separately, linking to /tools/cost-calculator/ • Trust badge row directly under the primary CTA • Outcome stats with a methodology footnote (sample size + date) — never a bare percentage • Objection-handling FAQ block (side effects, timeline, cancellation, shipping) • Named medical reviewer + review date • Medical-relationship / compliance disclaimer stated on-page, not buried in Terms
Required disclaimer	Medical-relationship disclaimer + compliance sign-off on all outcome claims. Be conservative on skin-brightening/detox claims — this is a heavily-marketed area with thin regulatory tolerance for overstatement.

Field	Value
Schema type	Drug + MedicalWebPage + FAQPage
Healthcare professional	Longevity/functional-medicine physician
Proofreader / reviewer	Medical reviewer + Editorial Lead
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/longevity-anti-aging/ • /tools/cost-calculator/ • /tools/eligibility-checker/ • /blog/longevity/
Must be linked from	• /services/longevity-anti-aging/
External links to	• PubMed (glutathione antioxidant research)
Primary CTA	Get Started
Secondary CTA	Book a Consult
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_glutathione_get_started | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Longevity, page_type=money_page, funnel_stage=bofu, micro_intent=T-1, launch_phase=3; internal_link_click on all in-content links
Priority	Later
Next.js route	app/services/longevity-anti-aging/[drug]/page.tsx (dynamic segment — generateStaticParams for: rapamycin, nad, glutathione, sermorelin, methylene-blue)
On-page SEO notes	• Drug schema markup with active ingredient, dosage form, and administration route • Canonical, self-referencing — do not let this cannibalize /services/longevity-anti-aging/'s comparison-table ranking
Off-page SEO notes	• Lower near-term backlink priority than GLP-1 pages
Book Three corrections	• FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.25 Sermorelin

Field	Value
URL	/services/longevity-anti-aging/sermorelin/
Breadcrumb	Home > Services > ... > Sermorelin
Page Type	Treatment / Medication Spoke Page
Silo	Longevity
Hub role	Spoke of /services/longevity-anti-aging/
Parent	/services/longevity-anti-aging/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Sermorelin
Funnel stage	BOFU
Search intent (macro)	Commercial, transactional
Micro-intent	T-1 Start treatment
Primary keyword	sermorelin treatment online
Secondary keywords	sermorelin side effects, sermorelin cost, how does sermorelin work
Meta title	Sermorelin Treatment Online | Licensed Providers | Ongo
Meta description	Get Sermorelin through Ongo — licensed provider consult, transparent pricing, and ongoing support.
Target word count	1,000–1,400 words
Content outline	• H1 + short mechanism explainer: Stimulates the body's own growth hormone production rather than supplying synthetic HGH directly. • How it works — 3-step process (consult > prescription if eligible > ongoing monitoring) • Plain-language eligibility criteria (explicit contraindications, age range) • Cost transparency block — what's included vs. billed separately, linking to /tools/cost-calculator/ • Trust badge row directly under the primary CTA • Outcome stats with a methodology footnote (sample size + date) — never a bare percentage • Objection-handling FAQ block (side effects, timeline, cancellation, shipping) • Named medical reviewer + review date • Medical-relationship / compliance disclaimer stated on-page, not buried in Terms
Required disclaimer	Medical-relationship disclaimer + compliance sign-off on all outcome claims. Distinguish clearly from synthetic HGH — a common patient point of confusion worth addressing directly in the FAQ.
Schema type	Drug + MedicalWebPage + FAQPage

Field	Value
Healthcare professional	Longevity/functional-medicine physician
Proofreader / reviewer	Medical reviewer + Editorial Lead
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/longevity-anti-aging/ • /tools/cost-calculator/ • /tools/eligibility-checker/ • /blog/longevity/
Must be linked from	• /services/longevity-anti-aging/
External links to	• PubMed (GHRH analog research)
Primary CTA	Get Started
Secondary CTA	Book a Consult
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_sermorelin_get_started | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Longevity, page_type=money_page, funnel_stage=bofu, micro_intent=T-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/services/longevity-anti-aging/[drug]/page.tsx (dynamic segment — generateStaticParams for: rapamycin, nad, glutathione, sermorelin, methylene-blue)
On-page SEO notes	• Drug schema markup with active ingredient, dosage form, and administration route • Canonical, self-referencing — do not let this cannibalize /services/longevity-anti-aging/'s comparison-table ranking
Off-page SEO notes	• Lower near-term backlink priority than GLP-1 pages
Book Three corrections	• FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.26 Methylene Blue

Field	Value
URL	/services/longevity-anti-aging/methylene-blue/
Breadcrumb	Home > Services > ... > Methylene Blue
Page Type	Treatment / Medication Spoke Page
Silo	Longevity
Hub role	Spoke of /services/longevity-anti-aging/
Parent	/services/longevity-anti-aging/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Methylene blue
Funnel stage	BOFU
Search intent (macro)	Commercial, transactional
Micro-intent	T-1 Start treatment
Primary keyword	methylene blue treatment online
Secondary keywords	methylene blue side effects, methylene blue cost, how does methylene blue work
Meta title	Methylene Blue Treatment Online | Licensed Providers | Ongo
Meta description	Get Methylene Blue through Ongo — licensed provider consult, transparent pricing, and ongoing support.
Target word count	1,000–1,400 words
Content outline	• H1 + short mechanism explainer: Explored off-label for mitochondrial and cognitive-function support; originally an antimalarial/methemoglobinemia treatment. • How it works — 3-step process (consult > prescription if eligible > ongoing monitoring) • Plain-language eligibility criteria (explicit contraindications, age range) • Cost transparency block — what's included vs. billed separately, linking to /tools/cost-calculator/ • Trust badge row directly under the primary CTA • Outcome stats with a methodology footnote (sample size + date) — never a bare percentage • Objection-handling FAQ block (side effects, timeline, cancellation, shipping) • Named medical reviewer + review date • Medical-relationship / compliance disclaimer stated on-page, not buried in Terms
Required disclaimer	Medical-relationship disclaimer + compliance sign-off on all outcome claims. MANDATORY drug-interaction warning: serotonin syndrome risk with SSRIs/SNRIs/MAOIs must be disclosed prominently, not buried — intake screening must catch this before prescribing.
Schema type	Drug + MedicalWebPage + FAQPage

Field	Value
Healthcare professional	Longevity/functional-medicine physician
Proofreader / reviewer	Medical reviewer + Editorial Lead — HIGHEST priority review
YMYL sensitivity	Clear YMYL — Highest scrutiny tier
Internal links to	• /services/longevity-anti-aging/ • /tools/cost-calculator/ • /tools/eligibility-checker/ • /blog/longevity/
Must be linked from	• /services/longevity-anti-aging/
External links to	• PubMed (methylene blue mitochondrial/cognitive research)
Primary CTA	Get Started
Secondary CTA	Book a Consult
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_methylene_blue_get_started | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Longevity, page_type=money_page, funnel_stage=bofu, micro_intent=T-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/services/longevity-anti-aging/[drug]/page.tsx (dynamic segment — generateStaticParams for: rapamycin, nad, glutathione, sermorelin, methylene-blue)
On-page SEO notes	• Drug schema markup with active ingredient, dosage form, and administration route • Canonical, self-referencing — do not let this cannibalize /services/longevity-anti-aging/'s comparison-table ranking
Off-page SEO notes	• Lower near-term backlink priority than GLP-1 pages
Book Three corrections	• FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

Section: Men's Health — Treatment Pages

28.27 Testosterone (TRT)

Field	Value
URL	/services/mens-health/testosterone-trt/
Breadcrumb	Home > Services > ... > Testosterone (TRT)
Page Type	Treatment / Medication Spoke Page
Silo	Men's Health
Hub role	Spoke of /services/mens-health/
Parent	/services/mens-health/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Testosterone
Funnel stage	BOFU
Search intent (macro)	Commercial, transactional
Micro-intent	T-1 Start treatment
Primary keyword	testosterone replacement therapy treatment online
Secondary keywords	testosterone replacement therapy side effects, testosterone replacement therapy cost, how does testosterone replacement therapy work
Meta title	Testosterone Replacement Therapy (TRT) Treatment Online | Licensed Providers | Ongo
Meta description	Get Testosterone Replacement Therapy through Ongo — licensed provider consult, transparent pricing, and ongoing support.
Target word count	1,000–1,400 words
Content outline	• H1 + short mechanism explainer: Replaces testosterone directly for men with clinically diagnosed low testosterone (hypogonadism), confirmed via lab work. • How it works — 3-step process (consult > prescription if eligible > ongoing monitoring) • Brief comparison callout vs. Enclomiphene, linking to each • Plain-language eligibility criteria (explicit contraindications, age range) • Cost transparency block — what's included vs. billed separately, linking to /tools/cost-calculator/ • Trust badge row directly under the primary CTA • Outcome stats with a methodology footnote (sample size + date) — never a bare percentage • Objection-handling FAQ block (side effects, timeline, cancellation, shipping) • Named medical reviewer + review date • Medical-relationship / compliance disclaimer stated on-page, not buried in Terms

Field	Value
Required disclaimer	Medical-relationship disclaimer + compliance sign-off on all outcome claims. Note fertility-suppression tradeoff vs. Enclomiphene — a genuine decision point, must be presented even-handedly.
Schema type	Drug + MedicalWebPage + FAQPage
Healthcare professional	Physician/NP with men's health or endocrinology focus
Proofreader / reviewer	Medical reviewer + Editorial Lead
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/mens-health/ • /tools/cost-calculator/ • /tools/eligibility-checker/ • /services/mens-health/enclomiphene/ • /conditions/low-testosterone/ • /blog/mens-health/
Must be linked from	• /conditions/low-testosterone/ • /services/mens-health/ • /services/mens-health/enclomiphene/
External links to	• Endocrine Society clinical guidelines + FDA.gov
Primary CTA	Get Started
Secondary CTA	Book a Consult
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_testosterone_trt_get_started | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Men's Health, page_type=money_page, funnel_stage=bofu, micro_intent=T-1, launch_phase=3; internal_link_click on all in-content links
Priority	Now
Next.js route	app/services/mens-health/[drug]/page.tsx (dynamic segment — generateStaticParams for: testosterone-trt, enclomiphene, oxytocin)
On-page SEO notes	• Drug schema markup with active ingredient, dosage form, and administration route • Canonical, self-referencing — do not let this cannibalize /services/mens-health/'s comparison-table ranking
Off-page SEO notes	• Lower near-term backlink priority than GLP-1 pages
Book Three corrections	• FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.28 Enclomiphene

Field	Value
URL	/services/mens-health/enclomiphene/
Breadcrumb	Home > Services > ... > Enclomiphene
Page Type	Treatment / Medication Spoke Page
Silo	Men's Health
Hub role	Spoke of /services/mens-health/
Parent	/services/mens-health/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Enclomiphene
Funnel stage	BOFU
Search intent (macro)	Commercial, transactional
Micro-intent	T-1 Start treatment
Primary keyword	enclomiphene treatment online
Secondary keywords	enclomiphene side effects, enclomiphene cost, how does enclomiphene work
Meta title	Enclomiphene Treatment Online | Licensed Providers | Ongo
Meta description	Get Enclomiphene through Ongo — licensed provider consult, transparent pricing, and ongoing support.
Target word count	1,000–1,400 words
Content outline	• H1 + short mechanism explainer: Stimulates the body's own testosterone production without the fertility suppression associated with direct TRT. • How it works — 3-step process (consult > prescription if eligible > ongoing monitoring) • Brief comparison callout vs. Testosterone-Trt, linking to each • Plain-language eligibility criteria (explicit contraindications, age range) • Cost transparency block — what's included vs. billed separately, linking to /tools/cost-calculator/ • Trust badge row directly under the primary CTA • Outcome stats with a methodology footnote (sample size + date) — never a bare percentage • Objection-handling FAQ block (side effects, timeline, cancellation, shipping) • Named medical reviewer + review date • Medical-relationship / compliance disclaimer stated on-page, not buried in Terms
Required disclaimer	Medical-relationship disclaimer + compliance sign-off on all outcome claims. Position explicitly as the fertility-preserving alternative — this is the page's core differentiator vs. TRT.
Schema type	Drug + MedicalWebPage + FAQPage

Field	Value
Healthcare professional	Physician/NP with men's health or endocrinology focus
Proofreader / reviewer	Medical reviewer + Editorial Lead
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/mens-health/ • /tools/cost-calculator/ • /tools/eligibility-checker/ • /services/mens-health/testosterone-trt/ • /conditions/low-testosterone/ • /blog/mens-health/
Must be linked from	• /services/mens-health/ • /services/mens-health/testosterone-trt/
External links to	• PubMed (enclomiphene fertility-preserving testosterone research)
Primary CTA	Get Started
Secondary CTA	Book a Consult
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_enclomiphene_get_started | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Men's Health, page_type=money_page, funnel_stage=bofu, micro_intent=T-1, launch_phase=3; internal_link_click on all in-content links
Priority	Now
Next.js route	app/services/mens-health/[drug]/page.tsx (dynamic segment — generateStaticParams for: testosterone-trt, enclomiphene, oxytocin)
On-page SEO notes	• Drug schema markup with active ingredient, dosage form, and administration route • Canonical, self-referencing — do not let this cannibalize /services/mens-health/'s comparison-table ranking
Off-page SEO notes	• Lower near-term backlink priority than GLP-1 pages
Book Three corrections	• FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.29 Oxytocin

Field	Value
URL	/services/mens-health/oxytocin/
Breadcrumb	Home > Services > ... > Oxytocin
Page Type	Treatment / Medication Spoke Page
Silo	Men's Health
Hub role	Spoke of /services/mens-health/
Parent	/services/mens-health/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Oxytocin
Funnel stage	BOFU
Search intent (macro)	Commercial, transactional
Micro-intent	T-1 Start treatment
Primary keyword	oxytocin treatment online
Secondary keywords	oxytocin side effects, oxytocin cost, how does oxytocin work
Meta title	Oxytocin (Men's Health) Treatment Online | Licensed Providers | Ongo
Meta description	Get Oxytocin through Ongo — licensed provider consult, transparent pricing, and ongoing support. (Men-specific content)
Target word count	1,000–1,400 words
Content outline	• H1 + short mechanism explainer: Explored for social/emotional and libido-related applications in men; evidence base is smaller than for TRT/enclomiphene — frame claims conservatively. • How it works — 3-step process (consult > prescription if eligible > ongoing monitoring) • Plain-language eligibility criteria (explicit contraindications, age range) • Cost transparency block — what's included vs. billed separately, linking to /tools/cost-calculator/ • Trust badge row directly under the primary CTA • Outcome stats with a methodology footnote (sample size + date) — never a bare percentage • Objection-handling FAQ block (side effects, timeline, cancellation, shipping) • Named medical reviewer + review date • Medical-relationship / compliance disclaimer stated on-page, not buried in Terms
Required disclaimer	Medical-relationship disclaimer + compliance sign-off on all outcome claims. Explicitly flag limited controlled-trial evidence for this specific use case — do not overstate certainty.
Schema type	Drug + MedicalWebPage + FAQPage

Field	Value
Healthcare professional	Physician/NP with men's health focus
Proofreader / reviewer	Medical reviewer + Editorial Lead
YMYL sensitivity	Clear YMYL — High (limited controlled human trial data for this use case)
Internal links to	• /services/mens-health/ • /tools/cost-calculator/ • /tools/eligibility-checker/ • /blog/mens-health/
Must be linked from	• /services/mens-health/
External links to	• PubMed (oxytocin research, men's health applications)
Primary CTA	Get Started
Secondary CTA	Book a Consult
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_oxytocin_get_started | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Men's Health, page_type=money_page, funnel_stage=bofu, micro_intent=T-1, launch_phase=3; internal_link_click on all in-content links
Priority	Later
Next.js route	app/services/mens-health/oxytocin/page.tsx (static route — NOT a dynamic [drug] segment, since men's/women's oxytocin content genuinely differs and each needs its own file, not a shared param)
On-page SEO notes	• Drug schema markup with active ingredient, dosage form, and administration route • Canonical, self-referencing — do not let this cannibalize /services/mens-health/'s comparison-table ranking • Ensure content is substantively different from the counterpart oxytocin page (men's vs. women's) — different H1, different intake angle, different FAQ — to avoid duplicate-content flags
Off-page SEO notes	• Lower near-term backlink priority than GLP-1 pages
Book Three corrections	• FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

Section: Women's Health — Treatment Pages

28.30 Perimenopause

Field	Value
URL	/services/womens-health/perimenopause/
Breadcrumb	Home > Services > ... > Perimenopause
Page Type	Treatment / Medication Spoke Page
Silo	Women's Health
Hub role	Spoke of /services/womens-health/
Parent	/services/womens-health/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Perimenopause
Funnel stage	BOFU
Search intent (macro)	Commercial, transactional
Micro-intent	T-1 Start treatment
Primary keyword	perimenopause care treatment online
Secondary keywords	perimenopause care side effects, perimenopause care cost, how does perimenopause care work
Meta title	Perimenopause Care Treatment Online | Licensed Providers | Ongo
Meta description	Get Perimenopause Care through Ongo — licensed provider consult, transparent pricing, and ongoing support.
Target word count	1,000–1,400 words
Content outline	• H1 + short mechanism explainer: Manages the hormonal transition before menopause — hot flashes, sleep disruption, mood changes, and irregular cycles — through personalized treatment. • How it works — 3-step process (consult > prescription if eligible > ongoing monitoring) • Plain-language eligibility criteria (explicit contraindications, age range) • Cost transparency block — what's included vs. billed separately, linking to /tools/cost-calculator/ • Trust badge row directly under the primary CTA • Outcome stats with a methodology footnote (sample size + date) — never a bare percentage • Objection-handling FAQ block (side effects, timeline, cancellation, shipping) • Named medical reviewer + review date • Medical-relationship / compliance disclaimer stated on-page, not buried in Terms
Required disclaimer	Medical-relationship disclaimer + compliance sign-off on all outcome claims.
Schema type	Drug + MedicalWebPage + FAQPage

Field	Value
Healthcare professional	Physician/NP with women's health focus (OB/GYN ideal)
Proofreader / reviewer	Medical reviewer + Editorial Lead
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/womens-health/ • /tools/cost-calculator/ • /tools/eligibility-checker/ • /conditions/perimenopause/ • /blog/mens-health/
Must be linked from	• /conditions/perimenopause/ • /services/womens-health/
External links to	• The Menopause Society + ACOG guidance
Primary CTA	Get Started
Secondary CTA	Book a Consult
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_perimenopause_get_started | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Women's Health, page_type=money_page, funnel_stage=bofu, micro_intent=T-1, launch_phase=3; internal_link_click on all in-content links
Priority	Now
Next.js route	app/services/womens-health/[drug]/page.tsx (dynamic segment — generateStaticParams for: perimenopause, pcos, oxytocin)
On-page SEO notes	• Drug schema markup with active ingredient, dosage form, and administration route • Canonical, self-referencing — do not let this cannibalize /services/womens-health/'s comparison-table ranking
Off-page SEO notes	• Lower near-term backlink priority than GLP-1 pages
Book Three corrections	• FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.31 PCOS

Field	Value
URL	/services/womens-health/pcos/
Breadcrumb	Home > Services > ... > PCOS
Page Type	Treatment / Medication Spoke Page
Silo	Women's Health
Hub role	Spoke of /services/womens-health/
Parent	/services/womens-health/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	PCOS
Funnel stage	BOFU
Search intent (macro)	Commercial, transactional
Micro-intent	T-1 Start treatment
Primary keyword	pcos care treatment online
Secondary keywords	pcos care side effects, pcos care cost, how does pcos care work
Meta title	PCOS Care Treatment Online | Licensed Providers | Ongo
Meta description	Get PCOS Care through Ongo — licensed provider consult, transparent pricing, and ongoing support.
Target word count	1,000–1,400 words
Content outline	• H1 + short mechanism explainer: Addresses the hormonal and insulin-resistance mechanisms behind PCOS, with an explicit weight-management crossover — cross-link to Weight Loss vertical. • How it works — 3-step process (consult > prescription if eligible > ongoing monitoring) • Plain-language eligibility criteria (explicit contraindications, age range) • Cost transparency block — what's included vs. billed separately, linking to /tools/cost-calculator/ • Trust badge row directly under the primary CTA • Outcome stats with a methodology footnote (sample size + date) — never a bare percentage • Objection-handling FAQ block (side effects, timeline, cancellation, shipping) • Named medical reviewer + review date • Medical-relationship / compliance disclaimer stated on-page, not buried in Terms
Required disclaimer	Medical-relationship disclaimer + compliance sign-off on all outcome claims. If GLP-1 is used off-label for PCOS-related weight management, disclose that explicitly.
Schema type	Drug + MedicalWebPage + FAQPage

Field	Value
Healthcare professional	Physician/NP with women's health focus (OB/GYN ideal)
Proofreader / reviewer	Medical reviewer + Editorial Lead
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/womens-health/ • /tools/cost-calculator/ • /tools/eligibility-checker/ • /services/weight-loss/ • /blog/womens-health/pcos-and-weight-loss/ • /blog/mens-health/
Must be linked from	• /conditions/pcos/ • /services/womens-health/
External links to	• ACOG + NIH (PCOS diagnostic and treatment guidance)
Primary CTA	Get Started
Secondary CTA	Book a Consult
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_pcos_get_started | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Women's Health, page_type=money_page, funnel_stage=bofu, micro_intent=T-1, launch_phase=3; internal_link_click on all in-content links
Priority	Now
Next.js route	app/services/womens-health/[drug]/page.tsx (dynamic segment — generateStaticParams for: perimenopause, pcos, oxytocin)
On-page SEO notes	• Drug schema markup with active ingredient, dosage form, and administration route • Canonical, self-referencing — do not let this cannibalize /services/womens-health/'s comparison-table ranking
Off-page SEO notes	• Lower near-term backlink priority than GLP-1 pages
Book Three corrections	• FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.32 Oxytocin

Field	Value
URL	/services/womens-health/oxytocin/
Breadcrumb	Home > Services > ... > Oxytocin
Page Type	Treatment / Medication Spoke Page
Silo	Women's Health
Hub role	Spoke of /services/womens-health/
Parent	/services/womens-health/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Oxytocin
Funnel stage	BOFU
Search intent (macro)	Commercial, transactional
Micro-intent	T-1 Start treatment
Primary keyword	oxytocin treatment online
Secondary keywords	oxytocin side effects, oxytocin cost, how does oxytocin work
Meta title	Oxytocin (Women's Health) Treatment Online | Licensed Providers | Ongo
Meta description	Get Oxytocin through Ongo — licensed provider consult, transparent pricing, and ongoing support. (Women-specific content)
Target word count	1,000–1,400 words
Content outline	• H1 + short mechanism explainer: Explored for bonding, postpartum, and related applications in women; content and angle must be genuinely distinct from the men's-health oxytocin page, not a gender-swapped copy. • How it works — 3-step process (consult > prescription if eligible > ongoing monitoring) • Plain-language eligibility criteria (explicit contraindications, age range) • Cost transparency block — what's included vs. billed separately, linking to /tools/cost-calculator/ • Trust badge row directly under the primary CTA • Outcome stats with a methodology footnote (sample size + date) — never a bare percentage • Objection-handling FAQ block (side effects, timeline, cancellation, shipping) • Named medical reviewer + review date • Medical-relationship / compliance disclaimer stated on-page, not buried in Terms
Required disclaimer	Medical-relationship disclaimer + compliance sign-off on all outcome claims. Explicitly flag limited controlled-trial evidence; content must differ substantively from /services/mens-health/oxytocin/ to avoid duplicate-content risk.

Field	Value
Schema type	Drug + MedicalWebPage + FAQPage
Healthcare professional	Physician/NP with women's health focus
Proofreader / reviewer	Medical reviewer + Editorial Lead
YMYL sensitivity	Clear YMYL — High (limited controlled human trial data for this use case)
Internal links to	• /services/womens-health/ • /tools/cost-calculator/ • /tools/eligibility-checker/ • /blog/mens-health/
Must be linked from	• /services/womens-health/
External links to	• PubMed (oxytocin research, women's health applications)
Primary CTA	Get Started
Secondary CTA	Book a Consult
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_oxytocin_get_started | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Women's Health, page_type=money_page, funnel_stage=bofu, micro_intent=T-1, launch_phase=3; internal_link_click on all in-content links
Priority	Later
Next.js route	app/services/womens-health/oxytocin/page.tsx (static route — NOT a dynamic [drug] segment, since men's/women's oxytocin content genuinely differs and each needs its own file, not a shared param)
On-page SEO notes	• Drug schema markup with active ingredient, dosage form, and administration route • Canonical, self-referencing — do not let this cannibalize /services/womens-health/'s comparison-table ranking • Ensure content is substantively different from the counterpart oxytocin page (men's vs. women's) — different H1, different intake angle, different FAQ — to avoid duplicate-content flags
Off-page SEO notes	• Lower near-term backlink priority than GLP-1 pages
Book Three corrections	• FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

Section: Longevity, Men's & Women's Health — Vertical Hubs

28.33 Longevity & Anti-Aging

Field	Value
URL	/services/longevity-anti-aging/
Breadcrumb	Home > Services > Longevity & Anti-Aging
Page Type	Service Hub (vertical)
Silo	Longevity
Hub role	Sub-hub
Parent	/services/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Longevity medicine
Funnel stage	TOFU/MOFU
Search intent (macro)	Commercial, pre-decision
Micro-intent	C-4 Provider evaluation
Primary keyword	longevity medicine online
Secondary keywords	anti-aging treatment clinic, peptide therapy online, healthy aging program
Meta title	Longevity & Anti-Aging Treatments | Ongo
Meta description	Peptide therapy, NAD+, and longevity-focused treatments guided by licensed medical providers.
Target word count	800–1,100 words
Content outline	• Upfront framing: what 'longevity medicine' means, and an honest note on evidence maturity varying by treatment • Five treatment cards: Rapamycin, NAD+, Glutathione, Sermorelin, Methylene Blue — each linking out, no dosing detail here • Named provider credentials emphasized heavily given the evidence-maturity gap in this category • FAQ: is this FDA-approved for this use (be direct that several are off-label), how is safety monitored
Required disclaimer	Off-label-use disclosure at the hub level, reinforced individually on each treatment page
Schema type	MedicalWebPage + FAQPage
Healthcare professional	Physician with longevity/functional medicine training
Proofreader / reviewer	Medical reviewer — HIGHEST scrutiny tier (several treatments below are off-label/emerging evidence)
YMYL sensitivity	Clear YMYL — High (multiple off-label, scientifically-contested treatments in this vertical)

Field	Value
Internal links to	• /services/longevity-anti-aging/rapamycin/ • /services/longevity-anti-aging/nad/ • /services/longevity-anti-aging/glutathione/ • /services/longevity-anti-aging/sermorelin/ • /services/longevity-anti-aging/methylene-blue/ • /blog/longevity/
Must be linked from	• / • /blog/longevity/ • /blog/longevity/anti-aging-treatments/ • /blog/longevity/glutathione-benefits/ • /blog/longevity/glutathione-side-effects/ • /blog/longevity/healthy-aging-guide/ • /blog/longevity/methylene-blue-benefits/ • /blog/longevity/methylene-blue-safety/ • /blog/longevity/nad-and-longevity/ • /blog/longevity/peptide-therapy-guide/ • /blog/longevity/rapamycin-for-longevity/ • /blog/longevity/rapamycin-side-effects/
External links to	• NIH/National Institute on Aging • PubMed (peptide therapy research)
Primary CTA	Book a Longevity Consult
Secondary CTA	Learn About Our Providers
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_longevity_book_consult | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Longevity, page_type=service_hub, funnel_stage=tofu/mofu, micro_intent=C-4, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/services/longevity-anti-aging/page.tsx
On-page SEO notes	• Do not let AI-Overview-style summarization overstate efficacy — write conservatively, cite sources inline
Off-page SEO notes	• Lower near-term priority than Weight Loss/GLP-1 — build authority here after the flagship vertical is established
Book Three corrections	• FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.34 Men's Health

Field	Value
URL	/services/mens-health/
Breadcrumb	Home > Services > Men's Health
Page Type	Service Hub (vertical)
Silo	Men's Health
Hub role	Sub-hub
Parent	/services/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Men's health
Funnel stage	TOFU/MOFU
Search intent (macro)	Commercial, pre-decision
Micro-intent	C-4 Provider evaluation
Primary keyword	men's hormone health online
Secondary keywords	online TRT clinic, low testosterone treatment
Meta title	Men's Health & Hormone Therapy | Ongo
Meta description	TRT, enclomiphene, and men's hormone care from licensed providers, with lab work and ongoing monitoring.
Target word count	800–1,100 words
Content outline	• Symptom-recognition framing (fatigue, low libido, mood) leading into treatment options • Three treatment cards: TRT, Enclomiphene, Oxytocin — each linking out • Note the TRT vs. Enclomiphene fertility-preservation distinction at the hub level — this is a genuine decision point for patients • Lab-testing/monitoring process overview (builds trust — this isn't a script-mill positioning)
Required disclaimer	Medical-relationship disclaimer + lab-requirement disclosure
Schema type	MedicalWebPage + FAQPage
Healthcare professional	Physician/NP with men's health or endocrinology focus
Proofreader / reviewer	Medical reviewer
YMYL sensitivity	Clear YMYL — High

Field	Value
Internal links to	• /services/mens-health/testosterone-trt/ • /services/mens-health/enclomiphene/ • /services/mens-health/oxytocin/ • /conditions/low-testosterone/ • /blog/mens-health/
Must be linked from	• / • /blog/mens-health/ • /blog/mens-health/enclomiphene-guide/ • /blog/mens-health/oxytocin-benefits-for-men/ • /blog/mens-health/signs-of-low-testosterone/ • /blog/mens-health/testosterone-and-aging/ • /blog/mens-health/trt-guide/ • /blog/mens-health/what-is-low-testosterone/ • /services/ • /services/mens-health/enclomiphene/ • /services/mens-health/oxytocin/ • /services/mens-health/testosterone-trt/
External links to	• Endocrine Society clinical guidelines • American Urological Association (testosterone therapy guidance)
Primary CTA	Check My Testosterone
Secondary CTA	Book a Consult
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_menshealth_check_testosterone | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Men's Health, page_type=service_hub, funnel_stage=tofu/mofu, micro_intent=C-4, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/services/mens-health/page.tsx
On-page SEO notes	• Link distinctly to /conditions/low-testosterone/ for the informational angle — do not duplicate that content here
Off-page SEO notes	• Men's health forums/communities (moderated, reputable) can be a legitimate off-page mention channel — vet carefully
Book Three corrections	• FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.35 Women's Health

Field	Value
URL	/services/womens-health/
Breadcrumb	Home > Services > Women's Health
Page Type	Service Hub (vertical)
Silo	Women's Health
Hub role	Sub-hub
Parent	/services/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Men's health
Funnel stage	TOFU/MOFU
Search intent (macro)	Commercial, pre-decision
Micro-intent	C-4 Provider evaluation
Primary keyword	women's hormone health online
Secondary keywords	perimenopause treatment online, PCOS treatment telehealth
Meta title	Women's Health & Hormone Care | Ongo
Meta description	Perimenopause, PCOS, and hormone care from licensed providers — personalized and ongoing.
Target word count	800–1,100 words
Content outline	• Symptom-recognition framing (irregular cycles, hot flashes, weight changes) leading to treatment paths • Three treatment cards: Perimenopause care, PCOS care, Oxytocin — each linking out • Note the PCOS«weight-loss connection explicitly, cross-linking to /services/weight-loss/ and /blog/womens-health/pcos-and-weight-loss/
Required disclaimer	Medical-relationship disclaimer
Schema type	MedicalWebPage + FAQPage
Healthcare professional	Physician/NP with women's health or endocrinology focus (OB/GYN credential ideal)
Proofreader / reviewer	Medical reviewer
YMYL sensitivity	Clear YMYL — High

Field	Value
Internal links to	• /services/womens-health/perimenopause/ • /services/womens-health/pcos/ • /services/womens-health/oxytocin/ • /conditions/perimenopause/ • /conditions/pcos/ • /blog/womens-health/
Must be linked from	• / • /blog/womens-health/ • /blog/womens-health/oxytocin-benefits-for-women/ • /blog/womens-health/pcos-and-weight-loss/ • /blog/womens-health/perimenopause-guide/ • /blog/womens-health/signs-of-perimenopause/ • /blog/womens-health/weight-loss-and-hormones/ • /blog/womens-health/womens-hormone-health/ • /services/ • /services/womens-health/oxytocin/ • /services/womens-health/pcos/ • /services/womens-health/perimenopause/
External links to	• ACOG (American College of Obstetricians and Gynecologists) guidance • The Menopause Society
Primary CTA	Book a Consult
Secondary CTA	Check My Symptoms
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_womenshealth_book_consult | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Women's Health, page_type=service_hub, funnel_stage=tofu/mofu, micro_intent=C-4, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/services/womens-health/page.tsx
On-page SEO notes	• Cross-link PCOS content to Weight Loss vertical deliberately — real overlapping intent here, worth the link equity
Off-page SEO notes	• Women's health and menopause-focused publications are strong, relevant PR targets Part III Conditions & Free Tools
Book Three corrections	• FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

Section: Conditions (Informational Hub)

28.36 Conditions

Field	Value
URL	/conditions/
Breadcrumb	Home > Conditions
Page Type	Informational Hub
Silo	Core
Hub role	Hub
Parent	/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Ongo Weight Loss (organization)
Funnel stage	TOFU
Search intent (macro)	Informational only — no CTAs
Micro-intent	I-3 Condition understanding
Primary keyword	health conditions we treat
Secondary keywords	—
Meta title	Conditions We Address | Ongo Health Library
Meta description	Learn about the conditions Ongo's providers treat — obesity, PCOS, perimenopause, and low testosterone.
Target word count	200–350 words
Content outline	• Purely informational index — links to each condition page, NO CTA buttons, no sales copy of any kind • Modeled on Mayo Clinic / Cleveland Clinic 'Diseases & Conditions' libraries, not on a commercial services page
Required disclaimer	'For informational purposes only, not a substitute for professional medical advice' — standard health-library disclaimer
Schema type	CollectionPage + MedicalWebPage
Healthcare professional	Medical Director / clinical content reviewer
Proofreader / reviewer	Editorial Lead
YMYL sensitivity	Clear YMYL — High

Field	Value
Internal links to	• /conditions/obesity/ • /conditions/overweight/ • /conditions/pcos/ • /conditions/perimenopause/ • /conditions/low-testosterone/
Must be linked from	• /
External links to	• None specified.
Primary CTA	None (informational only)
Secondary CTA	None
CTA destination	N/A — no conversion CTA on this page
GA4 / GTM event	N/A — no conversion event, track as informational pageview only
Tracking notes	page_meta: silo=Core, page_type=condition, funnel_stage=tofu, micro_intent=I-3, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/conditions/page.tsx
On-page SEO notes	• Keep commercial keywords OUT of this page's targeting — it exists to own informational SERP real estate, not to convert directly
Off-page SEO notes	• Strong candidate for .edu/.org citation building given its purely educational framing
Book Three corrections	• None: matches Book Three rules.

28.37 Obesity

Field	Value
URL	/conditions/obesity/
Breadcrumb	Home > Conditions > Obesity
Page Type	Condition Page (informational)
Silo	Weight Loss
Hub role	Spoke of /conditions/
Parent	/conditions/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Obesity
Funnel stage	TOFU
Search intent (macro)	Informational only — no CTAs, no sales copy
Micro-intent	I-3 Condition understanding
Primary keyword	what is obesity
Secondary keywords	obesity BMI definition, obesity causes and risk factors
Meta title	Obesity — Symptoms, Causes & Overview | Ongo Health Library
Meta description	A clear, medically-reviewed overview of obesity: what it is, symptoms, causes, and when to seek treatment.
Target word count	700–1,000 words
Content outline	• Clinical definition (BMI >=30), causes, health risks, and treatment overview — links to Weight Loss for the commercial path. • Sections: Overview / Symptoms / Causes & Risk Factors / Diagnosis / When to See a Provider • One clear, single link at the bottom to the matching commercial service page — no CTA button, just a text link ('Learn about treatment options') • Named medical reviewer + review date, matching Mayo/Cleveland Clinic rigor
Required disclaimer	Informational-only disclaimer — explicitly not a diagnosis or treatment recommendation
Schema type	MedicalWebPage + MedicalCondition
Healthcare professional	Relevant specialist physician (see vertical hub for credential type)
Proofreader / reviewer	Medical reviewer + Editorial Lead
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/weight-loss/ • /blog/weight-loss/

Field	Value
Must be linked from	• /conditions/ • /services/weight-loss/
External links to	• CDC.gov / NIH — obesity statistics and clinical definitions
Primary CTA	None (single text link to service page only)
Secondary CTA	None
CTA destination	N/A — no conversion CTA on this page
GA4 / GTM event	outbound_click_conditions_to_services (track the single link, not a CTA event)
Tracking notes	page_meta: silo=Weight Loss, page_type=condition, funnel_stage=tofu, micro_intent=I-3, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/conditions/obesity/page.tsx
On-page SEO notes	• MedicalCondition schema • No commercial anchor text like 'buy now' — keep link text educational ('learn about treatment')
Off-page SEO notes	• Best off-page angle for this page type: .edu/.gov citation building, not commercial backlinks
Book Three corrections	• None: matches Book Three rules.

28.38 Overweight

Field	Value
URL	/conditions/overweight/
Breadcrumb	Home > Conditions > Overweight
Page Type	Condition Page (informational)
Silo	Weight Loss
Hub role	Spoke of /conditions/
Parent	/conditions/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Overweight
Funnel stage	TOFU
Search intent (macro)	Informational only — no CTAs, no sales copy
Micro-intent	I-3 Condition understanding
Primary keyword	what is considered overweight
Secondary keywords	overweight BMI range, overweight vs obese
Meta title	Overweight — Symptoms, Causes & Overview | Ongo Health Library
Meta description	A clear, medically-reviewed overview of overweight: what it is, symptoms, causes, and when to seek treatment.
Target word count	700–1,000 words
Content outline	• Clinical definition (BMI 25–29.9), distinguishes from obesity, when to consider treatment — links to Weight Loss. • Sections: Overview / Symptoms / Causes & Risk Factors / Diagnosis / When to See a Provider • One clear, single link at the bottom to the matching commercial service page — no CTA button, just a text link ('Learn about treatment options') • Named medical reviewer + review date, matching Mayo/Cleveland Clinic rigor
Required disclaimer	Informational-only disclaimer — explicitly not a diagnosis or treatment recommendation
Schema type	MedicalWebPage + MedicalCondition
Healthcare professional	Relevant specialist physician (see vertical hub for credential type)
Proofreader / reviewer	Medical reviewer + Editorial Lead
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/weight-loss/ • /blog/weight-loss/

Field	Value
Must be linked from	• /conditions/
External links to	• CDC.gov — BMI classification reference
Primary CTA	None (single text link to service page only)
Secondary CTA	None
CTA destination	N/A — no conversion CTA on this page
GA4 / GTM event	outbound_click_conditions_to_services (track the single link, not a CTA event)
Tracking notes	page_meta: silo=Weight Loss, page_type=condition, funnel_stage=tofu, micro_intent=I-3, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/conditions/overweight/page.tsx
On-page SEO notes	• MedicalCondition schema • No commercial anchor text like 'buy now' — keep link text educational ('learn about treatment')
Off-page SEO notes	• Best off-page angle for this page type: .edu/.gov citation building, not commercial backlinks
Book Three corrections	• None: matches Book Three rules.

28.39 PCOS

Field	Value
URL	/conditions/pcos/
Breadcrumb	Home > Conditions > PCOS
Page Type	Condition Page (informational)
Silo	Women's Health
Hub role	Spoke of /conditions/
Parent	/conditions/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	PCOS
Funnel stage	TOFU
Search intent (macro)	Informational only — no CTAs, no sales copy
Micro-intent	I-3 Condition understanding
Primary keyword	what is PCOS
Secondary keywords	PCOS symptoms, PCOS and weight gain
Meta title	PCOS — Symptoms, Causes & Overview | Ongo Health Library
Meta description	A clear, medically-reviewed overview of pcos: what it is, symptoms, causes, and when to seek treatment.
Target word count	700–1,000 words
Content outline	• Symptoms, diagnostic criteria, hormonal mechanism, and the PCOS-weight connection — links to Women's Health AND Weight Loss. • Sections: Overview / Symptoms / Causes & Risk Factors / Diagnosis / When to See a Provider • One clear, single link at the bottom to the matching commercial service page — no CTA button, just a text link ('Learn about treatment options') • Named medical reviewer + review date, matching Mayo/Cleveland Clinic rigor
Required disclaimer	Informational-only disclaimer — explicitly not a diagnosis or treatment recommendation
Schema type	MedicalWebPage + MedicalCondition
Healthcare professional	Relevant specialist physician (see vertical hub for credential type)
Proofreader / reviewer	Medical reviewer + Editorial Lead
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/womens-health/pcos/ • /blog/womens-health/

Field	Value
Must be linked from	• /conditions/ • /services/womens-health/
External links to	• ACOG / NIH — PCOS diagnostic criteria
Primary CTA	None (single text link to service page only)
Secondary CTA	None
CTA destination	N/A — no conversion CTA on this page
GA4 / GTM event	outbound_click_conditions_to_services (track the single link, not a CTA event)
Tracking notes	page_meta: silo=Women's Health, page_type=condition, funnel_stage=tofu, micro_intent=I-3, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/conditions/pcos/page.tsx
On-page SEO notes	• MedicalCondition schema • No commercial anchor text like 'buy now' — keep link text educational ('learn about treatment')
Off-page SEO notes	• Best off-page angle for this page type: .edu/.gov citation building, not commercial backlinks
Book Three corrections	• Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.40 Perimenopause

Field	Value
URL	/conditions/perimenopause/
Breadcrumb	Home > Conditions > Perimenopause
Page Type	Condition Page (informational)
Silo	Women's Health
Hub role	Spoke of /conditions/
Parent	/conditions/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Perimenopause
Funnel stage	TOFU
Search intent (macro)	Informational only — no CTAs, no sales copy
Micro-intent	I-3 Condition understanding
Primary keyword	what is perimenopause
Secondary keywords	perimenopause symptoms, perimenopause age of onset
Meta title	Perimenopause — Symptoms, Causes & Overview | Ongo Health Library
Meta description	A clear, medically-reviewed overview of perimenopause: what it is, symptoms, causes, and when to seek treatment.
Target word count	700–1,000 words
Content outline	• Definition, typical age range, hormonal shifts, common symptoms — links to Women's Health. • Sections: Overview / Symptoms / Causes & Risk Factors / Diagnosis / When to See a Provider • One clear, single link at the bottom to the matching commercial service page — no CTA button, just a text link ('Learn about treatment options') • Named medical reviewer + review date, matching Mayo/Cleveland Clinic rigor
Required disclaimer	Informational-only disclaimer — explicitly not a diagnosis or treatment recommendation
Schema type	MedicalWebPage + MedicalCondition
Healthcare professional	Relevant specialist physician (see vertical hub for credential type)
Proofreader / reviewer	Medical reviewer + Editorial Lead
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/womens-health/perimenopause/ • /blog/womens-health/

Field	Value
Must be linked from	• /conditions/ • /services/womens-health/ • /services/womens-health/perimenopause/
External links to	• The Menopause Society — clinical staging reference
Primary CTA	None (single text link to service page only)
Secondary CTA	None
CTA destination	N/A — no conversion CTA on this page
GA4 / GTM event	outbound_click_conditions_to_services (track the single link, not a CTA event)
Tracking notes	page_meta: silo=Women's Health, page_type=condition, funnel_stage=tofu, micro_intent=I-3, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/conditions/perimenopause/page.tsx
On-page SEO notes	• MedicalCondition schema • No commercial anchor text like 'buy now' — keep link text educational ('learn about treatment')
Off-page SEO notes	• Best off-page angle for this page type: .edu/.gov citation building, not commercial backlinks
Book Three corrections	• Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.41 Low Testosterone

Field	Value
URL	/conditions/low-testosterone/
Breadcrumb	Home > Conditions > Low Testosterone
Page Type	Condition Page (informational)
Silo	Men's Health
Hub role	Spoke of /conditions/
Parent	/conditions/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Low testosterone
Funnel stage	TOFU
Search intent (macro)	Informational only — no CTAs, no sales copy
Micro-intent	I-3 Condition understanding
Primary keyword	what is low testosterone
Secondary keywords	low testosterone symptoms, low T causes
Meta title	Low Testosterone — Symptoms, Causes & Overview | Ongo Health Library
Meta description	A clear, medically-reviewed overview of low testosterone: what it is, symptoms, causes, and when to seek treatment.
Target word count	700–1,000 words
Content outline	• Definition, symptoms, diagnostic lab thresholds, causes — links to Men's Health / TRT. • Sections: Overview / Symptoms / Causes & Risk Factors / Diagnosis / When to See a Provider • One clear, single link at the bottom to the matching commercial service page — no CTA button, just a text link ('Learn about treatment options') • Named medical reviewer + review date, matching Mayo/Cleveland Clinic rigor
Required disclaimer	Informational-only disclaimer — explicitly not a diagnosis or treatment recommendation
Schema type	MedicalWebPage + MedicalCondition
Healthcare professional	Relevant specialist physician (see vertical hub for credential type)
Proofreader / reviewer	Medical reviewer + Editorial Lead
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/mens-health/testosterone-trt/ • /blog/mens-health/

Field	Value
Must be linked from	• /conditions/ • /services/mens-health/ • /services/mens-health/enclomiphene/ • /services/mens-health/testosterone-trt/
External links to	• Endocrine Society — hypogonadism diagnostic guidelines
Primary CTA	None (single text link to service page only)
Secondary CTA	None
CTA destination	N/A — no conversion CTA on this page
GA4 / GTM event	outbound_click_conditions_to_services (track the single link, not a CTA event)
Tracking notes	page_meta: silo=Men's Health, page_type=condition, funnel_stage=tofu, micro_intent=I-3, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/conditions/low-testosterone/page.tsx
On-page SEO notes	• MedicalCondition schema • No commercial anchor text like 'buy now' — keep link text educational ('learn about treatment')
Off-page SEO notes	• Best off-page angle for this page type: .edu/.gov citation building, not commercial backlinks
Book Three corrections	• Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

Section: Free Tools

28.42 Free Tools

Field	Value
URL	/tools/
Breadcrumb	Home > Free Tools
Page Type	Tool Hub
Silo	Weight Loss
Hub role	Hub
Parent	/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Ongo Weight Loss (organization)
Funnel stage	TOFU/MOFU
Search intent (macro)	Utility / lead-capture support
Micro-intent	I-12 Calculation (hub)
Primary keyword	free weight loss tools
Secondary keywords	bmi calculator, weight loss eligibility checker
Meta title	Free Health Tools | BMI, Eligibility & Cost Calculators | Ongo
Meta description	Free calculators and checkers to help you understand your eligibility, costs, and goals before you start.
Target word count	200–300 words
Content outline	• Grid of 7 tool cards, Eligibility Checker featured first/largest — it's the highest commercial-value tool • One-line value prop per tool, no long-form content needed on this index page
Required disclaimer	Tools are for informational/educational purposes, not a diagnosis
Schema type	CollectionPage + SoftwareApplication (per tool)
Healthcare professional	Medical Director (validates calculation formulas/ranges used)
Proofreader / reviewer	Dev QA + Editorial Lead
YMYL sensitivity	Moderate (calculators giving health-adjacent output)

Field	Value
Internal links to	• /tools/eligibility-checker/ • /tools/bmi-calculator/ • /tools/cost-calculator/ • /tools/calorie-calculator/ • /tools/ideal-weight-calculator/ • /tools/body-fat-calculator/ • /tools/weight-loss-goal-calculator/
Must be linked from	• /
External links to	• None specified.
Primary CTA	Check Your Eligibility
Secondary CTA	Browse All Tools
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_tools_hub_eligibility_click | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=tool, funnel_stage=tofu/mofu, micro_intent=I-12, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/tools/page.tsx
On-page SEO notes	• Feature Eligibility Checker prominently in internal linking from every commercial page site-wide
Off-page SEO notes	• Interactive tools are strong, natural backlink magnets — pitch to health/fitness roundup articles
Book Three corrections	• None: matches Book Three rules.

28.43 Eligibility Checker

Field	Value
URL	/tools/eligibility-checker/
Breadcrumb	Home > Free Tools > Eligibility Checker
Page Type	Tool Page (interactive)
Silo	Weight Loss
Hub role	Spoke of /tools/
Parent	/tools/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	GLP-1 eligibility
Funnel stage	MOFU/BOFU
Search intent (macro)	Utility with embedded lead-gen
Micro-intent	T-2 Check eligibility
Primary keyword	am I eligible for weight loss medication
Secondary keywords	free am I eligible for weight loss medication, online am I eligible for weight loss medication
Meta title	GLP-1 Eligibility Checker | Free & Instant | Ongo
Meta description	Use Ongo's free glp-1 eligibility checker to get an instant, personalized result — no signup required to see your number.
Target word count	300–500 words of explainer copy around the widget
Content outline	• Short questionnaire (BMI, comorbidities, prior treatment) > qualifies lead > routes to booking. This is a lead-capture device disguised as a utility — highest commercial value tool on the site. • Result screen framed as a 'starting point' / 'general reference,' never as a diagnosis • Post-result CTA into the most relevant service page • Short explainer copy below the tool (what this measures, its limitations) for SEO depth beyond just the widget
Required disclaimer	Result is a general estimate, not a medical diagnosis; consult a licensed provider for personalized guidance
Schema type	SoftwareApplication + FAQPage (brief)
Healthcare professional	Medical Director (validates formula/range logic and result framing)
Proofreader / reviewer	Dev QA (calculation accuracy) + Editorial Lead (result copy)
YMYL sensitivity	Moderate — numeric health output, must avoid definitive/diagnostic framing

Field	Value
Internal links to	• /services/weight-loss/ • /services/glp-1/
Must be linked from	• /how-it-works/ • /reviews/ • /services/glp-1/ • /services/glp-1/compounded-semaglutide/ • /services/glp-1/compounded-tirzepatide/ • /services/glp-1/liraglutide/ • /services/glp-1/mounjaro/ • /services/glp-1/ozempic/ • /services/glp-1/rybelsus/ • /services/glp-1/wegovy/ • /services/glp-1/zepbound/ • /services/longevity-anti-aging/glutathione/
External links to	• None specified.
Primary CTA	See If You Qualify
Secondary CTA	Learn More
CTA destination	/weightloss-onboard/
GA4 / GTM event	tool_complete_eligibility_checker / cta_eligibility_checker_post_result | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=tool, funnel_stage=mofu/bofu, micro_intent=T-2, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/tools/eligibility-checker/page.tsx (client component for the interactive widget, server-rendered explainer content around it)
On-page SEO notes	• Ensure explainer text is server-rendered, not only the JS widget — crawlers need real content on the page, not just an empty shell • SoftwareApplication schema for tool rich-result eligibility
Off-page SEO notes	• Pitch to 'free tools' and 'calculator' roundup articles — legitimate, natural backlink category
Book Three corrections	• FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 1 launch rule: remove brand names (Wegovy, Ozempic, Rybelsus, Mounjaro, Zepbound) from commercial copy, keywords, meta and links on this page; point links at the compounded semaglutide and tirzepatide pages instead. Brand names may appear only in compliance-reviewed education with "Ongo does not offer this medication".

28.44 BMI Calculator

Field	Value
URL	/tools/bmi-calculator/
Breadcrumb	Home > Free Tools > BMI Calculator
Page Type	Tool Page (interactive)
Silo	Weight Loss
Hub role	Spoke of /tools/
Parent	/tools/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Body mass index (BMI)
Funnel stage	TOFU/MOFU
Search intent (macro)	Utility, light lead-gen
Micro-intent	I-12 Calculation
Primary keyword	bmi calculator
Secondary keywords	free bmi calculator, online bmi calculator
Meta title	BMI Calculator | Free & Instant | Ongo
Meta description	Use Ongo's free bmi calculator to get an instant, personalized result — no signup required to see your number.
Target word count	300–500 words of explainer copy around the widget
Content outline	• Standard BMI formula (weight/height²), instant result + category (underweight/normal/overweight/obese) + soft CTA into Weight Loss. • Result screen framed as a 'starting point' / 'general reference,' never as a diagnosis • Post-result CTA into the most relevant service page • Short explainer copy below the tool (what this measures, its limitations) for SEO depth beyond just the widget
Required disclaimer	Result is a general estimate, not a medical diagnosis; consult a licensed provider for personalized guidance
Schema type	SoftwareApplication + FAQPage (brief)
Healthcare professional	Medical Director (validates formula/range logic and result framing)
Proofreader / reviewer	Dev QA (calculation accuracy) + Editorial Lead (result copy)
YMYL sensitivity	Moderate — numeric health output, must avoid definitive/diagnostic framing

Field	Value
Internal links to	• /services/weight-loss/ • /services/glp-1/ • /tools/eligibility-checker/
Must be linked from	• /tools/
External links to	• CDC.gov (BMI/measurement standards)
Primary CTA	Get a Personalized Plan
Secondary CTA	Learn More
CTA destination	/weightloss-onboard/
GA4 / GTM event	tool_complete_bmi_calculator / cta_bmi_calculator_post_result | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=tool, funnel_stage=tofu/mofu, micro_intent=I-12, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/tools/bmi-calculator/page.tsx (client component for the interactive widget, server-rendered explainer content around it)
On-page SEO notes	• Ensure explainer text is server-rendered, not only the JS widget — crawlers need real content on the page, not just an empty shell • SoftwareApplication schema for tool rich-result eligibility
Off-page SEO notes	• Pitch to 'free tools' and 'calculator' roundup articles — legitimate, natural backlink category
Book Three corrections	• FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26).

28.45 Weight Loss Goal Calculator

Field	Value
URL	/tools/weight-loss-goal-calculator/
Breadcrumb	Home > Free Tools > Weight Loss Goal Calculator
Page Type	Tool Page (interactive)
Silo	Weight Loss
Hub role	Spoke of /tools/
Parent	/tools/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Weight-loss goal
Funnel stage	TOFU/MOFU
Search intent (macro)	Utility, light lead-gen
Micro-intent	I-12 Calculation
Primary keyword	weight loss goal calculator
Secondary keywords	free weight loss goal calculator, online weight loss goal calculator
Meta title	Weight Loss Goal Calculator | Free & Instant | Ongo
Meta description	Use Ongo's free weight loss goal calculator to get an instant, personalized result — no signup required to see your number.
Target word count	300–500 words of explainer copy around the widget
Content outline	• Input current weight/goal weight/timeframe > realistic pace guidance (e.g., 1-2 lb/week) > soft CTA. • Result screen framed as a 'starting point' / 'general reference,' never as a diagnosis • Post-result CTA into the most relevant service page • Short explainer copy below the tool (what this measures, its limitations) for SEO depth beyond just the widget
Required disclaimer	Result is a general estimate, not a medical diagnosis; consult a licensed provider for personalized guidance
Schema type	SoftwareApplication + FAQPage (brief)
Healthcare professional	Medical Director (validates formula/range logic and result framing)
Proofreader / reviewer	Dev QA (calculation accuracy) + Editorial Lead (result copy)
YMYL sensitivity	Moderate — numeric health output, must avoid definitive/diagnostic framing

Field	Value
Internal links to	• /services/weight-loss/ • /services/glp-1/ • /tools/eligibility-checker/
Must be linked from	• /tools/
External links to	• None specified.
Primary CTA	Get a Personalized Plan
Secondary CTA	Learn More
CTA destination	/weightloss-onboard/
GA4 / GTM event	tool_complete_weight_loss_goal_calculator / cta_weight_loss_goal_calculator_post_result | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=tool, funnel_stage=tofu/mofu, micro_intent=I-12, launch_phase=1; internal_link_click on all in-content links
Priority	Next
Next.js route	app/tools/weight-loss-goal-calculator/page.tsx (client component for the interactive widget, server-rendered explainer content around it)
On-page SEO notes	• Ensure explainer text is server-rendered, not only the JS widget — crawlers need real content on the page, not just an empty shell • SoftwareApplication schema for tool rich-result eligibility
Off-page SEO notes	• Pitch to 'free tools' and 'calculator' roundup articles — legitimate, natural backlink category
Book Three corrections	• FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26).

28.46 Calorie Calculator

Field	Value
URL	/tools/calorie-calculator/
Breadcrumb	Home > Free Tools > Calorie Calculator
Page Type	Tool Page (interactive)
Silo	Weight Loss
Hub role	Spoke of /tools/
Parent	/tools/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Calories
Funnel stage	TOFU/MOFU
Search intent (macro)	Utility, light lead-gen
Micro-intent	I-12 Calculation
Primary keyword	calorie calculator for weight loss
Secondary keywords	free calorie calculator for weight loss, online calorie calculator for weight loss
Meta title	Calorie Calculator | Free & Instant | Ongo
Meta description	Use Ongo's free calorie calculator to get an instant, personalized result — no signup required to see your number.
Target word count	300–500 words of explainer copy around the widget
Content outline	• TDEE-based calculator (activity level input) > daily calorie target for maintenance/deficit > links to Nutrition Therapy. • Result screen framed as a 'starting point' / 'general reference,' never as a diagnosis • Post-result CTA into the most relevant service page • Short explainer copy below the tool (what this measures, its limitations) for SEO depth beyond just the widget
Required disclaimer	Result is a general estimate, not a medical diagnosis; consult a licensed provider for personalized guidance
Schema type	SoftwareApplication + FAQPage (brief)
Healthcare professional	Medical Director (validates formula/range logic and result framing)
Proofreader / reviewer	Dev QA (calculation accuracy) + Editorial Lead (result copy)
YMYL sensitivity	Moderate — numeric health output, must avoid definitive/diagnostic framing

Field	Value
Internal links to	• /services/weight-loss/ • /services/glp-1/ • /tools/eligibility-checker/
Must be linked from	• /services/weight-loss/nutrition-therapy/ • /tools/
External links to	• NIH (calorie/TDEE methodology)
Primary CTA	Get a Personalized Plan
Secondary CTA	Learn More
CTA destination	/weightloss-onboard/
GA4 / GTM event	tool_complete_calorie_calculator / cta_calorie_calculator_post_result | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=tool, funnel_stage=tofu/mofu, micro_intent=I-12, launch_phase=1; internal_link_click on all in-content links
Priority	Next
Next.js route	app/tools/calorie-calculator/page.tsx (client component for the interactive widget, server-rendered explainer content around it)
On-page SEO notes	• Ensure explainer text is server-rendered, not only the JS widget — crawlers need real content on the page, not just an empty shell • SoftwareApplication schema for tool rich-result eligibility
Off-page SEO notes	• Pitch to 'free tools' and 'calculator' roundup articles — legitimate, natural backlink category
Book Three corrections	• FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26).

28.47 Ideal Weight Calculator

Field	Value
URL	/tools/ideal-weight-calculator/
Breadcrumb	Home > Free Tools > Ideal Weight Calculator
Page Type	Tool Page (interactive)
Silo	Weight Loss
Hub role	Spoke of /tools/
Parent	/tools/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Ideal body weight
Funnel stage	TOFU/MOFU
Search intent (macro)	Utility, light lead-gen
Micro-intent	I-12 Calculation
Primary keyword	ideal weight calculator
Secondary keywords	free ideal weight calculator, online ideal weight calculator
Meta title	Ideal Weight Calculator | Free & Instant | Ongo
Meta description	Use Ongo's free ideal weight calculator to get an instant, personalized result — no signup required to see your number.
Target word count	300–500 words of explainer copy around the widget
Content outline	• Height/frame-based estimate ranges (note: framed as a general reference range, not a rigid target) > soft CTA. • Result screen framed as a 'starting point' / 'general reference,' never as a diagnosis • Post-result CTA into the most relevant service page • Short explainer copy below the tool (what this measures, its limitations) for SEO depth beyond just the widget
Required disclaimer	Result is a general estimate, not a medical diagnosis; consult a licensed provider for personalized guidance
Schema type	SoftwareApplication + FAQPage (brief)
Healthcare professional	Medical Director (validates formula/range logic and result framing)
Proofreader / reviewer	Dev QA (calculation accuracy) + Editorial Lead (result copy)
YMYL sensitivity	Moderate — numeric health output, must avoid definitive/diagnostic framing

Field	Value
Internal links to	• /services/weight-loss/ • /services/glp-1/ • /tools/eligibility-checker/
Must be linked from	• /tools/
External links to	• CDC.gov (BMI/measurement standards)
Primary CTA	Get a Personalized Plan
Secondary CTA	Learn More
CTA destination	/weightloss-onboard/
GA4 / GTM event	tool_complete_ideal_weight_calculator / cta_ideal_weight_calculator_post_result | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=tool, funnel_stage=tofu/mofu, micro_intent=I-12, launch_phase=1; internal_link_click on all in-content links
Priority	Next
Next.js route	app/tools/ideal-weight-calculator/page.tsx (client component for the interactive widget, server-rendered explainer content around it)
On-page SEO notes	• Ensure explainer text is server-rendered, not only the JS widget — crawlers need real content on the page, not just an empty shell • SoftwareApplication schema for tool rich-result eligibility
Off-page SEO notes	• Pitch to 'free tools' and 'calculator' roundup articles — legitimate, natural backlink category
Book Three corrections	• FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26).

28.48 Body Fat Calculator

Field	Value
URL	/tools/body-fat-calculator/
Breadcrumb	Home > Free Tools > Body Fat Calculator
Page Type	Tool Page (interactive)
Silo	Weight Loss
Hub role	Spoke of /tools/
Parent	/tools/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Body fat percentage
Funnel stage	TOFU/MOFU
Search intent (macro)	Utility, light lead-gen
Micro-intent	I-12 Calculation
Primary keyword	body fat percentage calculator
Secondary keywords	free body fat percentage calculator, online body fat percentage calculator
Meta title	Body Fat Calculator | Free & Instant | Ongo
Meta description	Use Ongo's free body fat calculator to get an instant, personalized result — no signup required to see your number.
Target word count	300–500 words of explainer copy around the widget
Content outline	• Navy-method or similar tape-measurement estimate calculator > category result > soft CTA. • Result screen framed as a 'starting point' / 'general reference,' never as a diagnosis • Post-result CTA into the most relevant service page • Short explainer copy below the tool (what this measures, its limitations) for SEO depth beyond just the widget
Required disclaimer	Result is a general estimate, not a medical diagnosis; consult a licensed provider for personalized guidance
Schema type	SoftwareApplication + FAQPage (brief)
Healthcare professional	Medical Director (validates formula/range logic and result framing)
Proofreader / reviewer	Dev QA (calculation accuracy) + Editorial Lead (result copy)
YMYL sensitivity	Moderate — numeric health output, must avoid definitive/diagnostic framing
Internal links to	• /services/weight-loss/ • /services/glp-1/ • /tools/eligibility-checker/

Field	Value
Must be linked from	• /services/weight-loss/guided-workout-plans/ • /tools/
External links to	• CDC.gov (BMI/measurement standards)
Primary CTA	Get a Personalized Plan
Secondary CTA	Learn More
CTA destination	/weightloss-onboard/
GA4 / GTM event	tool_complete_body_fat_calculator / cta_body_fat_calculator_post_result | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=tool, funnel_stage=tofu/mofu, micro_intent=I-12, launch_phase=1; internal_link_click on all in-content links
Priority	Next
Next.js route	app/tools/body-fat-calculator/page.tsx (client component for the interactive widget, server-rendered explainer content around it)
On-page SEO notes	• Ensure explainer text is server-rendered, not only the JS widget — crawlers need real content on the page, not just an empty shell • SoftwareApplication schema for tool rich-result eligibility
Off-page SEO notes	• Pitch to 'free tools' and 'calculator' roundup articles — legitimate, natural backlink category
Book Three corrections	• FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26).

28.49 Cost Calculator

Field	Value
URL	/tools/cost-calculator/
Breadcrumb	Home > Free Tools > Cost Calculator
Page Type	Tool Page (interactive)
Silo	Weight Loss
Hub role	Spoke of /tools/
Parent	/tools/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Treatment cost
Funnel stage	MOFU/BOFU
Search intent (macro)	Utility with embedded lead-gen
Micro-intent	C-3 Cost research / T-4 Get a price now
Primary keyword	how much does glp-1 cost with insurance
Secondary keywords	free how much does glp-1 cost with insurance, online how much does glp-1 cost with insurance
Meta title	Cost & Savings Calculator | Free & Instant | Ongo
Meta description	Use Ongo's free cost & savings calculator to get an instant, personalized result — no signup required to see your number.
Target word count	300–500 words of explainer copy around the widget
Content outline	• Input insurance status/plan type > estimated monthly cost range + manufacturer savings-card note > strong CTA into GLP-1/eligibility. Second-highest commercial-value tool after Eligibility Checker. • Result screen framed as a 'starting point' / 'general reference,' never as a diagnosis • Post-result CTA into the most relevant service page • Short explainer copy below the tool (what this measures, its limitations) for SEO depth beyond just the widget
Required disclaimer	Result is a general estimate, not a medical diagnosis; consult a licensed provider for personalized guidance
Schema type	SoftwareApplication + FAQPage (brief)
Healthcare professional	Medical Director (validates formula/range logic and result framing)
Proofreader / reviewer	Dev QA (calculation accuracy) + Editorial Lead (result copy)
YMYL sensitivity	Moderate — numeric health output, must avoid definitive/diagnostic framing

Field	Value
Internal links to	• /services/weight-loss/ • /services/glp-1/ • /tools/eligibility-checker/
Must be linked from	• /faq/ • /pricing/ • /services/glp-1/ • /services/glp-1/compounded-semaglutide/ • /services/glp-1/compounded-tirzepatide/ • /services/glp-1/liraglutide/ • /services/glp-1/mounjaro/ • /services/glp-1/ozempic/ • /services/glp-1/rybelsus/ • /services/glp-1/wegovy/ • /services/glp-1/zepbound/ • /services/longevity-anti-aging/glutathione/
External links to	• None specified.
Primary CTA	See If You Qualify
Secondary CTA	Learn More
CTA destination	/weightloss-onboard/
GA4 / GTM event	tool_complete_cost_calculator / cta_cost_calculator_post_result | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=tool, funnel_stage=mofu/bofu, micro_intent=C-3, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/tools/cost-calculator/page.tsx (client component for the interactive widget, server-rendered explainer content around it)
On-page SEO notes	• Ensure explainer text is server-rendered, not only the JS widget — crawlers need real content on the page, not just an empty shell • SoftwareApplication schema for tool rich-result eligibility
Off-page SEO notes	• Pitch to 'free tools' and 'calculator' roundup articles — legitimate, natural backlink category Part IV Blog — Pillar Pages & Articles
Book Three corrections	• FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 1 launch rule: remove brand names (Wegovy, Ozempic, Rybelsus, Mounjaro, Zepbound) from commercial copy, keywords, meta and links on this page; point links at the compounded semaglutide and tirzepatide pages instead. Brand names may appear only in compliance-reviewed education with "Ongo does not offer this medication".

Section: Blog — Weight Loss Cluster

28.50 Blog hub: Weight Loss

Field	Value
URL	/blog/weight-loss/
Breadcrumb	Home > Blog > Weight Loss
Page Type	Blog Hub (pillar)
Silo	Weight Loss
Hub role	Blog cluster hub
Parent	/blog/ (blog index)
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Weight loss / medical weight management
Funnel stage	TOFU/MOFU
Search intent (macro)	Informational, with commercial cross-links
Micro-intent	I-1 Definition (cluster hub)
Primary keyword	weight loss tips and guides
Secondary keywords	weight loss articles, weight loss education
Meta title	Weight Loss Articles & Guides | Ongo Blog
Meta description	Evidence-based weight loss articles reviewed by licensed medical professionals.
Target word count	150–250 words of intro copy + article grid
Content outline	• Article grid/list — title, excerpt, reviewer name, last-updated date visible on every card • Prominent cross-link into /services/weight-loss/ — the commercial page this cluster supports • Filterable/sortable if article count grows beyond ~10 per hub
Required disclaimer	Standard editorial policy link in footer
Schema type	Blog + CollectionPage
Healthcare professional	Registered Dietitian + Medical Director
Proofreader / reviewer	Editorial Lead
YMYL sensitivity	Clear YMYL — Moderate (hub itself is a list page; individual articles carry the higher scrutiny)
Internal links to	• /services/weight-loss/ • /blog/

Field	Value
Must be linked from	• /blog/ • /blog/weight-loss/how-much-weight-can-you-lose/ • /blog/weight-loss/how-to-lose-weight-safely/ • /blog/weight-loss/medical-weight-loss-guide/ • /blog/weight-loss/weight-loss-mistakes/ • /blog/weight-loss/why-am-i-not-losing-weight/ • /conditions/obesity/ • /conditions/overweight/ • /services/weight-loss/ • /services/weight-loss/guided-workout-plans/ • /services/weight-loss/nutrition-therapy/
External links to	• None specified.
Primary CTA	Explore Weight Loss
Secondary CTA	Get Started
CTA destination	Primary > internal navigation to the vertical's service hub. Secondary ('Get Started') > /weightloss-onboard/
GA4 / GTM event	cta_bloghub_weight_loss_service_click (primary, internal nav) / cta_bloghub_weight_loss_get_started (secondary, fires exit_to_portal)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_hub, funnel_stage=tofu/mofu, micro_intent=I-1, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/blog/weight-loss/page.tsx
On-page SEO notes	• Pillar page — internal-links out to every article in the cluster and receives links back from each
Off-page SEO notes	• Natural home for guest-post and roundup-article backlinks on this topic
Book Three corrections	• None: matches Book Three rules.

28.51 How to Lose Weight Safely

Field	Value
URL	/blog/weight-loss/how-to-lose-weight-safely/
Breadcrumb	Home > Blog > ... > How to Lose Weight Safely
Page Type	Blog Article
Silo	Weight Loss
Hub role	Spoke of /blog/weight-loss/
Parent	/blog/weight-loss/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Weight loss / medical weight management
Funnel stage	TOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-8 Lifestyle support
Primary keyword	how to lose weight safely
Secondary keywords	how to lose weight safely 2026, how to lose weight safely guide
Meta title	How to Lose Weight Safely | Ongo
Meta description	How to Lose Weight Safely — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/weight-loss/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Registered Dietitian + Medical Director
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/weight-loss/ • /blog/weight-loss/
Must be linked from	• /blog/weight-loss/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_article, funnel_stage=tofu, micro_intent=I-8, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/blog/weight-loss/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "how-to-lose-weight-safely")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26).

28.52 Medical Weight Loss Guide

Field	Value
URL	/blog/weight-loss/medical-weight-loss-guide/
Breadcrumb	Home > Blog > ... > Medical Weight Loss Guide
Page Type	Blog Article
Silo	Weight Loss
Hub role	Spoke of /blog/weight-loss/
Parent	/blog/weight-loss/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Weight loss / medical weight management
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	C-4 Provider evaluation
Primary keyword	medical weight loss guide
Secondary keywords	medical weight loss guide 2026, medical weight loss guide guide
Meta title	The Complete Medical Weight Loss Guide | Ongo
Meta description	The Complete Medical Weight Loss Guide — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/weight-loss/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Registered Dietitian + Medical Director
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/weight-loss/ • /blog/weight-loss/
Must be linked from	• /blog/weight-loss/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_article, funnel_stage=mofu, micro_intent=C-4, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/blog/weight-loss/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "medical-weight-loss-guide")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26).

28.53 Why Am I Not Losing Weight

Field	Value
URL	/blog/weight-loss/why-am-i-not-losing-weight/
Breadcrumb	Home > Blog > ... > Why Am I Not Losing Weight
Page Type	Blog Article
Silo	Weight Loss
Hub role	Spoke of /blog/weight-loss/
Parent	/blog/weight-loss/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Weight loss / medical weight management
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-9 Troubleshooting
Primary keyword	why am i not losing weight
Secondary keywords	why am i not losing weight 2026, why am i not losing weight guide
Meta title	Why Am I Not Losing Weight? | Ongo
Meta description	Why Am I Not Losing Weight? — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/weight-loss/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Registered Dietitian + Medical Director
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/weight-loss/ • /blog/weight-loss/
Must be linked from	• /blog/weight-loss/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_article, funnel_stage=mofu, micro_intent=I-9, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/blog/weight-loss/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "why-am-i-not-losing-weight")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26).

28.54 How Much Weight Can You Lose

Field	Value
URL	/blog/weight-loss/how-much-weight-can-you-lose/
Breadcrumb	Home > Blog > ... > How Much Weight Can You Lose
Page Type	Blog Article
Silo	Weight Loss
Hub role	Spoke of /blog/weight-loss/
Parent	/blog/weight-loss/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Weight loss / medical weight management
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-6 Timeline / expectations
Primary keyword	how much weight can you lose
Secondary keywords	how much weight can you lose 2026, how much weight can you lose guide
Meta title	How Much Weight Can You Realistically Lose? | Ongo
Meta description	How Much Weight Can You Realistically Lose? — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/weight-loss/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Registered Dietitian + Medical Director
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/weight-loss/ • /blog/weight-loss/
Must be linked from	• /blog/weight-loss/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_article, funnel_stage=mofu, micro_intent=I-6, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/blog/weight-loss/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "how-much-weight-can-you-lose")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26).

28.55 Weight Loss Mistakes

Field	Value
URL	/blog/weight-loss/weight-loss-mistakes/
Breadcrumb	Home > Blog > ... > Weight Loss Mistakes
Page Type	Blog Article
Silo	Weight Loss
Hub role	Spoke of /blog/weight-loss/
Parent	/blog/weight-loss/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Weight loss / medical weight management
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-9 Troubleshooting
Primary keyword	weight loss mistakes
Secondary keywords	weight loss mistakes 2026, weight loss mistakes guide
Meta title	Common Weight Loss Mistakes to Avoid | Ongo
Meta description	Common Weight Loss Mistakes to Avoid — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/weight-loss/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Registered Dietitian + Medical Director
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/weight-loss/ • /blog/weight-loss/
Must be linked from	• /blog/weight-loss/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_article, funnel_stage=mofu, micro_intent=I-9, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/blog/weight-loss/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "weight-loss-mistakes")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26).

Section: Blog — GLP-1 Cluster

28.56 Blog hub: GLP-1 Medications

Field	Value
URL	/blog/glp-1/
Breadcrumb	Home > Blog > GLP-1 Medications
Page Type	Blog Hub (pillar)
Silo	Weight Loss
Hub role	Blog cluster hub
Parent	/blog/ (blog index)
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	GLP-1 receptor agonists
Funnel stage	TOFU/MOFU
Search intent (macro)	Informational, with commercial cross-links
Micro-intent	I-1 Definition (cluster hub)
Primary keyword	glp-1 medications guide
Secondary keywords	glp-1 articles, glp-1 education
Meta title	GLP-1 Articles & Guides | Ongo Blog
Meta description	Evidence-based glp-1 articles reviewed by licensed medical professionals.
Target word count	150–250 words of intro copy + article grid
Content outline	• Article grid/list — title, excerpt, reviewer name, last-updated date visible on every card • Prominent cross-link into /services/glp-1/ — the commercial page this cluster supports • Filterable/sortable if article count grows beyond ~10 per hub
Required disclaimer	Standard editorial policy link in footer
Schema type	Blog + CollectionPage
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Editorial Lead
YMYL sensitivity	Clear YMYL — Moderate (hub itself is a list page; individual articles carry the higher scrutiny)
Internal links to	• /services/glp-1/ • /blog/

Field	Value
Must be linked from	• /blog/ • /blog/glp-1/glp-1-side-effects/ • /blog/glp-1/how-do-glp-1-medications-work/ • /blog/glp-1/how-long-do-glp-1-medications-take-to-work/ • /blog/glp-1/what-are-glp-1-medications/ • /blog/glp-1/who-can-take-glp-1-medications/ • /services/glp-1/
External links to	• None specified.
Primary CTA	Explore GLP-1
Secondary CTA	Get Started
CTA destination	Primary > internal navigation to the vertical's service hub. Secondary ('Get Started') > /weightloss-onboard/
GA4 / GTM event	cta_bloghub_glp_1_service_click (primary, internal nav) / cta_bloghub_glp_1_get_started (secondary, fires exit_to_portal)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_hub, funnel_stage=tofu/mofu, micro_intent=I-1, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/blog/glp-1/page.tsx
On-page SEO notes	• Pillar page — internal-links out to every article in the cluster and receives links back from each
Off-page SEO notes	• Natural home for guest-post and roundup-article backlinks on this topic
Book Three corrections	• None: matches Book Three rules.

28.57 What Are GLP-1 Medications

Field	Value
URL	/blog/glp-1/what-are-glp-1-medications/
Breadcrumb	Home > Blog > ... > What are Glp 1 Medications
Page Type	Blog Article
Silo	Weight Loss
Hub role	Spoke of /blog/glp-1/
Parent	/blog/glp-1/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	GLP-1 receptor agonists
Funnel stage	TOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-1 Definition
Primary keyword	what are glp-1 medications
Secondary keywords	what are glp-1 medications 2026, what are glp-1 medications guide
Meta title	What Are GLP-1 Medications? | Ongo
Meta description	What Are GLP-1 Medications? — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/glp-1/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/glp-1/ • /blog/glp-1/
Must be linked from	• /blog/glp-1/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_article, funnel_stage=tofu, micro_intent=I-1, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/blog/glp-1/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "what-are-glp-1-medications")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26).

28.58 How Do GLP-1 Medications Work

Field	Value
URL	/blog/glp-1/how-do-glp-1-medications-work/
Breadcrumb	Home > Blog > ... > How Do Glp 1 Medications Work
Page Type	Blog Article
Silo	Weight Loss
Hub role	Spoke of /blog/glp-1/
Parent	/blog/glp-1/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	GLP-1 receptor agonists
Funnel stage	TOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-2 Mechanism
Primary keyword	how do glp-1 medications work
Secondary keywords	how do glp-1 medications work 2026, how do glp-1 medications work guide
Meta title	How Do GLP-1 Medications Work? | Ongo
Meta description	How Do GLP-1 Medications Work? — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/glp-1/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/glp-1/ • /blog/glp-1/
Must be linked from	• /blog/glp-1/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_article, funnel_stage=tofu, micro_intent=I-2, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/blog/glp-1/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "how-do-glp-1-medications-work")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26).

28.59 GLP-1 Side Effects

Field	Value
URL	/blog/glp-1/glp-1-side-effects/
Breadcrumb	Home > Blog > ... > Glp 1 Side Effects
Page Type	Blog Article
Silo	Weight Loss
Hub role	Spoke of /blog/glp-1/
Parent	/blog/glp-1/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	GLP-1 receptor agonists
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-5 Side effects and safety
Primary keyword	glp-1 side effects
Secondary keywords	glp-1 side effects 2026, glp-1 side effects guide
Meta title	GLP-1 Side Effects: What to Know | Ongo
Meta description	GLP-1 Side Effects: What to Know — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/glp-1/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/glp-1/ • /blog/glp-1/
Must be linked from	• /blog/glp-1/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_article, funnel_stage=mofu, micro_intent=I-5, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/blog/glp-1/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "glp-1-side-effects")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26).

28.60 Who Can Take GLP-1 Medications

Field	Value
URL	/blog/glp-1/who-can-take-glp-1-medications/
Breadcrumb	Home > Blog > ... > Who Can Take Glp 1 Medications
Page Type	Blog Article
Silo	Weight Loss
Hub role	Spoke of /blog/glp-1/
Parent	/blog/glp-1/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	GLP-1 receptor agonists
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-7 Eligibility education
Primary keyword	who can take glp-1 medications
Secondary keywords	who can take glp-1 medications 2026, who can take glp-1 medications guide
Meta title	Who Can Take GLP-1 Medications? | Ongo
Meta description	Who Can Take GLP-1 Medications? — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/glp-1/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/glp-1/ • /blog/glp-1/
Must be linked from	• /blog/glp-1/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_article, funnel_stage=mofu, micro_intent=I-7, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/blog/glp-1/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "who-can-take-glp-1-medications")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26).

28.61 How Long Do GLP-1 Medications Take to Work

Field	Value
URL	/blog/glp-1/how-long-do-glp-1-medications-take-to-work/
Breadcrumb	Home > Blog > ... > How Long Do Glp 1 Medications Take to Work
Page Type	Blog Article
Silo	Weight Loss
Hub role	Spoke of /blog/glp-1/
Parent	/blog/glp-1/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	GLP-1 receptor agonists
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-6 Timeline / expectations
Primary keyword	how long do glp-1 medications take to work
Secondary keywords	how long do glp-1 medications take to work 2026, how long do glp-1 medications take to work guide
Meta title	How Long Do GLP-1 Medications Take to Work? | Ongo
Meta description	How Long Do GLP-1 Medications Take to Work? — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/glp-1/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/glp-1/ • /blog/glp-1/
Must be linked from	• /blog/glp-1/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_article, funnel_stage=mofu, micro_intent=I-6, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/blog/glp-1/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "how-long-do-glp-1-medications-take-to-work")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26).

Section: Blog — Semaglutide Cluster

28.62 Blog hub: Semaglutide

Field	Value
URL	/blog/semaglutide/
Breadcrumb	Home > Blog > Semaglutide
Page Type	Blog Hub (pillar)
Silo	Weight Loss
Hub role	Blog cluster hub
Parent	/blog/ (blog index)
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Semaglutide
Funnel stage	TOFU/MOFU
Search intent (macro)	Informational, with commercial cross-links
Micro-intent	I-1 Definition (cluster hub)
Primary keyword	semaglutide guide
Secondary keywords	semaglutide articles, semaglutide education
Meta title	Semaglutide Articles & Guides | Ongo Blog
Meta description	Evidence-based semaglutide articles reviewed by licensed medical professionals.
Target word count	150–250 words of intro copy + article grid
Content outline	• Article grid/list — title, excerpt, reviewer name, last-updated date visible on every card • Prominent cross-link into /services/glp-1/semaglutide/ — the commercial page this cluster supports • Filterable/sortable if article count grows beyond ~10 per hub
Required disclaimer	Standard editorial policy link in footer
Schema type	Blog + CollectionPage
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Editorial Lead
YMYL sensitivity	Clear YMYL — Moderate (hub itself is a list page; individual articles carry the higher scrutiny)
Internal links to	• /services/glp-1/compounded-semaglutide/ • /blog/

Field	Value
Must be linked from	• /blog/ • /blog/semaglutide/how-does-semaglutide-work/ • /blog/semaglutide/how-long-does-semaglutide-take-to-work/ • /blog/semaglutide/semaglutide-side-effects/ • /blog/semaglutide/semaglutide-vs-tirzepatide/ • /blog/semaglutide/semaglutide-weight-loss-results/ • /services/glp-1/compounded-semaglutide/ • /services/glp-1/ozempic/ • /services/glp-1/rybelsus/ • /services/glp-1/wegovy/
External links to	• None specified.
Primary CTA	Explore Semaglutide
Secondary CTA	Get Started
CTA destination	Primary > internal navigation to the vertical's service hub. Secondary ('Get Started') > /weightloss-onboard/
GA4 / GTM event	cta_bloghub_semaglutide_service_click (primary, internal nav) / cta_bloghub_semaglutide_get_started (secondary, fires exit_to_portal)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_hub, funnel_stage=tofu/mofu, micro_intent=I-1, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/blog/semaglutide/page.tsx
On-page SEO notes	• Pillar page — internal-links out to every article in the cluster and receives links back from each
Off-page SEO notes	• Natural home for guest-post and roundup-article backlinks on this topic
Book Three corrections	• Phase 1 launch rule: remove brand names (Wegovy, Ozempic, Rybelsus, Mounjaro, Zepbound) from commercial copy, keywords, meta and links on this page; point links at the compounded semaglutide and tirzepatide pages instead. Brand names may appear only in compliance-reviewed education with "Ongo does not offer this medication". • Internal links to v3 brand or liraglutide pages were re-pointed to the compounded semaglutide / tirzepatide pages for Phase 1.

28.63 How Does Semaglutide Work

Field	Value
URL	/blog/semaglutide/how-does-semaglutide-work/
Breadcrumb	Home > Blog > ... > How Does Semaglutide Work
Page Type	Blog Article
Silo	Weight Loss
Hub role	Spoke of /blog/semaglutide/
Parent	/blog/semaglutide/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Semaglutide
Funnel stage	TOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-2 Mechanism
Primary keyword	how does semaglutide work
Secondary keywords	how does semaglutide work 2026, how does semaglutide work guide
Meta title	How Does Semaglutide Work? | Ongo
Meta description	How Does Semaglutide Work? — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/glp-1/semaglutide/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/glp-1/compounded-semaglutide/ • /blog/semaglutide/
Must be linked from	• /blog/semaglutide/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_article, funnel_stage=tofu, micro_intent=I-2, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/blog/semaglutide/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "how-does-semaglutide-work")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Internal links to v3 brand or liraglutide pages were re-pointed to the compounded semaglutide / tirzepatide pages for Phase 1.

28.64 Semaglutide Side Effects

Field	Value
URL	/blog/semaglutide/semaglutide-side-effects/
Breadcrumb	Home > Blog > ... > Semaglutide Side Effects
Page Type	Blog Article
Silo	Weight Loss
Hub role	Spoke of /blog/semaglutide/
Parent	/blog/semaglutide/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Semaglutide
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-5 Side effects and safety
Primary keyword	semaglutide side effects
Secondary keywords	semaglutide side effects 2026, semaglutide side effects guide
Meta title	Semaglutide Side Effects | Ongo
Meta description	Semaglutide Side Effects — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/glp-1/semaglutide/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/glp-1/compounded-semaglutide/ • /blog/semaglutide/
Must be linked from	• /blog/semaglutide/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_article, funnel_stage=mofu, micro_intent=I-5, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/blog/semaglutide/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "semaglutide-side-effects")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Internal links to v3 brand or liraglutide pages were re-pointed to the compounded semaglutide / tirzepatide pages for Phase 1.

28.65 Semaglutide Weight Loss Results

Field	Value
URL	/blog/semaglutide/semaglutide-weight-loss-results/
Breadcrumb	Home > Blog > ... > Semaglutide Weight Loss Results
Page Type	Blog Article
Silo	Weight Loss
Hub role	Spoke of /blog/semaglutide/
Parent	/blog/semaglutide/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Semaglutide
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-6 Timeline / expectations
Primary keyword	semaglutide weight loss results
Secondary keywords	semaglutide weight loss results 2026, semaglutide weight loss results guide
Meta title	Semaglutide Weight Loss Results | Ongo
Meta description	Semaglutide Weight Loss Results — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/glp-1/semaglutide/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/glp-1/compounded-semaglutide/ • /blog/semaglutide/
Must be linked from	• /blog/semaglutide/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_article, funnel_stage=mofu, micro_intent=I-6, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/blog/semaglutide/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "semaglutide-weight-loss-results")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Any outcome numbers must name the brand product and trial studied (e.g. STEP 1, SURMOUNT-1) and never be attributed to compounded products (Book One, Chapter 5). • Internal links to v3 brand or liraglutide pages were re-pointed to the compounded semaglutide / tirzepatide pages for Phase 1.

28.66 Semaglutide vs. Tirzepatide

Field	Value
URL	/blog/semaglutide/semaglutide-vs-tirzepatide/
Breadcrumb	Home > Blog > ... > Semaglutide vs. Tirzepatide
Page Type	Blog Article
Silo	Weight Loss
Hub role	Spoke of /blog/semaglutide/
Parent	/blog/semaglutide/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Semaglutide
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	C-1 Option comparison
Primary keyword	semaglutide vs tirzepatide
Secondary keywords	semaglutide vs tirzepatide 2026, semaglutide vs tirzepatide guide
Meta title	Semaglutide vs. Tirzepatide | Ongo
Meta description	Semaglutide vs. Tirzepatide — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/glp-1/semaglutide/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/glp-1/compounded-semaglutide/ • /blog/semaglutide/
Must be linked from	• /blog/semaglutide/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_article, funnel_stage=mofu, micro_intent=C-1, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/blog/semaglutide/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "semaglutide-vs-tirzepatide")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Internal links to v3 brand or liraglutide pages were re-pointed to the compounded semaglutide / tirzepatide pages for Phase 1.

28.67 How Long Does Semaglutide Take to Work

Field	Value
URL	/blog/semaglutide/how-long-does-semaglutide-take-to-work/
Breadcrumb	Home > Blog > ... > How Long Does Semaglutide Take to Work
Page Type	Blog Article
Silo	Weight Loss
Hub role	Spoke of /blog/semaglutide/
Parent	/blog/semaglutide/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Semaglutide
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-6 Timeline / expectations
Primary keyword	how long does semaglutide take to work
Secondary keywords	how long does semaglutide take to work 2026, how long does semaglutide take to work guide
Meta title	How Long Does Semaglutide Take to Work? | Ongo
Meta description	How Long Does Semaglutide Take to Work? — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/glp-1/semaglutide/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/glp-1/compounded-semaglutide/ • /blog/semaglutide/
Must be linked from	• /blog/semaglutide/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_article, funnel_stage=mofu, micro_intent=I-6, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/blog/semaglutide/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "how-long-does-semaglutide-take-to-work")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Internal links to v3 brand or liraglutide pages were re-pointed to the compounded semaglutide / tirzepatide pages for Phase 1.

Section: Blog — Tirzepatide Cluster

28.68 Blog hub: Tirzepatide

Field	Value
URL	/blog/tirzepatide/
Breadcrumb	Home > Blog > Tirzepatide
Page Type	Blog Hub (pillar)
Silo	Weight Loss
Hub role	Blog cluster hub
Parent	/blog/ (blog index)
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Tirzepatide
Funnel stage	TOFU/MOFU
Search intent (macro)	Informational, with commercial cross-links
Micro-intent	I-1 Definition (cluster hub)
Primary keyword	tirzepatide guide
Secondary keywords	tirzepatide articles, tirzepatide education
Meta title	Tirzepatide Articles & Guides | Ongo Blog
Meta description	Evidence-based tirzepatide articles reviewed by licensed medical professionals.
Target word count	150–250 words of intro copy + article grid
Content outline	• Article grid/list — title, excerpt, reviewer name, last-updated date visible on every card • Prominent cross-link into /services/glp-1/tirzepatide/ — the commercial page this cluster supports • Filterable/sortable if article count grows beyond ~10 per hub
Required disclaimer	Standard editorial policy link in footer
Schema type	Blog + CollectionPage
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Editorial Lead
YMYL sensitivity	Clear YMYL — Moderate (hub itself is a list page; individual articles carry the higher scrutiny)
Internal links to	• /services/glp-1/compounded-tirzepatide/ • /blog/

Field	Value
Must be linked from	• /blog/ • /blog/tirzepatide/how-does-tirzepatide-work/ • /blog/tirzepatide/how-long-does-tirzepatide-take-to-work/ • /blog/tirzepatide/tirzepatide-side-effects/ • /blog/tirzepatide/tirzepatide-vs-semaglutide/ • /blog/tirzepatide/tirzepatide-weight-loss-results/ • /services/glp-1/compounded-tirzepatide/ • /services/glp-1/mounjaro/ • /services/glp-1/zepbound/
External links to	• None specified.
Primary CTA	Explore Tirzepatide
Secondary CTA	Get Started
CTA destination	Primary > internal navigation to the vertical's service hub. Secondary ('Get Started') > /weightloss-onboard/
GA4 / GTM event	cta_bloghub_tirzepatide_service_click (primary, internal nav) / cta_bloghub_tirzepatide_get_started (secondary, fires exit_to_portal)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_hub, funnel_stage=tofu/mofu, micro_intent=I-1, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/blog/tirzepatide/page.tsx
On-page SEO notes	• Pillar page — internal-links out to every article in the cluster and receives links back from each
Off-page SEO notes	• Natural home for guest-post and roundup-article backlinks on this topic
Book Three corrections	• Phase 1 launch rule: remove brand names (Wegovy, Ozempic, Rybelsus, Mounjaro, Zepbound) from commercial copy, keywords, meta and links on this page; point links at the compounded semaglutide and tirzepatide pages instead. Brand names may appear only in compliance-reviewed education with "Ongo does not offer this medication". • Internal links to v3 brand or liraglutide pages were re-pointed to the compounded semaglutide / tirzepatide pages for Phase 1.

28.69 How Does Tirzepatide Work

Field	Value
URL	/blog/tirzepatide/how-does-tirzepatide-work/
Breadcrumb	Home > Blog > ... > How Does Tirzepatide Work
Page Type	Blog Article
Silo	Weight Loss
Hub role	Spoke of /blog/tirzepatide/
Parent	/blog/tirzepatide/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Tirzepatide
Funnel stage	TOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-2 Mechanism
Primary keyword	how does tirzepatide work
Secondary keywords	how does tirzepatide work 2026, how does tirzepatide work guide
Meta title	How Does Tirzepatide Work? | Ongo
Meta description	How Does Tirzepatide Work? — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/glp-1/tirzepatide/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/glp-1/compounded-tirzepatide/ • /blog/tirzepatide/
Must be linked from	• /blog/tirzepatide/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_article, funnel_stage=tofu, micro_intent=I-2, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/blog/tirzepatide/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "how-does-tirzepatide-work")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Internal links to v3 brand or liraglutide pages were re-pointed to the compounded semaglutide / tirzepatide pages for Phase 1.

28.70 Tirzepatide Side Effects

Field	Value
URL	/blog/tirzepatide/tirzepatide-side-effects/
Breadcrumb	Home > Blog > ... > Tirzepatide Side Effects
Page Type	Blog Article
Silo	Weight Loss
Hub role	Spoke of /blog/tirzepatide/
Parent	/blog/tirzepatide/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Tirzepatide
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-5 Side effects and safety
Primary keyword	tirzepatide side effects
Secondary keywords	tirzepatide side effects 2026, tirzepatide side effects guide
Meta title	Tirzepatide Side Effects | Ongo
Meta description	Tirzepatide Side Effects — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/glp-1/tirzepatide/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/glp-1/compounded-tirzepatide/ • /blog/tirzepatide/
Must be linked from	• /blog/tirzepatide/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_article, funnel_stage=mofu, micro_intent=I-5, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/blog/tirzepatide/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "tirzepatide-side-effects")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Internal links to v3 brand or liraglutide pages were re-pointed to the compounded semaglutide / tirzepatide pages for Phase 1.

28.71 Tirzepatide Weight Loss Results

Field	Value
URL	/blog/tirzepatide/tirzepatide-weight-loss-results/
Breadcrumb	Home > Blog > ... > Tirzepatide Weight Loss Results
Page Type	Blog Article
Silo	Weight Loss
Hub role	Spoke of /blog/tirzepatide/
Parent	/blog/tirzepatide/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Tirzepatide
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-6 Timeline / expectations
Primary keyword	tirzepatide weight loss results
Secondary keywords	tirzepatide weight loss results 2026, tirzepatide weight loss results guide
Meta title	Tirzepatide Weight Loss Results | Ongo
Meta description	Tirzepatide Weight Loss Results — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/glp-1/tirzepatide/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/glp-1/compounded-tirzepatide/ • /blog/tirzepatide/
Must be linked from	• /blog/tirzepatide/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_article, funnel_stage=mofu, micro_intent=I-6, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/blog/tirzepatide/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "tirzepatide-weight-loss-results")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Any outcome numbers must name the brand product and trial studied (e.g. STEP 1, SURMOUNT-1) and never be attributed to compounded products (Book One, Chapter 5). • Internal links to v3 brand or liraglutide pages were re-pointed to the compounded semaglutide / tirzepatide pages for Phase 1.

28.72 Tirzepatide vs. Semaglutide

Field	Value
URL	/blog/tirzepatide/tirzepatide-vs-semaglutide/
Breadcrumb	Home > Blog > ... > Tirzepatide vs. Semaglutide
Page Type	Blog Article
Silo	Weight Loss
Hub role	Spoke of /blog/tirzepatide/
Parent	/blog/tirzepatide/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Semaglutide
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	C-1 Option comparison
Primary keyword	tirzepatide vs semaglutide
Secondary keywords	tirzepatide vs semaglutide 2026, tirzepatide vs semaglutide guide
Meta title	Tirzepatide vs. Semaglutide | Ongo
Meta description	Tirzepatide vs. Semaglutide — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/glp-1/tirzepatide/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/glp-1/compounded-tirzepatide/ • /blog/tirzepatide/
Must be linked from	• /blog/tirzepatide/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_article, funnel_stage=mofu, micro_intent=C-1, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/blog/tirzepatide/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "tirzepatide-vs-semaglutide")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Duplicate comparison: merge into /blog/semaglutide/semaglutide-vs-tirzepatide/ and 301-redirect this URL (Chapter 17). • Internal links to v3 brand or liraglutide pages were re-pointed to the compounded semaglutide / tirzepatide pages for Phase 1.

28.73 How Long Does Tirzepatide Take to Work

Field	Value
URL	/blog/tirzepatide/how-long-does-tirzepatide-take-to-work/
Breadcrumb	Home > Blog > ... > How Long Does Tirzepatide Take to Work
Page Type	Blog Article
Silo	Weight Loss
Hub role	Spoke of /blog/tirzepatide/
Parent	/blog/tirzepatide/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Tirzepatide
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-6 Timeline / expectations
Primary keyword	how long does tirzepatide take to work
Secondary keywords	how long does tirzepatide take to work 2026, how long does tirzepatide take to work guide
Meta title	How Long Does Tirzepatide Take to Work? | Ongo
Meta description	How Long Does Tirzepatide Take to Work? — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/glp-1/tirzepatide/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/glp-1/compounded-tirzepatide/ • /blog/tirzepatide/
Must be linked from	• /blog/tirzepatide/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_article, funnel_stage=mofu, micro_intent=I-6, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/blog/tirzepatide/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "how-long-does-tirzepatide-take-to-work")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Internal links to v3 brand or liraglutide pages were re-pointed to the compounded semaglutide / tirzepatide pages for Phase 1.

Section: Blog — Liraglutide Cluster

28.74 Blog hub: Liraglutide (Saxenda® & Victoza®)

Field	Value
URL	/blog/liraglutide/
Breadcrumb	Home > Blog > Liraglutide (Saxenda® & Victoza®)
Page Type	Blog Hub (pillar)
Silo	Weight Loss
Hub role	Blog cluster hub
Parent	/blog/ (blog index)
Launch phase	2 (educational only)
Index status	Noindexed until Phase 2 compliance sign-off
Primary entity	Liraglutide
Funnel stage	TOFU/MOFU
Search intent (macro)	Informational, with commercial cross-links
Micro-intent	I-1 Definition (cluster hub)
Primary keyword	liraglutide guide
Secondary keywords	liraglutide articles, liraglutide education
Meta title	Liraglutide Articles & Guides | Ongo Blog
Meta description	Evidence-based liraglutide articles reviewed by licensed medical professionals.
Target word count	150–250 words of intro copy + article grid
Content outline	• Article grid/list — title, excerpt, reviewer name, last-updated date visible on every card • Prominent cross-link into /services/glp-1/liraglutide/ — the commercial page this cluster supports • Filterable/sortable if article count grows beyond ~10 per hub
Required disclaimer	Standard editorial policy link in footer
Schema type	Blog + CollectionPage
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Editorial Lead
YMYL sensitivity	Clear YMYL — Moderate (hub itself is a list page; individual articles carry the higher scrutiny)
Internal links to	• /services/glp-1/liraglutide/ • /blog/

Field	Value
Must be linked from	• /blog/ • /blog/liraglutide/how-does-liraglutide-work/ • /blog/liraglutide/liraglutide-side-effects/ • /blog/liraglutide/liraglutide-weight-loss-results/ • /services/glp-1/liraglutide/
External links to	• None specified.
Primary CTA	Explore Liraglutide
Secondary CTA	Get Started
CTA destination	Primary > internal navigation to the vertical's service hub. Secondary ('Get Started') > /weightloss-onboard/
GA4 / GTM event	cta_bloghub_liraglutide_service_click (primary, internal nav) / cta_bloghub_liraglutide_get_started (secondary, fires exit_to_portal)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_hub, funnel_stage=tofu/mofu, micro_intent=I-1, launch_phase=2; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/liraglutide/page.tsx
On-page SEO notes	• Pillar page — internal-links out to every article in the cluster and receives links back from each
Off-page SEO notes	• Natural home for guest-post and roundup-article backlinks on this topic
Book Three corrections	• Ongo does not offer liraglutide. Educational only, Phase 2; no conversion CTA; link to the GLP-1 hub with clear labeling.

28.75 How Does Liraglutide Work

Field	Value
URL	/blog/liraglutide/how-does-liraglutide-work/
Breadcrumb	Home > Blog > ... > How Does Liraglutide Work
Page Type	Blog Article [NEW — added to close a content gap]
Silo	Weight Loss
Hub role	Spoke of /blog/liraglutide/
Parent	/blog/liraglutide/
Launch phase	2 (educational only)
Index status	Noindexed until Phase 2 compliance sign-off
Primary entity	Liraglutide
Funnel stage	TOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-2 Mechanism
Primary keyword	how does liraglutide work
Secondary keywords	how does liraglutide work 2026, how does liraglutide work guide
Meta title	How Does Liraglutide Work? | Ongo
Meta description	How Does Liraglutide Work? — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/glp-1/liraglutide/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/glp-1/liraglutide/ • /blog/liraglutide/
Must be linked from	• /blog/liraglutide/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_article, funnel_stage=tofu, micro_intent=I-2, launch_phase=2; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/liraglutide/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "how-does-liraglutide-work")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Ongo does not offer liraglutide. Educational only, Phase 2; no conversion CTA; link to the GLP-1 hub with clear labeling. • Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26).

28.76 Liraglutide Side Effects

Field	Value
URL	/blog/liraglutide/liraglutide-side-effects/
Breadcrumb	Home > Blog > ... > Liraglutide Side Effects
Page Type	Blog Article [NEW — added to close a content gap]
Silo	Weight Loss
Hub role	Spoke of /blog/liraglutide/
Parent	/blog/liraglutide/
Launch phase	2 (educational only)
Index status	Noindexed until Phase 2 compliance sign-off
Primary entity	Liraglutide
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-5 Side effects and safety
Primary keyword	liraglutide side effects
Secondary keywords	liraglutide side effects 2026, liraglutide side effects guide
Meta title	Liraglutide Side Effects | Ongo
Meta description	Liraglutide Side Effects — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/glp-1/liraglutide/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/glp-1/liraglutide/ • /blog/liraglutide/
Must be linked from	• /blog/liraglutide/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_article, funnel_stage=mofu, micro_intent=I-5, launch_phase=2; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/liraglutide/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "liraglutide-side-effects")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Ongo does not offer liraglutide. Educational only, Phase 2; no conversion CTA; link to the GLP-1 hub with clear labeling. • Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26).

28.77 Liraglutide Weight Loss Results

Field	Value
URL	/blog/liraglutide/liraglutide-weight-loss-results/
Breadcrumb	Home > Blog > ... > Liraglutide Weight Loss Results
Page Type	Blog Article [NEW — added to close a content gap]
Silo	Weight Loss
Hub role	Spoke of /blog/liraglutide/
Parent	/blog/liraglutide/
Launch phase	2 (educational only)
Index status	Noindexed until Phase 2 compliance sign-off
Primary entity	Liraglutide
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-6 Timeline / expectations
Primary keyword	liraglutide weight loss results
Secondary keywords	liraglutide weight loss results 2026, liraglutide weight loss results guide
Meta title	Liraglutide Weight Loss Results | Ongo
Meta description	Liraglutide Weight Loss Results — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/glp-1/liraglutide/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Prescribing physician/NP
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/glp-1/liraglutide/ • /blog/liraglutide/
Must be linked from	• /blog/liraglutide/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Weight Loss, page_type=blog_article, funnel_stage=mofu, micro_intent=I-6, launch_phase=2; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/liraglutide/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "liraglutide-weight-loss-results")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Ongo does not offer liraglutide. Educational only, Phase 2; no conversion CTA; link to the GLP-1 hub with clear labeling. • Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26).

Section: Blog — Longevity Cluster

28.78 Blog hub: Longevity

Field	Value
URL	/blog/longevity/
Breadcrumb	Home > Blog > Longevity
Page Type	Blog Hub (pillar)
Silo	Longevity
Hub role	Blog cluster hub
Parent	/blog/ (blog index)
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Longevity medicine
Funnel stage	TOFU/MOFU
Search intent (macro)	Informational, with commercial cross-links
Micro-intent	I-1 Definition (cluster hub)
Primary keyword	longevity medicine guide
Secondary keywords	longevity articles, longevity education
Meta title	Longevity Articles & Guides | Ongo Blog
Meta description	Evidence-based longevity articles reviewed by licensed medical professionals.
Target word count	150–250 words of intro copy + article grid
Content outline	• Article grid/list — title, excerpt, reviewer name, last-updated date visible on every card • Prominent cross-link into /services/longevity-anti-aging/ — the commercial page this cluster supports • Filterable/sortable if article count grows beyond ~10 per hub
Required disclaimer	Standard editorial policy link in footer
Schema type	Blog + CollectionPage
Healthcare professional	Longevity/functional-medicine physician
Proofreader / reviewer	Editorial Lead
YMYL sensitivity	Clear YMYL — Moderate (hub itself is a list page; individual articles carry the higher scrutiny)
Internal links to	• /services/longevity-anti-aging/ • /blog/

Field	Value
Must be linked from	• /blog/ • /blog/longevity/anti-aging-treatments/ • /blog/longevity/glutathione-benefits/ • /blog/longevity/glutathione-side-effects/ • /blog/longevity/healthy-aging-guide/ • /blog/longevity/methylene-blue-benefits/ • /blog/longevity/methylene-blue-safety/ • /blog/longevity/nad-and-longevity/ • /blog/longevity/peptide-therapy-guide/ • /blog/longevity/rapamycin-for-longevity/ • /blog/longevity/rapamycin-side-effects/ • /blog/longevity/sermorelin-benefits/
External links to	• None specified.
Primary CTA	Explore Longevity
Secondary CTA	Get Started
CTA destination	Primary > internal navigation to the vertical's service hub. Secondary ('Get Started') > /weightloss-onboard/
GA4 / GTM event	cta_bloghub_longevity_service_click (primary, internal nav) / cta_bloghub_longevity_get_started (secondary, fires exit_to_portal)
Tracking notes	page_meta: silo=Longevity, page_type=blog_hub, funnel_stage=tofu/mofu, micro_intent=I-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/longevity/page.tsx
On-page SEO notes	• Pillar page — internal-links out to every article in the cluster and receives links back from each
Off-page SEO notes	• Natural home for guest-post and roundup-article backlinks on this topic
Book Three corrections	• Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.79 What is Longevity Medicine

Field	Value
URL	/blog/longevity/what-is-longevity-medicine/
Breadcrumb	Home > Blog > ... > What is Longevity Medicine
Page Type	Blog Article
Silo	Longevity
Hub role	Spoke of /blog/longevity/
Parent	/blog/longevity/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Longevity medicine
Funnel stage	TOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-1 Definition
Primary keyword	what is longevity medicine
Secondary keywords	what is longevity medicine 2026, what is longevity medicine guide
Meta title	What Is Longevity Medicine? | Ongo
Meta description	What Is Longevity Medicine? — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/longevity-anti-aging/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Longevity/functional-medicine physician
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/longevity-anti-aging/ • /blog/longevity/
Must be linked from	• /blog/longevity/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Longevity, page_type=blog_article, funnel_stage=tofu, micro_intent=I-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/longevity/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "what-is-longevity-medicine")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.80 Healthy Aging Guide

Field	Value
URL	/blog/longevity/healthy-aging-guide/
Breadcrumb	Home > Blog > ... > Healthy Aging Guide
Page Type	Blog Article
Silo	Longevity
Hub role	Spoke of /blog/longevity/
Parent	/blog/longevity/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Longevity medicine
Funnel stage	TOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-1 Definition
Primary keyword	healthy aging guide
Secondary keywords	healthy aging guide 2026, healthy aging guide guide
Meta title	A Guide to Healthy Aging | Ongo
Meta description	A Guide to Healthy Aging — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/longevity-anti-aging/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Longevity/functional-medicine physician
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/longevity-anti-aging/ • /blog/longevity/
Must be linked from	• /blog/longevity/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Longevity, page_type=blog_article, funnel_stage=tofu, micro_intent=I-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/longevity/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "healthy-aging-guide")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.81 Anti Aging Treatments

Field	Value
URL	/blog/longevity/anti-aging-treatments/
Breadcrumb	Home > Blog > ... > Anti Aging Treatments
Page Type	Blog Article
Silo	Longevity
Hub role	Spoke of /blog/longevity/
Parent	/blog/longevity/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Longevity medicine
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-1 Definition
Primary keyword	anti-aging treatments
Secondary keywords	anti-aging treatments 2026, anti-aging treatments guide
Meta title	Anti-Aging Treatments Explained | Ongo
Meta description	Anti-Aging Treatments Explained — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/longevity-anti-aging/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Longevity/functional-medicine physician
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/longevity-anti-aging/ • /blog/longevity/
Must be linked from	• /blog/longevity/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Longevity, page_type=blog_article, funnel_stage=mofu, micro_intent=I-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/longevity/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "anti-aging-treatments")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.82 Peptide Therapy Guide

Field	Value
URL	/blog/longevity/peptide-therapy-guide/
Breadcrumb	Home > Blog > ... > Peptide Therapy Guide
Page Type	Blog Article
Silo	Longevity
Hub role	Spoke of /blog/longevity/
Parent	/blog/longevity/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Longevity medicine
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-1 Definition
Primary keyword	peptide therapy guide
Secondary keywords	peptide therapy guide 2026, peptide therapy guide guide
Meta title	Peptide Therapy: A Complete Guide | Ongo
Meta description	Peptide Therapy: A Complete Guide — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/longevity-anti-aging/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Longevity/functional-medicine physician
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/longevity-anti-aging/ • /blog/longevity/
Must be linked from	• /blog/longevity/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Longevity, page_type=blog_article, funnel_stage=mofu, micro_intent=I-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/longevity/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "peptide-therapy-guide")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.83 NAD+ and Longevity

Field	Value
URL	/blog/longevity/nad-and-longevity/
Breadcrumb	Home > Blog > ... > Nad and Longevity
Page Type	Blog Article
Silo	Longevity
Hub role	Spoke of /blog/longevity/
Parent	/blog/longevity/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	NAD+
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-1 Definition
Primary keyword	nad and longevity
Secondary keywords	nad and longevity 2026, nad and longevity guide
Meta title	NAD+ and Longevity: What's the Connection? | Ongo
Meta description	NAD+ and Longevity: What's the Connection? — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/longevity-anti-aging/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Longevity/functional-medicine physician
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/longevity-anti-aging/ • /blog/longevity/
Must be linked from	• /blog/longevity/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Longevity, page_type=blog_article, funnel_stage=mofu, micro_intent=I-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/longevity/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "nad-and-longevity")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.84 Rapamycin for Longevity

Field	Value
URL	/blog/longevity/rapamycin-for-longevity/
Breadcrumb	Home > Blog > ... > Rapamycin for Longevity
Page Type	Blog Article [NEW — added to close a content gap]
Silo	Longevity
Hub role	Spoke of /blog/longevity/
Parent	/blog/longevity/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Rapamycin
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-1 Definition
Primary keyword	rapamycin for longevity
Secondary keywords	rapamycin for longevity 2026, rapamycin for longevity guide
Meta title	Rapamycin for Longevity: What the Research Shows | Ongo
Meta description	Rapamycin for Longevity: What the Research Shows — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/longevity-anti-aging/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Longevity/functional-medicine physician
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/longevity-anti-aging/ • /blog/longevity/
Must be linked from	• /blog/longevity/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Longevity, page_type=blog_article, funnel_stage=mofu, micro_intent=I-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/longevity/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "rapamycin-for-longevity")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.85 Rapamycin Side Effects

Field	Value
URL	/blog/longevity/rapamycin-side-effects/
Breadcrumb	Home > Blog > ... > Rapamycin Side Effects
Page Type	Blog Article [NEW — added to close a content gap]
Silo	Longevity
Hub role	Spoke of /blog/longevity/
Parent	/blog/longevity/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Rapamycin
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-5 Side effects and safety
Primary keyword	rapamycin side effects
Secondary keywords	rapamycin side effects 2026, rapamycin side effects guide
Meta title	Rapamycin Side Effects and Safety | Ongo
Meta description	Rapamycin Side Effects and Safety — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/longevity-anti-aging/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Longevity/functional-medicine physician
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/longevity-anti-aging/ • /blog/longevity/
Must be linked from	• /blog/longevity/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Longevity, page_type=blog_article, funnel_stage=mofu, micro_intent=I-5, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/longevity/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "rapamycin-side-effects")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.86 Glutathione Benefits

Field	Value
URL	/blog/longevity/glutathione-benefits/
Breadcrumb	Home > Blog > ... > Glutathione Benefits
Page Type	Blog Article [NEW — added to close a content gap]
Silo	Longevity
Hub role	Spoke of /blog/longevity/
Parent	/blog/longevity/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Glutathione
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-1 Definition
Primary keyword	glutathione benefits
Secondary keywords	glutathione benefits 2026, glutathione benefits guide
Meta title	Glutathione Benefits: Separating Evidence from Hype | Ongo
Meta description	Glutathione Benefits: Separating Evidence from Hype — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/longevity-anti-aging/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Longevity/functional-medicine physician
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/longevity-anti-aging/ • /blog/longevity/
Must be linked from	• /blog/longevity/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Longevity, page_type=blog_article, funnel_stage=mofu, micro_intent=I-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/longevity/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "glutathione-benefits")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.87 Glutathione Side Effects

Field	Value
URL	/blog/longevity/glutathione-side-effects/
Breadcrumb	Home > Blog > ... > Glutathione Side Effects
Page Type	Blog Article [NEW — added to close a content gap]
Silo	Longevity
Hub role	Spoke of /blog/longevity/
Parent	/blog/longevity/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Glutathione
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-5 Side effects and safety
Primary keyword	glutathione side effects
Secondary keywords	glutathione side effects 2026, glutathione side effects guide
Meta title	Glutathione Side Effects | Ongo
Meta description	Glutathione Side Effects — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/longevity-anti-aging/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Longevity/functional-medicine physician
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/longevity-anti-aging/ • /blog/longevity/
Must be linked from	• /blog/longevity/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Longevity, page_type=blog_article, funnel_stage=mofu, micro_intent=I-5, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/longevity/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "glutathione-side-effects")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.88 Sermorelin Benefits

Field	Value
URL	/blog/longevity/sermorelin-benefits/
Breadcrumb	Home > Blog > ... > Sermorelin Benefits
Page Type	Blog Article [NEW — added to close a content gap]
Silo	Longevity
Hub role	Spoke of /blog/longevity/
Parent	/blog/longevity/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Sermorelin
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-1 Definition
Primary keyword	sermorelin benefits
Secondary keywords	sermorelin benefits 2026, sermorelin benefits guide
Meta title	Sermorelin Benefits Explained | Ongo
Meta description	Sermorelin Benefits Explained — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/longevity-anti-aging/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Longevity/functional-medicine physician
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/longevity-anti-aging/ • /blog/longevity/
Must be linked from	• /blog/longevity/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Longevity, page_type=blog_article, funnel_stage=mofu, micro_intent=I-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/longevity/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "sermorelin-benefits")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.89 Sermorelin vs. HGH

Field	Value
URL	/blog/longevity/sermorelin-vs-hgh/
Breadcrumb	Home > Blog > ... > Sermorelin vs. Hgh
Page Type	Blog Article [NEW — added to close a content gap]
Silo	Longevity
Hub role	Spoke of /blog/longevity/
Parent	/blog/longevity/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Sermorelin
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	C-1 Option comparison
Primary keyword	sermorelin vs hgh
Secondary keywords	sermorelin vs hgh 2026, sermorelin vs hgh guide
Meta title	Sermorelin vs. HGH: What's the Difference? | Ongo
Meta description	Sermorelin vs. HGH: What's the Difference? — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/longevity-anti-aging/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Longevity/functional-medicine physician
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/longevity-anti-aging/ • /blog/longevity/
Must be linked from	• /blog/longevity/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Longevity, page_type=blog_article, funnel_stage=mofu, micro_intent=C-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/longevity/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "sermorelin-vs-hgh")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.90 Methylene Blue Benefits

Field	Value
URL	/blog/longevity/methylene-blue-benefits/
Breadcrumb	Home > Blog > ... > Methylene Blue Benefits
Page Type	Blog Article [NEW — added to close a content gap]
Silo	Longevity
Hub role	Spoke of /blog/longevity/
Parent	/blog/longevity/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Methylene blue
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-1 Definition
Primary keyword	methylene blue benefits
Secondary keywords	methylene blue benefits 2026, methylene blue benefits guide
Meta title	Methylene Blue: Potential Benefits and Current Evidence | Ongo
Meta description	Methylene Blue: Potential Benefits and Current Evidence — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/longevity-anti-aging/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Longevity/functional-medicine physician
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/longevity-anti-aging/ • /blog/longevity/
Must be linked from	• /blog/longevity/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Longevity, page_type=blog_article, funnel_stage=mofu, micro_intent=I-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/longevity/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "methylene-blue-benefits")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.91 Methylene Blue Safety

Field	Value
URL	/blog/longevity/methylene-blue-safety/
Breadcrumb	Home > Blog > ... > Methylene Blue Safety
Page Type	Blog Article [NEW — added to close a content gap]
Silo	Longevity
Hub role	Spoke of /blog/longevity/
Parent	/blog/longevity/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Methylene blue
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-5 Side effects and safety
Primary keyword	methylene blue safety
Secondary keywords	methylene blue safety 2026, methylene blue safety guide
Meta title	Methylene Blue Safety and Drug Interactions | Ongo
Meta description	Methylene Blue Safety and Drug Interactions — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/longevity-anti-aging/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Longevity/functional-medicine physician
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — High
Internal links to	• /services/longevity-anti-aging/ • /blog/longevity/
Must be linked from	• /blog/longevity/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Longevity, page_type=blog_article, funnel_stage=mofu, micro_intent=I-5, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/longevity/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "methylene-blue-safety")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

Section: Blog — Men's Health Cluster

28.92 Blog hub: Men's Health

Field	Value
URL	/blog/mens-health/
Breadcrumb	Home > Blog > Men's Health
Page Type	Blog Hub (pillar)
Silo	Men's Health
Hub role	Blog cluster hub
Parent	/blog/ (blog index)
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Men's health
Funnel stage	TOFU/MOFU
Search intent (macro)	Informational, with commercial cross-links
Micro-intent	I-1 Definition (cluster hub)
Primary keyword	men's hormone health guide
Secondary keywords	men's health articles, men's health education
Meta title	Men's Health Articles & Guides | Ongo Blog
Meta description	Evidence-based men's health articles reviewed by licensed medical professionals.
Target word count	150–250 words of intro copy + article grid
Content outline	• Article grid/list — title, excerpt, reviewer name, last-updated date visible on every card • Prominent cross-link into /services/mens-health/ — the commercial page this cluster supports • Filterable/sortable if article count grows beyond ~10 per hub
Required disclaimer	Standard editorial policy link in footer
Schema type	Blog + CollectionPage
Healthcare professional	Physician/NP, men's health focus
Proofreader / reviewer	Editorial Lead
YMYL sensitivity	Clear YMYL — Moderate (hub itself is a list page; individual articles carry the higher scrutiny)
Internal links to	• /services/mens-health/ • /blog/

Field	Value
Must be linked from	• /blog/ • /blog/mens-health/enclomiphene-guide/ • /blog/mens-health/oxytocin-benefits-for-men/ • /blog/mens-health/signs-of-low-testosterone/ • /blog/mens-health/testosterone-and-aging/ • /blog/mens-health/trt-guide/ • /blog/mens-health/what-is-low-testosterone/ • /conditions/low-testosterone/ • /services/mens-health/ • /services/mens-health/enclomiphene/ • /services/mens-health/oxytocin/ • /services/mens-health/testosterone-trt/
External links to	• None specified.
Primary CTA	Explore Men's Health
Secondary CTA	Get Started
CTA destination	Primary > internal navigation to the vertical's service hub. Secondary ('Get Started') > /weightloss-onboard/
GA4 / GTM event	cta_bloghub_mens_health_service_click (primary, internal nav) / cta_bloghub_mens_health_get_started (secondary, fires exit_to_portal)
Tracking notes	page_meta: silo=Men's Health, page_type=blog_hub, funnel_stage=tofu/mofu, micro_intent=I-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/mens-health/page.tsx
On-page SEO notes	• Pillar page — internal-links out to every article in the cluster and receives links back from each
Off-page SEO notes	• Natural home for guest-post and roundup-article backlinks on this topic
Book Three corrections	• Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.93 What is Low Testosterone

Field	Value
URL	/blog/mens-health/what-is-low-testosterone/
Breadcrumb	Home > Blog > ... > What is Low Testosterone
Page Type	Blog Article
Silo	Men's Health
Hub role	Spoke of /blog/mens-health/
Parent	/blog/mens-health/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Low testosterone
Funnel stage	TOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-1 Definition
Primary keyword	what is low testosterone
Secondary keywords	what is low testosterone 2026, what is low testosterone guide
Meta title	What Is Low Testosterone? | Ongo
Meta description	What Is Low Testosterone? — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/mens-health/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Physician/NP, men's health focus
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/mens-health/ • /blog/mens-health/
Must be linked from	• /blog/mens-health/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Men's Health, page_type=blog_article, funnel_stage=tofu, micro_intent=I-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/mens-health/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "what-is-low-testosterone")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.94 Signs of Low Testosterone

Field	Value
URL	/blog/mens-health/signs-of-low-testosterone/
Breadcrumb	Home > Blog > ... > Signs of Low Testosterone
Page Type	Blog Article
Silo	Men's Health
Hub role	Spoke of /blog/mens-health/
Parent	/blog/mens-health/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Low testosterone
Funnel stage	TOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-4 Symptoms / signs
Primary keyword	signs of low testosterone
Secondary keywords	signs of low testosterone 2026, signs of low testosterone guide
Meta title	Signs of Low Testosterone | Ongo
Meta description	Signs of Low Testosterone — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/mens-health/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Physician/NP, men's health focus
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/mens-health/ • /blog/mens-health/
Must be linked from	• /blog/mens-health/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Men's Health, page_type=blog_article, funnel_stage=tofu, micro_intent=I-4, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/mens-health/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "signs-of-low-testosterone")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.95 TRT Guide

Field	Value
URL	/blog/mens-health/trt-guide/
Breadcrumb	Home > Blog > ... > Trt Guide
Page Type	Blog Article
Silo	Men's Health
Hub role	Spoke of /blog/mens-health/
Parent	/blog/mens-health/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Men's health
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-1 Definition
Primary keyword	trt guide
Secondary keywords	trt guide 2026, trt guide guide
Meta title	A Complete Guide to TRT | Ongo
Meta description	A Complete Guide to TRT — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/mens-health/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Physician/NP, men's health focus
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/mens-health/ • /blog/mens-health/
Must be linked from	• /blog/mens-health/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Men's Health, page_type=blog_article, funnel_stage=mofu, micro_intent=I-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/mens-health/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "trt-guide")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.96 Enclomiphene Guide

Field	Value
URL	/blog/mens-health/enclomiphene-guide/
Breadcrumb	Home > Blog > ... > Enclomiphene Guide
Page Type	Blog Article
Silo	Men's Health
Hub role	Spoke of /blog/mens-health/
Parent	/blog/mens-health/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Enclomiphene
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-1 Definition
Primary keyword	enclomiphene guide
Secondary keywords	enclomiphene guide 2026, enclomiphene guide guide
Meta title	Enclomiphene: A Complete Guide | Ongo
Meta description	Enclomiphene: A Complete Guide — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/mens-health/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Physician/NP, men's health focus
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/mens-health/ • /blog/mens-health/
Must be linked from	• /blog/mens-health/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Men's Health, page_type=blog_article, funnel_stage=mofu, micro_intent=I-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/mens-health/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "enclomiphene-guide")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.97 Testosterone and Aging

Field	Value
URL	/blog/mens-health/testosterone-and-aging/
Breadcrumb	Home > Blog > ... > Testosterone and Aging
Page Type	Blog Article
Silo	Men's Health
Hub role	Spoke of /blog/mens-health/
Parent	/blog/mens-health/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Testosterone
Funnel stage	TOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-1 Definition
Primary keyword	testosterone and aging
Secondary keywords	testosterone and aging 2026, testosterone and aging guide
Meta title	Testosterone and Aging | Ongo
Meta description	Testosterone and Aging — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/mens-health/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Physician/NP, men's health focus
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/mens-health/ • /blog/mens-health/
Must be linked from	• /blog/mens-health/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Men's Health, page_type=blog_article, funnel_stage=tofu, micro_intent=I-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/mens-health/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "testosterone-and-aging")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.98 Oxytocin Benefits for Men

Field	Value
URL	/blog/mens-health/oxytocin-benefits-for-men/
Breadcrumb	Home > Blog > ... > Oxytocin Benefits for Men
Page Type	Blog Article [NEW — added to close a content gap]
Silo	Men's Health
Hub role	Spoke of /blog/mens-health/
Parent	/blog/mens-health/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Oxytocin
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-1 Definition
Primary keyword	oxytocin benefits for men
Secondary keywords	oxytocin benefits for men 2026, oxytocin benefits for men guide
Meta title	Oxytocin Benefits for Men: What the Research Says | Ongo
Meta description	Oxytocin Benefits for Men: What the Research Says — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/mens-health/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Physician/NP, men's health focus
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/mens-health/ • /blog/mens-health/
Must be linked from	• /blog/mens-health/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Men's Health, page_type=blog_article, funnel_stage=mofu, micro_intent=I-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/mens-health/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "oxytocin-benefits-for-men")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

Section: Blog — Women's Health Cluster

28.99 Blog hub: Women's Health

Field	Value
URL	/blog/womens-health/
Breadcrumb	Home > Blog > Women's Health
Page Type	Blog Hub (pillar)
Silo	Women's Health
Hub role	Blog cluster hub
Parent	/blog/ (blog index)
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Men's health
Funnel stage	TOFU/MOFU
Search intent (macro)	Informational, with commercial cross-links
Micro-intent	I-1 Definition (cluster hub)
Primary keyword	women's hormone health guide
Secondary keywords	women's health articles, women's health education
Meta title	Women's Health Articles & Guides | Ongo Blog
Meta description	Evidence-based women's health articles reviewed by licensed medical professionals.
Target word count	150–250 words of intro copy + article grid
Content outline	• Article grid/list — title, excerpt, reviewer name, last-updated date visible on every card • Prominent cross-link into /services/womens-health/ — the commercial page this cluster supports • Filterable/sortable if article count grows beyond ~10 per hub
Required disclaimer	Standard editorial policy link in footer
Schema type	Blog + CollectionPage
Healthcare professional	Physician/NP, women's health focus
Proofreader / reviewer	Editorial Lead
YMYL sensitivity	Clear YMYL — Moderate (hub itself is a list page; individual articles carry the higher scrutiny)
Internal links to	• /services/womens-health/ • /blog/

Field	Value
Must be linked from	• /blog/ • /blog/womens-health/oxytocin-benefits-for-women/ • /blog/womens-health/pcos-and-weight-loss/ • /blog/womens-health/perimenopause-guide/ • /blog/womens-health/signs-of-perimenopause/ • /blog/womens-health/weight-loss-and-hormones/ • /blog/womens-health/womens-hormone-health/ • /conditions/pcos/ • /conditions/perimenopause/ • /services/womens-health/
External links to	• None specified.
Primary CTA	Explore Women's Health
Secondary CTA	Get Started
CTA destination	Primary > internal navigation to the vertical's service hub. Secondary ('Get Started') > /weightloss-onboard/
GA4 / GTM event	cta_bloghub_womens_health_service_click (primary, internal nav) / cta_bloghub_womens_health_get_started (secondary, fires exit_to_portal)
Tracking notes	page_meta: silo=Women's Health, page_type=blog_hub, funnel_stage=tofu/mofu, micro_intent=I-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/womens-health/page.tsx
On-page SEO notes	• Pillar page — internal-links out to every article in the cluster and receives links back from each
Off-page SEO notes	• Natural home for guest-post and roundup-article backlinks on this topic
Book Three corrections	• Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.100 Perimenopause Guide

Field	Value
URL	/blog/womens-health/perimenopause-guide/
Breadcrumb	Home > Blog > ... > Perimenopause Guide
Page Type	Blog Article
Silo	Women's Health
Hub role	Spoke of /blog/womens-health/
Parent	/blog/womens-health/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Perimenopause
Funnel stage	TOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-1 Definition
Primary keyword	perimenopause guide
Secondary keywords	perimenopause guide 2026, perimenopause guide guide
Meta title	A Complete Guide to Perimenopause | Ongo
Meta description	A Complete Guide to Perimenopause — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/womens-health/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Physician/NP, women's health focus
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/womens-health/ • /blog/womens-health/
Must be linked from	• /blog/womens-health/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Women's Health, page_type=blog_article, funnel_stage=tofu, micro_intent=I-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/womens-health/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "perimenopause-guide")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.101 PCOS and Weight Loss

Field	Value
URL	/blog/womens-health/pcos-and-weight-loss/
Breadcrumb	Home > Blog > ... > Pcos and Weight Loss
Page Type	Blog Article
Silo	Women's Health
Hub role	Spoke of /blog/womens-health/
Parent	/blog/womens-health/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	PCOS
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-1 Definition
Primary keyword	pcos and weight loss
Secondary keywords	pcos and weight loss 2026, pcos and weight loss guide
Meta title	PCOS and Weight Loss: The Connection Explained | Ongo
Meta description	PCOS and Weight Loss: The Connection Explained — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/womens-health/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Physician/NP, women's health focus
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/womens-health/ • /blog/womens-health/
Must be linked from	• /blog/womens-health/ • /services/womens-health/pcos/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Women's Health, page_type=blog_article, funnel_stage=mofu, micro_intent=I-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/womens-health/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "pcos-and-weight-loss")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.102 Signs of Perimenopause

Field	Value
URL	/blog/womens-health/signs-of-perimenopause/
Breadcrumb	Home > Blog > ... > Signs of Perimenopause
Page Type	Blog Article
Silo	Women's Health
Hub role	Spoke of /blog/womens-health/
Parent	/blog/womens-health/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Perimenopause
Funnel stage	TOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-4 Symptoms / signs
Primary keyword	signs of perimenopause
Secondary keywords	signs of perimenopause 2026, signs of perimenopause guide
Meta title	Signs of Perimenopause | Ongo
Meta description	Signs of Perimenopause — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/womens-health/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Physician/NP, women's health focus
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/womens-health/ • /blog/womens-health/
Must be linked from	• /blog/womens-health/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Women's Health, page_type=blog_article, funnel_stage=tofu, micro_intent=I-4, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/womens-health/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "signs-of-perimenopause")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.103 Women's Hormone Health

Field	Value
URL	/blog/womens-health/womens-hormone-health/
Breadcrumb	Home > Blog > ... > Womens Hormone Health
Page Type	Blog Article
Silo	Women's Health
Hub role	Spoke of /blog/womens-health/
Parent	/blog/womens-health/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Men's health
Funnel stage	TOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-1 Definition
Primary keyword	womens hormone health
Secondary keywords	womens hormone health 2026, womens hormone health guide
Meta title	A Guide to Women's Hormone Health | Ongo
Meta description	A Guide to Women's Hormone Health — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/womens-health/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Physician/NP, women's health focus
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/womens-health/ • /blog/womens-health/
Must be linked from	• /blog/womens-health/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Women's Health, page_type=blog_article, funnel_stage=tofu, micro_intent=I-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/womens-health/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "womens-hormone-health")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.104 Weight Loss and Hormones

Field	Value
URL	/blog/womens-health/weight-loss-and-hormones/
Breadcrumb	Home > Blog > ... > Weight Loss and Hormones
Page Type	Blog Article
Silo	Women's Health
Hub role	Spoke of /blog/womens-health/
Parent	/blog/womens-health/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Weight loss / medical weight management
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-1 Definition
Primary keyword	weight loss and hormones
Secondary keywords	weight loss and hormones 2026, weight loss and hormones guide
Meta title	Weight Loss and Hormones: What's the Link? | Ongo
Meta description	Weight Loss and Hormones: What's the Link? — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/womens-health/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Physician/NP, women's health focus
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/womens-health/ • /blog/womens-health/
Must be linked from	• /blog/womens-health/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Women's Health, page_type=blog_article, funnel_stage=mofu, micro_intent=I-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/womens-health/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "weight-loss-and-hormones")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

28.105 Oxytocin Benefits for Women

Field	Value
URL	/blog/womens-health/oxytocin-benefits-for-women/
Breadcrumb	Home > Blog > ... > Oxytocin Benefits for Women
Page Type	Blog Article [NEW — added to close a content gap]
Silo	Women's Health
Hub role	Spoke of /blog/womens-health/
Parent	/blog/womens-health/
Launch phase	3 (vertical launch)
Index status	Not built / noindexed until the vertical launches
Primary entity	Oxytocin
Funnel stage	MOFU
Search intent (macro)	Informational, TOFU/MOFU education supporting the commercial cluster
Micro-intent	I-1 Definition
Primary keyword	oxytocin benefits for women
Secondary keywords	oxytocin benefits for women 2026, oxytocin benefits for women guide
Meta title	Oxytocin Benefits for Women: What the Research Says | Ongo
Meta description	Oxytocin Benefits for Women: What the Research Says — a medically-reviewed explainer with what to expect and when to talk to a provider.
Target word count	900–1,300 words
Content outline	• Direct-answer opening paragraph (40-60 words) answering the title question immediately — supports AI Overview / featured snippet eligibility • 2-4 H2 sections expanding the topic with specifics, not padding • Named medical reviewer byline + last-updated date at the top of the article, matching Healthline/Mayo Clinic format • One clear internal link into /services/womens-health/ placed naturally mid-article, not just at the end • No filler — this exact article type (mechanism/side-effects/comparison/results/timing) is templated sitewide, so differentiate with topic-specific facts, not generic padding, to avoid a 'scaled content' quality flag
Required disclaimer	Educational content, not medical advice — standard blog disclaimer footer + editorial policy link
Schema type	Article + (FAQPage if the piece answers a direct question format)
Healthcare professional	Physician/NP, women's health focus
Proofreader / reviewer	Content writer draft > Medical reviewer sign-off > Editorial Lead final pass

Field	Value
YMYL sensitivity	Clear YMYL — Moderate
Internal links to	• /services/womens-health/ • /blog/womens-health/
Must be linked from	• /blog/womens-health/
External links to	• PubMed / FDA.gov (topic-specific clinical source)
Primary CTA	Get Started
Secondary CTA	Read More Articles
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_blog_get_started (generic event name — differentiate by page_location param, not by embedding the slug in the event name; keeps GA4 reporting from fragmenting across 48 unique event names) | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Women's Health, page_type=blog_article, funnel_stage=mofu, micro_intent=I-1, launch_phase=3; internal_link_click on all in-content links
Priority	Next
Next.js route	app/blog/womens-health/[slug]/page.tsx (dynamic — generateStaticParams from CMS/MDX collection, slug: "oxytocin-benefits-for-women")
On-page SEO notes	• Article schema with datePublished/dateModified/author • Direct-answer opener targets AI Overview and featured-snippet placement
Off-page SEO notes	• Digital PR / guest-post placement candidate if the piece cites original data or a named provider's expertise Part V Trust Infrastructure & Policies
Book Three corrections	• Blog articles carry no hard "Get Started" CTA: use one contextual funnel link to the commercial partner plus a soft end box (Chapters 15 and 25). Track with internal_link_click. • FAQPage markup is optional: FAQ rich results stopped appearing in Google Search on May 7, 2026 (Chapter 26). • Phase 3 page: build only when the vertical launches as a complete silo; keep v3 off-label disclosures; no Phase 1 nav or homepage links before launch.

Section: Medical Team & Contributors

28.106 Medical Team

Field	Value
URL	/medical-team/
Breadcrumb	Home > Medical Team
Page Type	Team Hub
Silo	Trust layer (sitewide)
Hub role	Hub
Parent	/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Person (clinician / contributor)
Funnel stage	N/A — trust/EEAT infrastructure
Search intent (macro)	Trust-building, EEAT signal
Micro-intent	N-4 People lookup / C-5 Trust check
Primary keyword	ongo medical team
Secondary keywords	ongo doctors, who are ongo's providers
Meta title	Meet Our Medical Team | Licensed Providers | Ongo
Meta description	Meet the licensed physicians and nurse practitioners behind Ongo's care — credentials, specialties, and experience.
Target word count	300–500 words (index) + individual bios below
Content outline	• Grid of provider cards — photo, name, credential (MD/NP/DO), specialty, states licensed in • Link each card to a full bio page using the template below • This is your single biggest E-E-A-T lever — the competitor audit found NONE of the 8 Tier-1 DTC competitors do this consistently on commercial pages
Required disclaimer	Providers are independently licensed; specific provider assignment may vary by state
Schema type	CollectionPage + Person (per provider)
Healthcare professional	N/A (this page profiles the team itself)
Proofreader / reviewer	Compliance — verify every license number/credential before publishing
YMYL sensitivity	Clear YMYL — High (this is core EEAT infrastructure for the whole domain)
Internal links to	• /about/ • /policies/medical-review-policy/
Must be linked from	• / • /about/

Field	Value
External links to	• State medical board license verification links (per provider)
Primary CTA	Get Started
Secondary CTA	None
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_medicalteam_get_started | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Trust layer (sitewide), page_type=core_or_trust, funnel_stage=n/a, micro_intent=N-4, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/medical-team/page.tsx
On-page SEO notes	• Person schema per provider with medical specialty and credential properties
Off-page SEO notes	• Named-provider pages are strong candidates for individual LinkedIn/press bio backlinks — encourage providers to link their Ongo bio from their own professional profiles
Book Three corrections	• None: matches Book Three rules.

28.107 Provider Bio (Template)

Field	Value
URL	/medical-team/[provider-slug]/
Breadcrumb	Home > Medical Team > Provider Bio (Template)
Page Type	Provider Bio Page — TEMPLATE (duplicate per real provider, do not fabricate names)
Silo	Trust layer (sitewide)
Hub role	Spoke (trust)
Parent	/medical-team/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Person (clinician / contributor)
Funnel stage	N/A — trust/EEAT infrastructure
Search intent (macro)	Trust-building, byline attribution source
Micro-intent	N-4 People lookup / C-5 Trust check
Primary keyword	[Provider Name], [Credential]
Secondary keywords	[Provider Name] MD reviews, [specialty] provider Ongo
Meta title	[Provider Name], [Credential] | Ongo Medical Team
Meta description	[Provider Name] is a licensed [credential] specializing in [specialty], reviewing Ongo's [vertical] content and care protocols.
Target word count	300–450 words per provider
Content outline	• Photo, full name, credentials (MD/DO/NP/PA), board certifications (name ABOM or equivalent specifically if held — stronger than generic 'board-certified') • States licensed in (relevant for telehealth scope-of-practice transparency) • Short bio: education, years of practice, specialty focus, why they practice this kind of medicine • List of content this provider has medically reviewed (auto-generated feed, links back to those articles — reinforces the byline pattern site-wide) • This exact template gets duplicated once per real provider — 5 providers means 5 near-identical pages differing only in these fields
Required disclaimer	License and board-certification claims must be independently verifiable — link to the state board record
Schema type	Person + MedicalOrganization affiliation
Healthcare professional	N/A — this page IS the healthcare professional's profile
Proofreader / reviewer	Compliance — verify license, board certification, and headshot usage rights

Field	Value
YMYL sensitivity	Clear YMYL — High
Internal links to	• /policies/medical-review-policy/ • relevant service/blog pages this provider reviews
Must be linked from	• /medical-team/
External links to	• State medical board verification page for this specific license number
Primary CTA	None (trust page, not conversion page)
Secondary CTA	None
CTA destination	N/A — no conversion CTA on this page
GA4 / GTM event	N/A — informational pageview
Tracking notes	page_meta: silo=Trust layer (sitewide), page_type=core_or_trust, funnel_stage=n/a, micro_intent=N-4, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/medical-team/[slug]/page.tsx (dynamic — generateStaticParams from a provider CMS collection)
On-page SEO notes	• Person schema is what makes 'medically reviewed by [Name]' bylines elsewhere on the site machine-readable
Off-page SEO notes	• Provider's own professional bio elsewhere (LinkedIn, hospital affiliation page) linking here is a high-trust backlink
Book Three corrections	• None: matches Book Three rules.

28.108 Contributors

Field	Value
URL	/contributors/
Breadcrumb	Home > Contributors
Page Type	Team Hub
Silo	Trust layer (sitewide)
Hub role	Hub
Parent	/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Person (clinician / contributor)
Funnel stage	N/A — EEAT infrastructure
Search intent (macro)	Trust-building, editorial transparency
Micro-intent	N-4 People lookup / C-5 Trust check
Primary keyword	ongo content contributors
Secondary keywords	who writes ongo's content
Meta title	Our Contributors | Content Writers & Editors | Ongo
Meta description	Meet the writers, editors, and medical reviewers behind Ongo's content, each working under our medical review policy.
Target word count	250–350 words
Content outline	• Grid of contributor cards — photo, name, role badge (Writer / Editor / Medical Reviewer), areas covered • Medical Reviewer cards additionally show credential, board certification, and a license verification link — same trust bar as Medical Team, since these are still licensed medical professionals even though they don't prescribe • Role badge keeps medical reviewers visually distinct from writers/editors within the same hub — the two credibility types should never be flattened into one look, even though both now live under Contributors
Required disclaimer	Contributors write under medical review; Medical Reviewer credentials must be independently verifiable — link to the state board record, same standard as Medical Team.
Schema type	CollectionPage + Person (per contributor)
Healthcare professional	N/A
Proofreader / reviewer	Editorial Lead
YMYL sensitivity	Moderate — supports EEAT but is not itself clinical content

Field	Value
Internal links to	• /policies/contributor-policy/ • /policies/editorial-policy/ • /policies/medical-review-policy/
Must be linked from	• / • /about/
External links to	• None specified.
Primary CTA	None
Secondary CTA	None
CTA destination	N/A — no conversion CTA on this page
GA4 / GTM event	N/A
Tracking notes	page_meta: silo=Trust layer (sitewide), page_type=core_or_trust, funnel_stage=n/a, micro_intent=N-4, launch_phase=1; internal_link_click on all in-content links
Priority	Next
Next.js route	app/contributors/page.tsx
On-page SEO notes	• Person schema per contributor, distinct 'jobTitle' from medical providers
Off-page SEO notes	• Low priority
Book Three corrections	• None: matches Book Three rules.

28.109 Contributor Bio (Template)

Field	Value
URL	/contributors/[contributor-slug]/
Breadcrumb	Home > Contributors > Contributor Bio (Template)
Page Type	Contributor Bio Page — TEMPLATE (duplicate per real writer, editor, or medical reviewer)
Silo	Trust layer (sitewide)
Hub role	Spoke (trust)
Parent	/contributors/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Person (clinician / contributor)
Funnel stage	N/A
Search intent (macro)	Trust-building, byline attribution source
Micro-intent	N-4 People lookup / C-5 Trust check
Primary keyword	[Contributor Name], Ongo [role]
Secondary keywords	—
Meta title	[Contributor Name] | Ongo Contributors
Meta description	[Contributor Name] writes about [topic area] for Ongo, with content reviewed under our Medical Review Policy.
Target word count	150–250 words per contributor
Content outline	• Photo, name, role badge (Writer / Editor / Medical Reviewer), background/expertise relevant to health content • If role = Medical Reviewer: credential, board certification, states licensed in, and a state medical board verification link — matching the Medical Team bio standard exactly, since a reviewer's credibility carries the same weight a prescriber's does • Feed of articles authored or reviewed, each showing the paired byline (writer + reviewer) — reinforces the double-byline pattern used by Healthline/WebMD
Required disclaimer	None beyond standard site footer
Schema type	Person (+ medical specialty/credential properties if role = Medical Reviewer)
Healthcare professional	N/A
Proofreader / reviewer	Editorial Lead
YMYL sensitivity	Moderate
Internal links to	• /policies/contributor-policy/

Field	Value
Must be linked from	• /contributors/
External links to	• None specified.
Primary CTA	None
Secondary CTA	None
CTA destination	N/A — no conversion CTA on this page
GA4 / GTM event	N/A
Tracking notes	page_meta: silo=Trust layer (sitewide), page_type=core_or_trust, funnel_stage=n/a, micro_intent=N-4, launch_phase=1; internal_link_click on all in-content links
Priority	Next
Next.js route	app/contributors/[slug]/page.tsx (dynamic — generateStaticParams from a contributor CMS collection)
On-page SEO notes	• Double-byline pattern (this page + the medical reviewer's page) is the core EEAT mechanic across all blog/clinical content
Off-page SEO notes	• Low priority
Book Three corrections	• None: matches Book Three rules.

Section: About & Contact

28.110 About

Field	Value
URL	/about/
Breadcrumb	Home > About
Page Type	Core Page
Silo	Trust layer (sitewide)
Hub role	Standalone (linked from nav/footer)
Parent	/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Ongo Weight Loss (organization)
Funnel stage	TOFU — brand trust
Search intent (macro)	Trust-building, brand story
Micro-intent	N-1 Brand home / C-5 Trust check
Primary keyword	about ongo weight loss
Secondary keywords	is ongo weight loss legit, who owns ongo weight loss
Meta title	About Ongo | Our Mission and Medical Standards
Meta description	Learn about Ongo's mission, medical standards, and the team behind our weight loss and hormone care programs.
Target word count	500–800 words
Content outline	• Brand mission and founding story • Care Standards / Patient Bill of Rights callout — links to the dedicated /policies/bill-of-rights/ page • Trust badge row: LegitScript, HIPAA compliance • Link to Medical Team and Contributors
Required disclaimer	Standard footer disclaimer
Schema type	AboutPage + Organization
Healthcare professional	Medical Director (mission/standards claims accuracy)
Proofreader / reviewer	Editorial Lead
YMYL sensitivity	Moderate
Internal links to	• /medical-team/ • /contributors/ • /policies/ • /policies/bill-of-rights/

Field	Value
Must be linked from	• / • /medical-team/ • /policies/bill-of-rights/
External links to	• LegitScript.com
Primary CTA	Get Started
Secondary CTA	Meet Our Medical Team
CTA destination	/weightloss-onboard/
GA4 / GTM event	cta_about_get_started | fires exit_to_portal (see Appendix C)
Tracking notes	page_meta: silo=Trust layer (sitewide), page_type=core_or_trust, funnel_stage=tofu, micro_intent=N-1, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/about/page.tsx
On-page SEO notes	• Organization schema with sameAs links to verified social/business profiles
Off-page SEO notes	• Primary target for press-kit and 'about the company' backlink requests
Book Three corrections	• Show founding date December 18, 2024 and one agreed founder spelling; match Organization structured data.

28.111 Contact

Field	Value
URL	/contact/
Breadcrumb	Home > Contact
Page Type	Core Page
Silo	Trust layer (sitewide)
Hub role	Standalone (linked from nav/footer)
Parent	/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Ongo Weight Loss (organization)
Funnel stage	N/A — support/utility
Search intent (macro)	Support / pre-sale question routing
Micro-intent	T-5 Contact
Primary keyword	contact ongo weight loss
Secondary keywords	ongo weight loss customer service, ongo weight loss phone number
Meta title	Contact Us | Ongo Weight Loss
Meta description	Get in touch with Ongo's support team for billing, medical, or general questions.
Target word count	150–250 words
Content outline	• Routed contact form: Billing / Medical Question / General Support / Press • Clear expectation-setting: this form is not for medical emergencies — link to emergency guidance • Response-time expectation stated explicitly
Required disclaimer	Not for medical emergencies — call 911 or go to the nearest ER
Schema type	ContactPage + Organization (contactPoint)
Healthcare professional	N/A
Proofreader / reviewer	Support/Ops Lead
YMYL sensitivity	Low
Internal links to	• /faq/ • /policies/
Must be linked from	• / • /weightloss-onboard/login/

Field	Value
External links to	• None specified.
Primary CTA	Send Message
Secondary CTA	Visit FAQ
CTA destination	N/A — local form submission, not a portal handoff
GA4 / GTM event	form_submit_contact
Tracking notes	page_meta: silo=Trust layer (sitewide), page_type=core_or_trust, funnel_stage=n/a, micro_intent=T-5, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/contact/page.tsx
On-page SEO notes	• ContactPoint schema for local/branded SERP contact card eligibility
Off-page SEO notes	• N/A
Book Three corrections	• None: matches Book Three rules.

Section: Policies

28.112 Policies

Field	Value
URL	/policies/
Breadcrumb	Home > Policies
Page Type	Policy Hub
Silo	Trust layer (sitewide)
Hub role	Hub
Parent	/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Ongo Weight Loss (policy)
Funnel stage	N/A — legal/trust infrastructure
Search intent (macro)	Legal transparency / compliance
Micro-intent	N-3 Policy lookup
Primary keyword	ongo weight loss policies
Secondary keywords	—
Meta title	Policies | Ongo
Meta description	Ongo's policies — read the full terms and disclosures.
Target word count	400–1,200 words depending on document (legal counsel determines final length)
Content outline	• Index of all 12 policy documents, grouped logically (Legal / Medical / Editorial / Patient Rights)
Required disclaimer	N/A — this page IS the disclaimer/legal text
Schema type	CollectionPage
Healthcare professional	Hub
Proofreader / reviewer	N/A
YMYL sensitivity	Low

Field	Value
Internal links to	• /policies/bill-of-rights/ • /policies/disclaimer/ • /policies/privacy-policy/ • /policies/refund-policy/ • /policies/consent-to-telehealth/ • /policies/editorial-policy/ • /policies/shipping-policy/ • /policies/contributor-policy/ • /policies/medical-review-policy/ • /policies/terms-of-service/ • /policies/accessibility/ • /policies/notice-of-privacy-practices/
Must be linked from	• / • /about/ • /contact/ • /policies/accessibility/ • /policies/bill-of-rights/ • /policies/consent-to-telehealth/ • /policies/contributor-policy/ • /policies/disclaimer/ • /policies/editorial-policy/ • /policies/medical-review-policy/ • /policies/notice-of-privacy-practices/ • /policies/privacy-policy/
External links to	• None specified.
Primary CTA	None
Secondary CTA	None
CTA destination	N/A — no conversion CTA on this page
GA4 / GTM event	N/A — legal page, track pageview only
Tracking notes	page_meta: silo=Trust layer (sitewide), page_type=policy, funnel_stage=n/a, micro_intent=N-3, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/policies/page.tsx
On-page SEO notes	• Low commercial-keyword targeting — these pages exist for compliance and trust, not rankings • Still index these (do not noindex) — Henry Meds' full policy taxonomy was flagged as a trust signal competitors lack
Off-page SEO notes	• N/A — not a link-building target
Book Three corrections	• None: matches Book Three rules.

28.113 Patient Bill of Rights

Field	Value
URL	/policies/bill-of-rights/
Breadcrumb	Home > Policies > Patient Bill of Rights
Page Type	Policy Page (trust / differentiator)
Silo	Trust layer (sitewide)
Hub role	Spoke (trust)
Parent	/policies/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Ongo Weight Loss (policy)
Funnel stage	N/A — legal/trust infrastructure
Search intent (macro)	Legal transparency / trust-building
Micro-intent	N-3 Policy lookup
Primary keyword	ongo patient bill of rights
Secondary keywords	patient rights ongo weight loss, ongo care standards
Meta title	Patient Bill of Rights | Ongo
Meta description	Ongo's Patient Bill of Rights — the standards of care, transparency, and respect every patient can expect.
Target word count	500–800 words
Content outline	• Plain-language list of commitments: right to know your provider's name and credentials before treatment; right to a clear, unambiguous cancellation policy; right to know when a medication is prescribed off-label; right to transparent pricing before payment; right to request a copy of your records; right to change or stop treatment at any time • Directly modeled on Henry Meds' 'Medical Weight Loss Bill of Rights' — closes the single biggest E-E-A-T differentiator gap the competitor audit identified across all 8 Tier-1 DTC competitors • Written vertical-agnostic — applies across all four verticals (Weight Loss, Longevity, Men's Health, Women's Health), not just weight loss • Callout linking to Medical Review Policy and Consent to Telehealth for the full legal versions of related commitments
Required disclaimer	N/A — this page IS a trust/standards document, not a legal disclaimer
Schema type	WebPage
Healthcare professional	Medical Director (standards accuracy)
Proofreader / reviewer	Medical reviewer + Legal counsel

Field	Value
YMYL sensitivity	Moderate
Internal links to	• /policies/ • /policies/medical-review-policy/ • /policies/consent-to-telehealth/ • /about/
Must be linked from	• /about/ • /policies/
External links to	• None specified.
Primary CTA	None
Secondary CTA	None
CTA destination	N/A — no conversion CTA on this page
GA4 / GTM event	N/A — legal/trust page, track pageview only
Tracking notes	page_meta: silo=Trust layer (sitewide), page_type=policy, funnel_stage=n/a, micro_intent=N-3, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/policies/bill-of-rights/page.tsx
On-page SEO notes	• Low commercial-keyword targeting — trust/differentiation asset, not a ranking play; link prominently from /about/ and the sitewide footer
Off-page SEO notes	• Strong candidate for press-kit and 'how we compare' outreach — this is the exact asset the competitor audit flagged as a gap across 8 of 8 Tier-1 DTC competitors
Book Three corrections	• None: matches Book Three rules.

28.114 Medical Disclaimer

Field	Value
URL	/policies/disclaimer/
Breadcrumb	Home > Policies > Medical Disclaimer
Page Type	Policy Page (legal)
Silo	Trust layer (sitewide)
Hub role	Spoke (trust)
Parent	/policies/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Ongo Weight Loss (policy)
Funnel stage	N/A — legal/trust infrastructure
Search intent (macro)	Legal transparency / compliance
Micro-intent	N-3 Policy lookup
Primary keyword	ongo medical disclaimer
Secondary keywords	—
Meta title	Medical Disclaimer | Ongo
Meta description	Ongo's medical disclaimer — read the full terms and disclosures.
Target word count	400–1,200 words depending on document (legal counsel determines final length)
Content outline	• Full legal text for Medical Disclaimer, drafted/approved by counsel — do not paraphrase or summarize on other pages, always link to this canonical source • Last-updated date visible at the top • Plain-language summary paragraph at the top (1-2 sentences) before the full legal text, for accessibility/readability — does not replace the legal text
Required disclaimer	N/A — this page IS the disclaimer/legal text
Schema type	WebPage
Healthcare professional	Legal/Compliance
Proofreader / reviewer	Legal counsel
YMYL sensitivity	Clear YMYL — High
Internal links to	• /policies/
Must be linked from	• /policies/
External links to	• None specified.

Field	Value
Primary CTA	None
Secondary CTA	None
CTA destination	N/A — no conversion CTA on this page
GA4 / GTM event	N/A — legal page, track pageview only
Tracking notes	page_meta: silo=Trust layer (sitewide), page_type=policy, funnel_stage=n/a, micro_intent=N-3, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/policies/disclaimer/page.tsx
On-page SEO notes	• Low commercial-keyword targeting — these pages exist for compliance and trust, not rankings • Still index these (do not noindex) — Henry Meds' full policy taxonomy was flagged as a trust signal competitors lack
Off-page SEO notes	• N/A — not a link-building target
Book Three corrections	• None: matches Book Three rules.

28.115 Privacy Policy

Field	Value
URL	/policies/privacy-policy/
Breadcrumb	Home > Policies > Privacy Policy
Page Type	Policy Page (legal)
Silo	Trust layer (sitewide)
Hub role	Spoke (trust)
Parent	/policies/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Ongo Weight Loss (policy)
Funnel stage	N/A — legal/trust infrastructure
Search intent (macro)	Legal transparency / compliance
Micro-intent	N-3 Policy lookup
Primary keyword	ongo privacy policy
Secondary keywords	ongo california privacy rights, ccpa disclosures
Meta title	Privacy Policy | Ongo
Meta description	Ongo's privacy policy — read the full terms and disclosures.
Target word count	400–1,200 words depending on document (legal counsel determines final length)
Content outline	• Full legal text for Privacy Policy, drafted/approved by counsel — do not paraphrase or summarize on other pages, always link to this canonical source • Last-updated date visible at the top • Plain-language summary paragraph at the top (1-2 sentences) before the full legal text, for accessibility/readability — does not replace the legal text • California Consumer Privacy Act (CCPA) rights and disclosures included as a dedicated section within this page — not a separate document, per locked v3 decision
Required disclaimer	N/A — this page IS the disclaimer/legal text
Schema type	WebPage
Healthcare professional	Legal/Compliance
Proofreader / reviewer	Legal counsel
YMYL sensitivity	Moderate
Internal links to	• /policies/
Must be linked from	• /policies/

Field	Value
External links to	• None specified.
Primary CTA	None
Secondary CTA	None
CTA destination	N/A — no conversion CTA on this page
GA4 / GTM event	N/A — legal page, track pageview only
Tracking notes	page_meta: silo=Trust layer (sitewide), page_type=policy, funnel_stage=n/a, micro_intent=N-3, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/policies/privacy-policy/page.tsx
On-page SEO notes	• Low commercial-keyword targeting — these pages exist for compliance and trust, not rankings • Still index these (do not noindex) — Henry Meds' full policy taxonomy was flagged as a trust signal competitors lack
Off-page SEO notes	• N/A — not a link-building target
Book Three corrections	• None: matches Book Three rules.

28.116 Refund Policy

Field	Value
URL	/policies/refund-policy/
Breadcrumb	Home > Policies > Refund Policy
Page Type	Policy Page (legal)
Silo	Trust layer (sitewide)
Hub role	Spoke (trust)
Parent	/policies/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Ongo Weight Loss (policy)
Funnel stage	N/A — legal/trust infrastructure
Search intent (macro)	Legal transparency / compliance
Micro-intent	N-3 Policy lookup
Primary keyword	ongo refund policy
Secondary keywords	—
Meta title	Refund Policy | Ongo
Meta description	Ongo's refund policy — read the full terms and disclosures.
Target word count	400–1,200 words depending on document (legal counsel determines final length)
Content outline	• Full legal text for Refund Policy, drafted/approved by counsel — do not paraphrase or summarize on other pages, always link to this canonical source • Last-updated date visible at the top • Plain-language summary paragraph at the top (1-2 sentences) before the full legal text, for accessibility/readability — does not replace the legal text
Required disclaimer	N/A — this page IS the disclaimer/legal text
Schema type	WebPage
Healthcare professional	Legal/Compliance
Proofreader / reviewer	Legal counsel + Ops
YMYL sensitivity	Clear YMYL — High (billing complaints are the #1 competitor complaint category)
Internal links to	• /policies/

Field	Value
Must be linked from	• /faq/ • /policies/ • /pricing/ • /weightloss-onboard/
External links to	• None specified.
Primary CTA	None
Secondary CTA	None
CTA destination	N/A — no conversion CTA on this page
GA4 / GTM event	N/A — legal page, track pageview only
Tracking notes	page_meta: silo=Trust layer (sitewide), page_type=policy, funnel_stage=n/a, micro_intent=N-3, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/policies/refund-policy/page.tsx
On-page SEO notes	• Low commercial-keyword targeting — these pages exist for compliance and trust, not rankings • Still index these (do not noindex) — Henry Meds' full policy taxonomy was flagged as a trust signal competitors lack
Off-page SEO notes	• N/A — not a link-building target
Book Three corrections	• None: matches Book Three rules.

28.117 Consent to Telehealth

Field	Value
URL	/policies/consent-to-telehealth/
Breadcrumb	Home > Policies > Consent to Telehealth
Page Type	Policy Page (legal)
Silo	Trust layer (sitewide)
Hub role	Spoke (trust)
Parent	/policies/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Ongo Weight Loss (policy)
Funnel stage	N/A — legal/trust infrastructure
Search intent (macro)	Legal transparency / compliance
Micro-intent	N-3 Policy lookup
Primary keyword	ongo consent to telehealth
Secondary keywords	—
Meta title	Consent to Telehealth | Ongo
Meta description	Ongo's consent to telehealth — read the full terms and disclosures.
Target word count	400–1,200 words depending on document (legal counsel determines final length)
Content outline	• Full legal text for Consent to Telehealth, drafted/approved by counsel — do not paraphrase or summarize on other pages, always link to this canonical source • Last-updated date visible at the top • Plain-language summary paragraph at the top (1-2 sentences) before the full legal text, for accessibility/readability — does not replace the legal text
Required disclaimer	N/A — this page IS the disclaimer/legal text
Schema type	WebPage
Healthcare professional	Legal/Compliance
Proofreader / reviewer	Legal counsel + Medical Director
YMYL sensitivity	Clear YMYL — High
Internal links to	• /policies/

Field	Value
Must be linked from	• /faq/ • /how-it-works/ • /policies/ • /policies/bill-of-rights/ • /services/glp-1/compounded-semaglutide/ • /services/glp-1/compounded-tirzepatide/ • /weightloss-onboard/
External links to	• None specified.
Primary CTA	None
Secondary CTA	None
CTA destination	N/A — no conversion CTA on this page
GA4 / GTM event	N/A — legal page, track pageview only
Tracking notes	page_meta: silo=Trust layer (sitewide), page_type=policy, funnel_stage=n/a, micro_intent=N-3, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/policies/consent-to-telehealth/page.tsx
On-page SEO notes	• Low commercial-keyword targeting — these pages exist for compliance and trust, not rankings • Still index these (do not noindex) — Henry Meds' full policy taxonomy was flagged as a trust signal competitors lack
Off-page SEO notes	• N/A — not a link-building target
Book Three corrections	• None: matches Book Three rules.

28.118 Editorial Policy

Field	Value
URL	/policies/editorial-policy/
Breadcrumb	Home > Policies > Editorial Policy
Page Type	Policy Page (legal)
Silo	Trust layer (sitewide)
Hub role	Spoke (trust)
Parent	/policies/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Ongo Weight Loss (policy)
Funnel stage	N/A — legal/trust infrastructure
Search intent (macro)	Legal transparency / compliance
Micro-intent	N-3 Policy lookup
Primary keyword	ongo editorial policy
Secondary keywords	—
Meta title	Editorial Policy | Ongo
Meta description	Ongo's editorial policy — read the full terms and disclosures.
Target word count	400–1,200 words depending on document (legal counsel determines final length)
Content outline	• Full legal text for Editorial Policy, drafted/approved by counsel — do not paraphrase or summarize on other pages, always link to this canonical source • Last-updated date visible at the top • Plain-language summary paragraph at the top (1-2 sentences) before the full legal text, for accessibility/readability — does not replace the legal text
Required disclaimer	N/A — this page IS the disclaimer/legal text
Schema type	WebPage
Healthcare professional	Legal/Compliance
Proofreader / reviewer	Editorial Lead
YMYL sensitivity	Moderate
Internal links to	• /policies/
Must be linked from	• /contributors/ • /policies/

Field	Value
External links to	• None specified.
Primary CTA	None
Secondary CTA	None
CTA destination	N/A — no conversion CTA on this page
GA4 / GTM event	N/A — legal page, track pageview only
Tracking notes	page_meta: silo=Trust layer (sitewide), page_type=policy, funnel_stage=n/a, micro_intent=N-3, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/policies/editorial-policy/page.tsx
On-page SEO notes	• Low commercial-keyword targeting — these pages exist for compliance and trust, not rankings • Still index these (do not noindex) — Henry Meds' full policy taxonomy was flagged as a trust signal competitors lack
Off-page SEO notes	• N/A — not a link-building target
Book Three corrections	• None: matches Book Three rules.

28.119 Shipping Policy

Field	Value
URL	/policies/shipping-policy/
Breadcrumb	Home > Policies > Shipping Policy
Page Type	Policy Page (legal)
Silo	Trust layer (sitewide)
Hub role	Spoke (trust)
Parent	/policies/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Ongo Weight Loss (policy)
Funnel stage	N/A — legal/trust infrastructure
Search intent (macro)	Legal transparency / compliance
Micro-intent	N-3 Policy lookup
Primary keyword	ongo shipping policy
Secondary keywords	—
Meta title	Shipping Policy | Ongo
Meta description	Ongo's shipping policy — read the full terms and disclosures.
Target word count	400–1,200 words depending on document (legal counsel determines final length)
Content outline	• Full legal text for Shipping Policy, drafted/approved by counsel — do not paraphrase or summarize on other pages, always link to this canonical source • Last-updated date visible at the top • Plain-language summary paragraph at the top (1-2 sentences) before the full legal text, for accessibility/readability — does not replace the legal text
Required disclaimer	N/A — this page IS the disclaimer/legal text
Schema type	WebPage
Healthcare professional	Legal/Compliance
Proofreader / reviewer	Ops Lead
YMYL sensitivity	Low
Internal links to	• /policies/
Must be linked from	• /policies/
External links to	• None specified.

Field	Value
Primary CTA	None
Secondary CTA	None
CTA destination	N/A — no conversion CTA on this page
GA4 / GTM event	N/A — legal page, track pageview only
Tracking notes	page_meta: silo=Trust layer (sitewide), page_type=policy, funnel_stage=n/a, micro_intent=N-3, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/policies/shipping-policy/page.tsx
On-page SEO notes	• Low commercial-keyword targeting — these pages exist for compliance and trust, not rankings • Still index these (do not noindex) — Henry Meds' full policy taxonomy was flagged as a trust signal competitors lack
Off-page SEO notes	• N/A — not a link-building target
Book Three corrections	• None: matches Book Three rules.

28.120 Contributor Policy

Field	Value
URL	/policies/contributor-policy/
Breadcrumb	Home > Policies > Contributor Policy
Page Type	Policy Page (legal)
Silo	Trust layer (sitewide)
Hub role	Spoke (trust)
Parent	/policies/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Ongo Weight Loss (policy)
Funnel stage	N/A — legal/trust infrastructure
Search intent (macro)	Legal transparency / compliance
Micro-intent	N-3 Policy lookup
Primary keyword	ongo contributor policy
Secondary keywords	—
Meta title	Contributor Policy | Ongo
Meta description	Ongo's contributor policy — read the full terms and disclosures.
Target word count	400–1,200 words depending on document (legal counsel determines final length)
Content outline	• Full legal text for Contributor Policy, drafted/approved by counsel — do not paraphrase or summarize on other pages, always link to this canonical source • Last-updated date visible at the top • Plain-language summary paragraph at the top (1-2 sentences) before the full legal text, for accessibility/readability — does not replace the legal text
Required disclaimer	N/A — this page IS the disclaimer/legal text
Schema type	WebPage
Healthcare professional	Legal/Compliance
Proofreader / reviewer	Editorial Lead
YMYL sensitivity	Low
Internal links to	• /policies/
Must be linked from	• /contributors/ • /contributors/[contributor-slug]/ • /policies/

Field	Value
External links to	• None specified.
Primary CTA	None
Secondary CTA	None
CTA destination	N/A — no conversion CTA on this page
GA4 / GTM event	N/A — legal page, track pageview only
Tracking notes	page_meta: silo=Trust layer (sitewide), page_type=policy, funnel_stage=n/a, micro_intent=N-3, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/policies/contributor-policy/page.tsx
On-page SEO notes	• Low commercial-keyword targeting — these pages exist for compliance and trust, not rankings • Still index these (do not noindex) — Henry Meds' full policy taxonomy was flagged as a trust signal competitors lack
Off-page SEO notes	• N/A — not a link-building target
Book Three corrections	• None: matches Book Three rules.

28.121 Medical Review Policy

Field	Value
URL	/policies/medical-review-policy/
Breadcrumb	Home > Policies > Medical Review Policy
Page Type	Policy Page (legal)
Silo	Trust layer (sitewide)
Hub role	Spoke (trust)
Parent	/policies/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Ongo Weight Loss (policy)
Funnel stage	N/A — legal/trust infrastructure
Search intent (macro)	Legal transparency / compliance
Micro-intent	N-3 Policy lookup
Primary keyword	ongo medical review policy
Secondary keywords	—
Meta title	Medical Review Policy | Ongo
Meta description	Ongo's medical review policy — read the full terms and disclosures.
Target word count	400–1,200 words depending on document (legal counsel determines final length)
Content outline	• Full legal text for Medical Review Policy, drafted/approved by counsel — do not paraphrase or summarize on other pages, always link to this canonical source • Last-updated date visible at the top • Plain-language summary paragraph at the top (1-2 sentences) before the full legal text, for accessibility/readability — does not replace the legal text
Required disclaimer	N/A — this page IS the disclaimer/legal text
Schema type	WebPage
Healthcare professional	Legal/Compliance
Proofreader / reviewer	Medical Director
YMYL sensitivity	Clear YMYL — High
Internal links to	• /policies/

Field	Value
Must be linked from	• /contributors/ • /medical-team/ • /medical-team/[provider-slug]/ • /policies/ • /policies/bill-of-rights/
External links to	• None specified.
Primary CTA	None
Secondary CTA	None
CTA destination	N/A — no conversion CTA on this page
GA4 / GTM event	N/A — legal page, track pageview only
Tracking notes	page_meta: silo=Trust layer (sitewide), page_type=policy, funnel_stage=n/a, micro_intent=N-3, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/policies/medical-review-policy/page.tsx
On-page SEO notes	• Low commercial-keyword targeting — these pages exist for compliance and trust, not rankings • Still index these (do not noindex) — Henry Meds' full policy taxonomy was flagged as a trust signal competitors lack
Off-page SEO notes	• N/A — not a link-building target
Book Three corrections	• None: matches Book Three rules.

28.122 Terms of Service

Field	Value
URL	/policies/terms-of-service/
Breadcrumb	Home > Policies > Terms of Service
Page Type	Policy Page (legal)
Silo	Trust layer (sitewide)
Hub role	Spoke (trust)
Parent	/policies/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Ongo Weight Loss (policy)
Funnel stage	N/A — legal/trust infrastructure
Search intent (macro)	Legal transparency / compliance
Micro-intent	N-3 Policy lookup
Primary keyword	ongo terms of service
Secondary keywords	—
Meta title	Terms of Service | Ongo
Meta description	Ongo's terms of service — read the full terms and disclosures.
Target word count	400–1,200 words depending on document (legal counsel determines final length)
Content outline	• Full legal text for Terms of Service, drafted/approved by counsel — do not paraphrase or summarize on other pages, always link to this canonical source • Last-updated date visible at the top • Plain-language summary paragraph at the top (1-2 sentences) before the full legal text, for accessibility/readability — does not replace the legal text
Required disclaimer	N/A — this page IS the disclaimer/legal text
Schema type	WebPage
Healthcare professional	Legal/Compliance
Proofreader / reviewer	Legal counsel
YMYL sensitivity	Clear YMYL — High
Internal links to	• /policies/
Must be linked from	• /policies/
External links to	• None specified.

Field	Value
Primary CTA	None
Secondary CTA	None
CTA destination	N/A — no conversion CTA on this page
GA4 / GTM event	N/A — legal page, track pageview only
Tracking notes	page_meta: silo=Trust layer (sitewide), page_type=policy, funnel_stage=n/a, micro_intent=N-3, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/policies/terms-of-service/page.tsx
On-page SEO notes	• Low commercial-keyword targeting — these pages exist for compliance and trust, not rankings • Still index these (do not noindex) — Henry Meds' full policy taxonomy was flagged as a trust signal competitors lack
Off-page SEO notes	• N/A — not a link-building target
Book Three corrections	• None: matches Book Three rules.

28.123 Accessibility Statement

Field	Value
URL	/policies/accessibility/
Breadcrumb	Home > Policies > Accessibility Statement
Page Type	Policy Page (legal)
Silo	Trust layer (sitewide)
Hub role	Spoke (trust)
Parent	/policies/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Ongo Weight Loss (policy)
Funnel stage	N/A — legal/trust infrastructure
Search intent (macro)	Legal transparency / compliance
Micro-intent	N-3 Policy lookup
Primary keyword	ongo accessibility statement (ada)
Secondary keywords	—
Meta title	Accessibility Statement (ADA) | Ongo
Meta description	Ongo's accessibility statement (ada) — read the full terms and disclosures.
Target word count	400–1,200 words depending on document (legal counsel determines final length)
Content outline	• Full legal text for Accessibility Statement (ADA), drafted/approved by counsel — do not paraphrase or summarize on other pages, always link to this canonical source • Last-updated date visible at the top • Plain-language summary paragraph at the top (1-2 sentences) before the full legal text, for accessibility/readability — does not replace the legal text
Required disclaimer	N/A — this page IS the disclaimer/legal text
Schema type	WebPage
Healthcare professional	Legal/Compliance
Proofreader / reviewer	Legal counsel + Dev Lead
YMYL sensitivity	Moderate
Internal links to	• /policies/
Must be linked from	• /policies/
External links to	• ADA.gov (accessibility standards)

Field	Value
Primary CTA	None
Secondary CTA	None
CTA destination	N/A — no conversion CTA on this page
GA4 / GTM event	N/A — legal page, track pageview only
Tracking notes	page_meta: silo=Trust layer (sitewide), page_type=policy, funnel_stage=n/a, micro_intent=N-3, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/policies/accessibility/page.tsx
On-page SEO notes	• Low commercial-keyword targeting — these pages exist for compliance and trust, not rankings • Still index these (do not noindex) — Henry Meds' full policy taxonomy was flagged as a trust signal competitors lack
Off-page SEO notes	• N/A — not a link-building target
Book Three corrections	• None: matches Book Three rules.

28.124 HIPAA Notice of Privacy Practices

Field	Value
URL	/policies/notice-of-privacy-practices/
Breadcrumb	Home > Policies > HIPAA Notice of Privacy Practices
Page Type	Policy Page (legal)
Silo	Trust layer (sitewide)
Hub role	Spoke (trust)
Parent	/policies/
Launch phase	1
Index status	Temporary noindex until the Chapter 14 checklist passes
Primary entity	Ongo Weight Loss (policy)
Funnel stage	N/A — legal/trust infrastructure
Search intent (macro)	Legal transparency / compliance
Micro-intent	N-3 Policy lookup
Primary keyword	ongo notice of privacy practices (hipaa)
Secondary keywords	—
Meta title	Notice of Privacy Practices (HIPAA) | Ongo
Meta description	Ongo's notice of privacy practices (hipaa) — read the full terms and disclosures.
Target word count	400–1,200 words depending on document (legal counsel determines final length)
Content outline	• Full legal text for Notice of Privacy Practices (HIPAA), drafted/approved by counsel — do not paraphrase or summarize on other pages, always link to this canonical source • Last-updated date visible at the top • Plain-language summary paragraph at the top (1-2 sentences) before the full legal text, for accessibility/readability — does not replace the legal text
Required disclaimer	N/A — this page IS the disclaimer/legal text
Schema type	WebPage
Healthcare professional	Legal/Compliance
Proofreader / reviewer	Legal counsel + Compliance Officer
YMYL sensitivity	Clear YMYL — High
Internal links to	• /policies/
Must be linked from	• /policies/ • /weightloss-onboard/

Field	Value
External links to	• HHS.gov (HIPAA reference)
Primary CTA	None
Secondary CTA	None
CTA destination	N/A — no conversion CTA on this page
GA4 / GTM event	N/A — legal page, track pageview only
Tracking notes	page_meta: silo=Trust layer (sitewide), page_type=policy, funnel_stage=n/a, micro_intent=N-3, launch_phase=1; internal_link_click on all in-content links
Priority	Now
Next.js route	app/policies/notice-of-privacy-practices/page.tsx
On-page SEO notes	• Low commercial-keyword targeting — these pages exist for compliance and trust, not rankings • Still index these (do not noindex) — Henry Meds' full policy taxonomy was flagged as a trust signal competitors lack

Field	Value
Off-page SEO notes	• N/A — not a link-building target Appendices Routing, Schema, Tracking & SEO Reference Appendix A — Next.js App Router Reference Full folder structure for the App Router, using dynamic segments wherever a family of pages (drug pages, blog articles, provider bios) shares one template. app/ page.tsx Home how-it-works/page.tsx faq/page.tsx reviews/page.tsx success-stories/page.tsx services/ page.tsx Services hub weight-loss/ page.tsx Weight Loss hub nutrition-therapy/page.tsx guided-workout-plans/page.tsx glp-1/ page.tsx GLP-1 hub [drug]/page.tsx dynamic: semaglutide, tirzepatide, liraglutide longevity-anti-aging/ page.tsx [treatment]/page.tsx dynamic: rapamycin, nad, glutathione, sermorelin, methylene-blue mens-health/ page.tsx testosterone-trt/page.tsx enclomiphene/page.tsx oxytocin/page.tsx STATIC — do not merge with women's oxytocin route womens-health/ page.tsx perimenopause/page.tsx pcos/page.tsx oxytocin/page.tsx STATIC — genuinely different content, own file conditions/ page.tsx [condition]/page.tsx dynamic: obesity, overweight, pcos, perimenopause, low-testosterone tools/ page.tsx [tool]/page.tsx dynamic, client component island for the calculator widget blog/ page.tsx [cluster]/ page.tsx dynamic: weight-loss, glp-1, semaglutide, tirzepatide, liraglutide, longevity, mens-health, womens-health [slug]/page.tsx dynamic article route, generateStaticParams from CMS/MDX medical-team/ page.tsx [provider]/page.tsx dynamic, generateStaticParams from provider collection contributors/ page.tsx [contributor]/page.tsx about/page.tsx contact/page.tsx policies/ page.tsx [policy]/page.tsx dynamic: 11 policy slugs weightloss-onboard/ (portal) route group — separate layout.tsx, own nav/footer Appendices Routing, Schema, Tracking & SEO Reference Appendix A — Next.js App Router Reference Full folder structure for the App Router, using dynamic segments wherever a family of pages (drug pages, blog articles, provider bios) shares one template. app/ page.tsx Home how-it-works/page.tsx faq/page.tsx reviews/page.tsx success-stories/page.tsx services/ page.tsx Services hub weight-loss/ page.tsx Weight Loss hub nutrition-therapy/page.tsx guided-workout-plans/page.tsx glp-1/ page.tsx GLP-1 hub -- comparison table groups brands by active ingredient (semaglutide / tirzepatide) and on-label vs. off-label status [drug]/page.tsx dynamic: ozempic, wegovy, rybelsus, mounjaro, zepbound, liraglutide (liraglutide page covers both Saxenda(R) and Victoza(R) brand names) longevity-anti-aging/ page.tsx [treatment]/page.tsx dynamic: rapamycin, nad, glutathione, sermorelin, methylene-blue mens-health/ page.tsx testosterone-trt/page.tsx enclomiphene/page.tsx oxytocin/page.tsx STATIC -- do not merge with women's oxytocin route womens-health/ page.tsx perimenopause/page.tsx pcos/page.tsx oxytocin/page.tsx STATIC -- genuinely different content, own file conditions/ page.tsx [condition]/page.tsx dynamic: obesity, overweight, pcos, perimenopause, low-testosterone tools/ page.tsx [tool]/page.tsx dynamic, client component island for the calculator widget blog/ page.tsx [cluster]/ page.tsx dynamic: weight-loss, glp-1, semaglutide, tirzepatide, liraglutide, longevity, mens-health, womens-health [slug]/page.tsx dynamic article route, generateStaticParams from CMS/MDX medical-team/ page.tsx [provider]/page.tsx dynamic, generateStaticParams from provider collection contributors/ page.tsx [contributor]/page.tsx dynamic -- role field (writer / editor / medical reviewer) distinguishes reviewer bios from writer bios about/page.tsx contact/page.tsx policies/ page.tsx [policy]/page.tsx dynamic: 12 policy slugs weightloss-onboard/ (portal) route group -- separate layout.tsx, own nav/footer layout.tsx NOINDEX at the group level, not just per-page (permanent) page.tsx Universal entry -- vertical selector + multi-step flow login/page.tsx Returning-patient auth [step]/page.tsx Optional: if steps get their own URLs for back-button/resume support • Use generateStaticParams() on every [param] route above and pre-render at build time (SSG) — none of this content is user-specific.

Field	Value
	• v3 change — GLP-1 spoke pages are now brand-name routes (six), not active-ingredient routes (three). Ozempic®/Rybelsus®/Mounjaro® carry an off-label-use disclosure; Wegovy®/Zepbound® do not; Liraglutide's single page covers both Saxenda® (on-label) and Victoza® (off-label). • Men's and women's oxytocin pages are intentionally separate static files, not one shared dynamic route — the content briefs differ enough that forcing them into one [gender] param invites copy-paste duplication. • Blog articles use a nested dynamic route ([cluster]/[slug]) so the cluster hub and its articles share breadcrumb/layout logic automatically via a shared layout.tsx per cluster. • Revalidate blog and condition content on a schedule (ISR) since medical-review dates change periodically; service and drug pages can be fully static and redeployed on content updates. • The weightloss-onboard/ route group should be its own Next.js route group with a separate layout.tsx — different header/footer, different auth-gated behavior, and its own middleware for the noindex header. Do not
Book Three corrections	• Phase 1 launch rule: remove brand names (Wegovy, Ozempic, Rybelsus, Mounjaro, Zepbound) from commercial copy, keywords, meta and links on this page; point links at the compounded semaglutide and tirzepatide pages instead. Brand names may appear only in compliance-reviewed education with "Ongo does not offer this medication".

Do's and Don'ts

✅ Do	❌ Don't
Check this map before creating any page	Build from memory or from v3 alone
Fill every field for new pages	Leave fields blank
Log every change in the corrections field	Change pages silently
Build Phase 1 only until Phase 2 and 3 sign-off	Build brand or vertical pages early

Pros and cons of a complete map

✅ Pros	❌ Cons
One source of truth for every team	Long document

✅ Pros	❌ Cons
Corrections are traceable	Needs an owner and regular updates
Tracking and linking designed in advance	Phase 3 records may change before launch

Where freshers go wrong in Chapter 28 topics

Mistake	Why it happens	Avoid it by	Fix it by
Building a Phase 3 page now	It's in the map	Checking the phase field	Unpublishing
Ignoring the corrections field	Reading only the outline	Reading the record top to bottom	Applying the correction
Using v3's brand CTA events	Copying v3	Using this map's events	Renaming in GTM

Thumb rules

👍 The map is the source of truth; v3 is history.

👍 Phase decides when; record decides how.

👍 Read the corrections field first.

Notes to remember

📝 124 records: 69 Phase 1, 10 Phase 2, 45 Phase 3.

📝 Three records are new in Book Three: compounded semaglutide, compounded tirzepatide and /pricing/.

Chapter 28 Glossary

Term	Simple meaning
Master content map	The complete set of page records
Corrections field	Notes on how a record differs from Playbook v3
Quick index	A summary table of every page
Phase 1 / 2 / 3	Launch, educational brand content, new verticals

Chapter 28 Quiz

1. How many records are in the master map?

- A) 124
- B) 500
- C) 12
- D) 1,000

2. How many are Phase 1?

- A) 69
- B) 124
- C) 0
- D) 10

3. Which records are new in Book Three?

- A) None
- B) Compounded semaglutide, compounded tirzepatide and /pricing/
- C) Rapamycin and NAD+
- D) Ozempic and Wegovy

4. When the map and Playbook v3 disagree, follow...

- A) This map
- B) Whoever is loudest
- C) Playbook v3
- D) A competitor

5. Which field explains changes from v3?

- A) Meta title
- B) Book Three corrections
- C) Next.js route
- D) Priority

6. Which phase are the brand pages?

- A) Phase 3
- B) Phase 2 (educational only)
- C) Phase 1
- D) Never

7. Which phase are the Longevity pages?

- A) Phase 1
- B) Phase 3
- C) Phase 2
- D) Already live

8. What does "Must be linked from" list?

- A) Competitors
- B) Pages that must link to this page
- C) Outgoing links
- D) Backlinks from other sites

9. What should you read first in a record?

- A) Nothing
- B) The Next.js route
- C) The corrections field
- D) The word count

10. In the shaadi master-plan analogy, the planner answers questions from…

- A) Memory
- B) The master file
- C) Guesswork
- D) The neighbors

Sources

1. Ongo, Master Page-by-Page Content, SEO & Build Playbook v3 (August 21, 2026), internal
2. Ongo, Master Page-by-Page Playbook (v1), internal: source for the compounded semaglutide and tirzepatide records

Answer key, Chapter 28: 1-A · 2-A · 3-B · 4-A · 5-B · 6-B · 7-B · 8-B · 9-C · 10-B

Chapter 29: Keeping the Map Alive: Governance

A map nobody updates is a map nobody trusts. Governance keeps it true.

> 💡 **Trivia**
>
> Google says that in most cases, how quickly you see the impact of SEO changes can range from **a few hours to several months**, and it recommends waiting a few weeks before assessing whether your work had a beneficial impact. [1] ● Google official
>
> That's why map changes are logged with dates: you need to know what changed, when, before you can judge it.

29.1 Roles

Role	Owns
Map owner (Senior SEO / Strategist)	The master map, approvals for new pages, the change log
Content lead	Briefs that match records; cluster updates
Medical reviewer	Clinical accuracy; reviewer fields
Compliance	Disclaimers, brand rules, regulatory statements
Developer	Routes, redirects, indexing, schema, data layer
Analytics	Events and dimensions matching the record
Team lead / manager	Phase decisions and priorities

29.2 The lifecycle of a page

Stage	What happens	Who signs off
1. Propose	New-section test (Chapter 10) + decision tree (Chapter 16)	Map owner
2. Record	All 33 fields filled, keyword checked against all records	Map owner
3. Brief and write	Content follows the record	Content lead
4. Review	Medical + compliance	Reviewer, compliance
5. Build	Route, schema, links, tracking	Developer, analytics
6. Lift noindex	Chapter 14 checklist	Map owner
7. Monitor	Monthly reports, cannibalization watch	SEO + analytics
8. Update or retire	Refresh, merge or redirect	Map owner

29.3 The change log

Date	Page	Change	Reason	By	Check impact on
(example) 2026-11-05	/blog/tirzepatide/tirzepatide-vs-semaglutide/	Merged into semaglutide-vs-tirzepatide; 301	Duplicate comparison	Map owner	2026-12-05

29.4 Review rhythm

Frequency	Task
Weekly	New page requests; launch checklist progress
Monthly	Indexing audit, broken links, cannibalization watch-list, seven monthly reports
Quarterly	Internal-link map, competitor review table, phase readiness
Every 6 months	Full map review: retire, merge, refresh

> 🪔 **Desi analogy: ghar ka hisaab-kitaab**
>
> Maa har mahine ghar ka hisaab likhti hai: kya aaya, kya gaya, kyun. **Agar hisaab na likho, toh mahine ke end mein pata nahi chalta paisa kahan gaya.** Change log wahi hisaab ki copy hai.

29.5 Do's and Don'ts

✅ Do	❌ Don't
Log every change with a date and reason	Edit silently
Follow the 8-stage lifecycle	Skip review for "small" pages
Review the map on a fixed rhythm	Review only after a drop
Give one person final map ownership	Let everyone edit freely

29.6 Pros and cons of formal governance

✅ Pros	❌ Cons
Traceable decisions	More process
Fewer duplicate pages	Slower for urgent requests
Clear accountability	Needs a committed owner

29.7 Where freshers go wrong in Chapter 29 topics

Mistake	Why it happens	Avoid it by	Fix it by
Publishing without a record	Urgency	Lifecycle stage 2	Creating the record retroactively

Mistake	Why it happens	Avoid it by	Fix it by
Judging a change after two days	Impatience	Waiting a few weeks	Setting a check date
No reason in the change log	Rushing	Required reason column	Adding it

29.8 Thumb rules

> 👍 Propose, record, write, review, build, lift, monitor, update.
>
> 👍 No date, no change.
>
> 👍 One owner, many contributors.

29.9 Notes to remember

> 📝 Eight lifecycle stages; four review rhythms.
>
> 📝 Google: SEO impact can take a few hours to several months to show.

Chapter 29 Glossary

Term	Simple meaning
Governance	The rules and roles for managing the map
Map owner	The person with final say on the map
Change log	A dated record of every change
Lifecycle	The stages a page goes through
Retire	Remove a page with a redirect or 410

Chapter 29 Quiz

1. Who owns the master map?

- A) Nobody
- B) The map owner (Senior SEO / Strategist)
- C) Everyone equally
- D) Competitors

2. What's lifecycle stage 2?

- A) Record: all 33 fields filled
- B) Lift noindex
- C) Retire
- D) Monitor

3. How soon can SEO impact show, per Google?

- A) Exactly one day
- B) Ten years
- C) Never
- D) A few hours to several months

4. What goes in the change log?

- A) Date, page, change, reason, who, check date
- B) Nothing
- C) Gossip
- D) Only the page name

5. How often is the cannibalization watch-list reviewed?

- A) Never
- B) Monthly
- C) Every 5 years
- D) Hourly

6. Who signs off clinical accuracy?

- A) The designer
- B) The medical reviewer
- C) Social media

- D) The developer

7. What should you do before lifting noindex?

- A) Buy links
- B) Pass the Chapter 14 checklist
- C) Nothing
- D) Change the URL

8. When is the full map reviewed?

- A) Daily
- B) Never
- C) Only after a penalty
- D) Every 6 months

9. Can someone publish a page without a record?

- A) Yes
- B) Only on Fridays
- C) No
- D) Only blogs

10. In the hisaab-kitaab analogy, the change log is…

- A) The kitchen
- B) The monthly accounts notebook
- C) The TV
- D) The shopping bag

Sources

1. Google Search Central, SEO Starter Guide: how long until I see impact (last updated December 10, 2025)

Answer key, Chapter 29: 1-B · 2-A · 3-D · 4-A · 5-B · 6-B · 7-B · 8-D · 9-C · 10-B

04

LEVEL 4

Expert and Risk

Avoid the architecture mistakes that can't be undone, and scale safely.

30 · Architecture Mistakes That Are Expensive to Undo

31 · Scaling: New Verticals and the Child Site

32 · The ZETA Model for Architecture

Chapter 30: Architecture Mistakes That Are Expensive to Undo

Some mistakes cost an afternoon. Architecture mistakes can cost months of rankings and a full rebuild.

> 💡 **Trivia**
>
> Google treats a permanent redirect as **a strong signal** that the target should become canonical, but redirects still need time to be processed, and every changed URL needs its links updated. [1] ● Google official
>
> Every URL you change in a hurry is a cleanup job you schedule for later.

30.1 The expensive list

#	Mistake	Cost to undo	Prevention
1	Launching brand drug pages as money pages	Legal risk, ad disapprovals, rebuild	Phase rules (Chapter 19)
2	Changing live URLs without redirects	Lost signals and backlinks	URL rules (Chapter 11)
3	Building state or city doorway pages	Possible spam action, cleanup	Not-built list (Chapter 10)
4	Blog posts targeting money-page keywords	Cannibalization, re-scoping	Separation rules (Chapter 15)
5	Tracking added after launch	Lost data you can never recover	Build data layer with the site (Chapter 27)
6	PHI in analytics	Privacy incident, data deletion, trust loss	No-PHI rule

#	Mistake	Cost to undo	Prevention
7	robots.txt blocking pages you want noindexed	Pages linger in results	Chapter 14
8	Launching a vertical one page at a time	Weak silo, orphan pages	Full-silo launch (Chapter 31)
9	Thin hubs with only links	Weak topical signal	Hub requirements (Chapter 8)
10	No map owner	Duplicates, drift, chaos	Governance (Chapter 29)

> **Desi analogy: ghar ki neev**
>
> Paint ki galti ek din mein theek ho jaati hai. **Neev (foundation) ki galti ke liye poora ghar todna padta hai.** Architecture website ki neev hai.

30.2 Recovery playbook

If this happened	Do this first
URLs changed without redirects	Build a redirect map from old → new; update internal links; check Search Console
Brand pages published commercially	Unpublish or convert to education; remove brand CTAs; tell compliance
Cannibalization discovered	Chapter 17 fixes: merge, re-scope, differentiate
PHI found in GA4	Stop the tag; tell your lead; request data deletion in GA4; document
Orphan pages	Add hub and parent links; update the map

● Expert judgment, with [1] ●

30.3 Do's and Don'ts

✅ Do	❌ Don't
Plan before you build	"Fix it later"
Report mistakes immediately	Hide them
Use redirect maps for any change	Change URLs one by one without records
Test tracking before launch	Assume it works

30.4 Pros and cons of a cautious approach

✅ Pros	❌ Cons
Fewer rebuilds	Slower launch
Data from day one	More upfront work
Lower legal risk	Requires saying "not yet"

30.5 Where freshers go wrong in Chapter 30 topics

Mistake	Why it happens	Avoid it by	Fix it by
Hiding a broken redirect	Fear	ZETA reporting rule	Reporting and fixing
Assuming tracking "just works"	Default GA4	QA checklist	Testing in debug mode
Building fast to hit a deadline	Pressure	Phase plan	Pausing and reviewing

30.6 Thumb rules

👍 Foundation mistakes cost the most; plan them out.

👍 Tracking you didn't set up is data you'll never have.

👍 Report fast, fix fast.

30.7 Notes to remember

📝 Ten expensive mistakes and their prevention chapters.

📝 Redirects are strong signals, but every change still needs cleanup.

Chapter 30 Glossary

Term	Simple meaning
Rebuild	Redoing site structure from scratch
Redirect map	A list of old → new URLs
Data deletion request	Asking GA4 to remove collected data
Spam action	A Google penalty for spam

Chapter 30 Quiz

1. Which mistake creates data you can never recover?

- A) Choosing a font
- B) Writing a blog
- C) Updating a hub
- D) Adding tracking after launch

2. What does Google say about permanent redirects?

- A) They're a strong canonical signal
- B) They're banned
- C) They do nothing
- D) They're spam

3. First step if URLs changed without redirects?

- A) Build a redirect map and update links
- B) Delete the site
- C) Do nothing
- D) Buy links

4. First step if PHI is found in GA4?

- A) Ignore it
- B) Share the data
- C) Stop the tag, tell your lead, request data deletion
- D) Wait a year

5. Why launch verticals as full silos?

- A) No reason
- B) To avoid weak silos and orphan pages
- C) Google requires it
- D) It's cheaper

6. Which mistake risks a spam action?

- A) Named reviewers
- B) State or city doorway pages
- C) Clear pricing
- D) Breadcrumbs

7. What should you do with mistakes?

- A) Ignore them
- B) Report them immediately
- C) Hide them
- D) Blame others

8. What prevents duplicates and drift?

- A) No rules
- B) A map owner and governance
- C) More pages
- D) Random publishing

9. Brand pages published commercially: first step?

- A) Add more brand CTAs
- B) Unpublish or convert to education and tell compliance
- C) Buy brand keywords
- D) Nothing

10. In the neev analogy, foundation mistakes…

- A) Require breaking the whole house
- B) Take one day to fix
- C) Fix themselves
- D) Don't matter

Sources

1. Google Search Central, Redirects and Google Search and How to specify a canonical URL (last updated July 10, 2026)

Answer key, Chapter 30: 1-D · 2-A · 3-A · 4-C · 5-B · 6-B · 7-B · 8-B · 9-B · 10-A

LEVEL 4 · CHAPTER 31

Chapter 31: Scaling: New Verticals and the Child Site

The architecture is built to grow. Growth only works if every new vertical arrives as a complete, compliant silo.

> 💡 **Trivia**
>
> Playbook v3 already plans **45 Phase 3 pages** across Longevity, Men's Health and Women's Health, including treatments that require **off-label disclosures** (Rapamycin, Methylene Blue, Oxytocin, Enclomiphene) and a serotonin-syndrome warning for Methylene Blue. 🔵 Ongo internal
>
> New verticals bring new compliance rules, not just new pages.

31.1 The vertical launch kit

☐	Component	Example (Men's Health)
☐	Vertical hub	/services/mens-health/
☐	Treatment pages with disclosures	TRT, Enclomiphene, Oxytocin
☐	Condition pages	/conditions/low-testosterone/
☐	Blog cluster hub + core articles	/blog/mens-health/ + 6 articles
☐	Tools (if relevant)	Symptom checker (if approved)
☐	Medical reviewers for the specialty	Named clinicians
☐	Disclaimers and off-label language	v3 Appendix D
☐	Navigation, homepage card, footer updates	At launch, not before

☐	Component	Example (Men's Health)
☐	Tracking: vertical CTAs, page_meta silo value	`cta_menshealth_get_started`
☐	Portal vertical selection	Step 0 of the portal
☐	Index plan and sitemap	Lift noindex together
☐	Entity map additions (Appendix A)	Low testosterone, testosterone, enclomiphene

- Ongo model

> 🍛 **Desi analogy: restaurant ka naya section**
>
> Restaurant "Chinese section" shuru karta hai toh sirf menu mein do dish nahi jodta. **Naya chef, naye bartan, naya menu page, staff training, aur hygiene check: sab ek saath.** Aadha-adhoora section customers ko bhaga deta hai.

31.2 The child site: weightclinicsresults.com

Question	Book Three guidance
What is it?	A child site in planning (Book One, Chapter 18)
Can it duplicate Ongo content?	No: duplicate sites dilute both and can look like doorway networks
Should it link to Ongo?	Only where genuinely useful, with leadership approval and natural anchors
Should it target the same keywords?	No: give it a distinct purpose and audience before building
Tracking?	Its own GA4 property or data stream, with clear cross-site reporting

> ⚠️ **Where freshers go wrong: using a second site for links.** Building a sister or child site mainly to link to the main site is a link scheme risk (Book Two). The child site needs its own reason to exist. 🔵

31.3 The sister brand: My MMJ Doctor

Separate audience, separate silo, no cross-linking without approval (Book One, Chapter 18).

31.4 Do's and Don'ts

✅ Do	❌ Don't
Launch verticals with the full kit	Launch one treatment page alone
Add specialty reviewers before launch	Use weight-loss reviewers for hormone content
Give the child site a distinct purpose	Copy Ongo content onto it
Update nav, homepage and tracking at launch	Tease verticals before they exist

31.5 Pros and cons of multi-vertical growth

✅ Pros	❌ Cons
Broader patient reach	More compliance complexity
Shared trust layer	Specialty reviewers needed
Reusable architecture	Risk of diluting focus

31.6 Where freshers go wrong in Chapter 31 topics

Mistake	Why it happens	Avoid it by	Fix it by
Publishing Longevity blogs early	Enthusiasm	Phase rules	Noindex until launch
Child site with copied pages	Speed	Distinct-purpose rule	Rewriting or removing
Forgetting the portal vertical selector	Content focus	Launch kit	Adding it

31.7 Thumb rules

👍 A vertical launches complete, or not at all.

👍 A child site needs its own reason to exist.

👍 New verticals, new reviewers, new disclosures.

31.8 Notes to remember

📝 Twelve-part vertical launch kit.

📝 Methylene Blue requires a prominent serotonin-syndrome interaction warning (v3).

Chapter 31 Glossary

Term	Simple meaning
Vertical launch kit	Everything needed to launch a new vertical
Child site	A related site under the same brand family
Off-label disclosure	Stating a use isn't on the FDA label
Data stream	A GA4 source for one site or app

Chapter 31 Quiz

1. How should a new vertical launch?

- A) As a complete silo with the full kit
- B) As blog posts only
- C) One page at a time
- D) Without reviewers

2. Should the child site duplicate Ongo content?

- A) Yes
- B) Only policies
- C) Only blogs
- D) No

3. Which treatment needs a serotonin-syndrome warning?

- A) Methylene Blue
- B) Glutathione
- C) Compounded semaglutide
- D) NAD+

4. When do nav and homepage cards for a vertical appear?

- A) A year after
- B) Before launch
- C) Never
- D) At launch

5. What's the risk of a second site built mainly for links?

- A) Better trust
- B) Link scheme risk
- C) No risk
- D) Faster rankings

6. Which event pattern is used for vertical CTAs?

- A) button_click
- B) none
- C) cta_menshealth_get_started
- D) click1

7. Who reviews hormone content?

- A) Specialty medical reviewers
- B) The designer
- C) Weight-loss reviewers only
- D) Nobody

8. How many Phase 3 pages does v3 plan?

- A) 45
- B) 0
- C) 200
- D) 5

9. Can Ongo cross-link with My MMJ Doctor freely?

- A) Yes
- B) Always
- C) Only in footers
- D) No; only with approval

10. In the restaurant analogy, a half-built section…

- A) Doesn't matter
- B) Is perfect
- C) Doubles sales
- D) Drives customers away

Sources

1. Ongo, Master Playbook v3: Phase 3 vertical sections and Appendix D disclaimer library (internal)
2. Google Search Central, Spam policies for Google web search (last updated August 28, 2026)

Answer key, Chapter 31: 1-A · 2-D · 3-A · 4-D · 5-B · 6-C · 7-A · 8-A · 9-D · 10-D

LEVEL 4 · CHAPTER 32

Chapter 32: The ZETA Model for Architecture

Zero-Error Tolerance Approach: the short list of architecture mistakes that must never happen.

> 💡 **Trivia**
>
> In Book Two, ZETA was born from one Google fact: link benefit lost to a spam update **cannot be regained**. Architecture has its own version: **data you didn't collect can never be collected later**, and **PHI sent to the wrong place can't be un-sent**. 🔵 Ongo internal
>
> Some mistakes are reversible. ZETA is for the ones that aren't.

32.1 The ZETA zones (architecture edition)

Zone	Meaning	Example
🟢 **Green**	Low-risk, reversible	A hub intro that needs rewriting
🟠 **Amber**	Fixable with effort; report it	A blog competing with a money page
🔴 **Red**	Irreversible, dangerous or illegal	PHI in analytics; brand pages selling compounded drugs

32.2 The Architecture Red List: never, ever

#	Never do this	Why
1	Send **any PHI** (names, contact details, weights, BMIs, medications, answers) to analytics, ads, URLs or page titles	Privacy law; can't be undone (Book One, 12)
2	Build **brand drug pages as money pages**, or use brand names in commercial URLs, titles, ads or CTAs during the launch phase	Trademark and FDA risk (Chapter 19)
3	**Index the onboarding portal** or link into mid-flow steps	PHI and payment data

#	Never do this	Why
4	Change or delete a **live URL without a redirect**	Lost signals and links
5	Build **doorway pages** (state, city, "near me" templates)	Google spam policy
6	Publish any page **without a master-map record** and medical review	Duplicates, compliance risk
7	Lift noindex on a page that **fails the Chapter 14 checklist**	Unreviewed claims in Google
8	Launch a vertical **without its full kit** (reviewers, disclosures, tracking)	Compliance and weak silos
9	Add **outcome claims** to compounded pages using brand trial results	FDA warning-letter claim
10	Remove or rename **tracking events** without updating reports and the map	Breaks history

32.3 Warning signs

You hear…	It usually means…
"Let's just add a state page for Texas"	Doorway risk
"Track their BMI so we can segment"	PHI violation
"Ozempic gets more searches, use that"	Brand rule violation
"Rename the URL, it'll look cleaner"	Lost signals
"We'll set up tracking after launch"	Lost data
"It's a small page, skip the record"	Duplicate and review risk

32.4 The ZETA time-out (30 seconds)

Step	Ask
Stop	Is this on the Red List?
Check	Does a master-map record exist and match?
Confirm	Medical, compliance and map-owner approval where needed?

Step	Ask
Record	Logged in the change log?
Proceed	Only if all four are yes

> 🪔 **Desi analogy: operation theatre**
>
> Hospital ke OT mein surgery se pehle "time-out" hota hai: sahi patient, sahi side, sahi operation? **Ek second ka ruk na, zindagi bhar ki galti se bachata hai.** Architecture mein bhi Red List se pehle wahi time-out.
>
> 📝 **Note to remember:** The worst ZETA mistake is hiding a ZETA mistake. Report it the same day.

32.5 Do's and Don'ts

✅ Do	❌ Don't
Run the time-out before Red List actions	Rush Red List changes
Report mistakes the same day	Hide them
Keep the Red List visible to every team	Keep it only in this book

32.6 Pros and cons of zero tolerance

✅ Pros	❌ Cons
Prevents irreversible damage	Slows some decisions
Clear for freshers	Needs leadership backing
Protects patients	Requires constant awareness

32.7 Where freshers go wrong in Chapter 32 topics

Mistake	Why it happens	Avoid it by	Fix it by
Treating Red List items as "amber"	Underestimating risk	The zone table	Escalating immediately
Skipping the time-out under deadline	Pressure	Making it a habit	Pausing and checking
Fixing quietly	Fear	Same-day reporting	Telling your lead

32.8 Thumb rules

👍 Reversible mistakes are lessons; irreversible ones are ZETA.

👍 Stop, check, confirm, record, proceed.

👍 Report the same day, always.

32.9 Notes to remember

📝 Ten-item Architecture Red List; six warning signs; five-step time-out.

📝 ZETA = Zero-Error Tolerance Approach (Ongo's internal model, not a Google term).

Chapter 32 Glossary

Term	Simple meaning
ZETA	Zero-Error Tolerance Approach
Red List	Actions that are never allowed
Time-out	A short pause before risky actions

Term	Simple meaning
Irreversible	Can't be undone

Chapter 32 Quiz

1. What does ZETA stand for?

- A) Zonal Entity Tag Audit
- B) Zero Effort To Act
- C) Zero-Error Tolerance Approach
- D) Zone of Entity Traffic Analysis

2. Which is on the Architecture Red List?

- A) Rewriting a hub intro
- B) Adding a sibling link
- C) Updating a date
- D) Sending PHI to analytics

3. "Track their BMI so we can segment" means...

- A) A schema tip
- B) A design idea
- C) Good analytics
- D) A PHI violation

4. Which zone is "a blog competing with a money page"?

- A) Green
- B) Amber
- C) None
- D) Red

5. What's step 1 of the time-out?

- A) Celebrate
- B) Stop: is this on the Red List?
- C) Proceed

- D) Record

6. Can the portal be indexed?

- A) Never
- B) Yes
- C) On weekends
- D) Only login

7. What's the worst ZETA mistake?

- A) A slow page
- B) A typo
- C) Hiding a ZETA mistake
- D) A long hub

8. "We'll set up tracking after launch" usually means...

- A) Lost data
- B) Nothing
- C) Better data
- D) Faster launch with no cost

9. Is ZETA a Google term?

- A) No, it's Ongo's internal model
- B) Yes
- C) It's an FDA rule
- D) It's an FTC rule

10. In the OT analogy, the time-out checks...

- A) Parking
- B) Right patient, right side, right operation
- C) Music
- D) Lunch orders

Sources

1. Ongo, Book Two: Earned, Not Built, Chapter 48 (ZETA model), internal

2. Google Search Central, Spam policies for Google web search (last updated August 28, 2026)

Answer key, Chapter 32: 1-C · 2-D · 3-D · 4-B · 5-B · 6-A · 7-C · 8-A · 9-A · 10-B

Back Matter

Appendix A: The U.S. Entity Map for Ongo

Only the entities that are relevant to Ongo's weight-loss telehealth architecture today, plus the Phase 3 vertical entities to add later. Use with Chapter 3. **"Use on Ongo"** says where the entity belongs and how to treat it.

A.1 Our organization and people

Entity	Category	schema.org type	Use on Ongo
Ongo Weight Loss	Organization	MedicalOrganization / Organization	Homepage + About entity home; identical name, logo, founding date (2024-12-18) everywhere
Ongo Weight Loss, LLC	Legal entity	Organization (legalName)	About, Terms, Privacy
Founder & CEO (Deep Sharma; confirm spelling)	Person	Person	About; `founder` in Organization data
Medical Director (Dr. Johnathan Chance Miller, MD)	Person	Physician / Person	Medical Team profile; reviewer bylines
Prescribing providers (MD, DO, NP, PA)	Person	Physician / Person	Provider profiles with license states
Medical reviewers	Person	Person (`reviewedBy`)	Contributor profiles; every clinical page
Writers and editors	Person	Person (`author`)	Contributor profiles; blog bylines
My MMJ Doctor (sister brand)	Organization	Organization	Not linked without approval
weightclinicsresults.com (child site)	WebSite	WebSite	Distinct purpose (Chapter 31)

A.2 Regulators and government (U.S.)

Entity	Official site	Why it matters	Use on Ongo
U.S. Food and Drug Administration (FDA)	fda.gov	Approves drugs; regulates compounding claims; issues warning letters	Cite for drug status and compounding facts; never "FDA-approved" for compounded products
Centers for Disease Control and Prevention (CDC)	cdc.gov	Obesity statistics, BMI categories	Condition pages, blog statistics
National Institutes of Health (NIH)	nih.gov	Research funding and health information	Citations
NIDDK (NIH institute for diabetes, digestive and kidney diseases)	niddk.nih.gov	Patient-level obesity and weight information	Condition pages, blog citations
National Library of Medicine: MedlinePlus	medlineplus.gov	Plain-language health information	Patient-friendly citations
PubMed	pubmed.ncbi.nlm.nih.gov	Peer-reviewed study index	Study citations
ClinicalTrials.gov	clinicaltrials.gov	Trial registry	Citing trial status (e.g. retatrutide)
DailyMed	dailymed.nlm.nih.gov	Official drug labels	Brand label facts (education only)
U.S. Department of Health and Human Services (HHS)	hhs.gov	HIPAA enforcement (OCR); telehealth info	Privacy pages, Notice of Privacy Practices
HHS Office for Civil Rights (OCR)	hhs.gov/ocr	HIPAA enforcement, tracking-technology guidance	Internal privacy rules

Entity	Official site	Why it matters	Use on Ongo
Telehealth.HHS.gov	telehealth.hhs.gov	Official telehealth guidance	How It Works, blog
Federal Trade Commission (FTC)	ftc.gov	Advertising, reviews, health claims, health breach rule	Reviews policy, editorial policy
Drug Enforcement Administration (DEA)	dea.gov	Controlled substances (relevant to testosterone in Phase 3)	Men's Health vertical
Centers for Medicare & Medicaid Services (CMS)	cms.gov	Coverage rules	Self-pay explanations (only if relevant)
U.S. Preventive Services Task Force (USPSTF)	uspreventiveservicestaskforce.org	Screening recommendations (adult obesity)	Blog citations
State medical boards	(one per state)	License providers	Provider profiles (license states)
State boards of pharmacy	(one per state)	License pharmacies to ship	Quality & Safety page (no pharmacy name publicly)
Federation of State Medical Boards (FSMB)	fsmb.org	Licensure information, license lookup	Provider credential verification
National Association of Boards of Pharmacy (NABP)	nabp.pharmacy	Pharmacy accreditation, safe online pharmacy info	Quality & Safety

A.3 Medical and professional bodies

Entity	Official site	Why it matters	Use on Ongo
Obesity Medicine Association (OMA)	obesitymedicine.org	Obesity medicine clinicians' body	Provider memberships; citations

Entity	Official site	Why it matters	Use on Ongo
American Board of Obesity Medicine (ABOM)	abom.org	Certifies obesity medicine physicians	Provider credentials (only if truly held)
The Obesity Society (TOS)	obesity.org	Scientific society	Citations
Obesity Action Coalition (OAC)	obesityaction.org	Patient advocacy; person-first language	Voice and language guidance
American Diabetes Association (ADA)	diabetes.org	Diabetes standards of care	Diabetes/prediabetes content
American Medical Association (AMA)	ama-assn.org	Recognized obesity as a disease (2013)	Condition pages
Endocrine Society	endocrine.org	Hormone and obesity guidelines	Blog citations; Phase 3
American Association of Clinical Endocrinology (AACE)	aace.com	Obesity and diabetes guidelines	Citations
American Heart Association (AHA)	heart.org	Cardiometabolic risk	Blog citations
American Society for Metabolic and Bariatric Surgery (ASMBS)	asmbs.org	Surgery vs. medication context	Comparison content
Academy of Nutrition and Dietetics	eatright.org	Nutrition guidance	Nutrition Therapy page, blog
American College of Sports Medicine (ACSM)	acsm.org	Exercise guidance	Guided Workout Plans page, blog
American College of Obstetricians and Gynecologists (ACOG)	acog.org	Pregnancy, PCOS, perimenopause	Contraindications; Phase 3 Women's Health
U.S. Pharmacopeia (USP)	usp.org	USP <797> sterile compounding standard	Quality & Safety

A.4 Standards, certifications and laws

Entity	Category	Use on Ongo
LegitScript certification	Certification	Badge near CTAs and in footer; required for Google Ads telemedicine
HIPAA	Law	Privacy pages; portal statements
Washington My Health My Data Act	State law	Consumer Health Privacy Notice
California privacy law (CCPA/CPRA)	State law	Privacy Policy disclosures
FTC Health Breach Notification Rule	Regulation	Internal privacy rules
FTC Endorsement Guides / Fake Reviews Rule	Regulation	Reviews and Success Stories policy
Section 503A / 503B (FD&C Act)	Law	Compounding explainer
USP <797>	Standard	Sterile compounding explainer
Consent to telehealth	Legal concept	Policy page; portal

A.5 Conditions (MedicalCondition)

Entity	Phase	Entity home on Ongo	Authoritative reference
Obesity	1	/conditions/obesity/	CDC, NIDDK
Overweight	1	/conditions/overweight/	CDC
Severe (class 3) obesity	1	Section of /conditions/obesity/	CDC
Type 2 diabetes	1 (mention)	Blog sections	ADA, CDC
Prediabetes	1 (mention)	Blog sections	CDC, ADA
Hypertension (high blood pressure)	1 (mention)	Eligibility content	AHA, CDC

Entity	Phase	Entity home on Ongo	Authoritative reference
Dyslipidemia (high cholesterol)	1 (mention)	Eligibility content	AHA
Obstructive sleep apnea	1 (mention)	Eligibility content	MedlinePlus
MASLD (fatty liver disease)	1 (mention)	Blog sections	NIDDK
Insulin resistance	1 (mention)	Blog	NIDDK
Osteoarthritis	1 (mention)	Eligibility content	MedlinePlus
PCOS	3 (or 1 informational)	/conditions/pcos/	ACOG, NIH
Perimenopause / menopause	3	/conditions/perimenopause/	ACOG
Low testosterone (hypogonadism)	3	/conditions/low-testosterone/	Endocrine Society
Medullary thyroid carcinoma / MEN 2	1 (safety)	Contraindication sections	FDA labels
Pancreatitis	1 (safety)	Safety sections	MedlinePlus
Gastroparesis	1 (safety)	Safety sections	NIDDK
Eating disorders	1 (safety)	"Who we're not for" content	NIMH (nimh.nih.gov)

A.6 Drugs, ingredients and classes

Entity	Category	Phase	Use on Ongo
Compounded semaglutide	Offering (compounded)	1	Money page entity home; "not FDA-approved"
Compounded tirzepatide	Offering (compounded)	1	Money page entity home; "not FDA-approved"
Semaglutide	Active ingredient	1	Blog cluster entity home (/blog/semaglutide/)

Entity	Category	Phase	Use on Ongo
Tirzepatide	Active ingredient	1	Blog cluster entity home (/blog/tirzepatide/)
GLP-1 receptor agonist	Drug class	1	GLP-1 hub + blog hub
Dual GIP/GLP-1 agonist	Drug class	1	Tirzepatide content
GLP-1, GIP, amylin, glucagon	Hormones	1	Mechanism content
DPP-4	Enzyme	1	Mechanism content
Vitamin B12, glycine (if part of a compounded formulation)	Ingredients	1	Only as prescribed and reviewed; no unsupported claims
Wegovy, Ozempic, Rybelsus (Novo Nordisk)	Brand drugs	2	Education only; "Ongo does not offer"
Zepbound, Mounjaro (Eli Lilly)	Brand drugs	2	Education only
Foundayo (orforglipron), Saxenda, liraglutide	Brand/ingredient	2	Education only
Retatrutide, CagriSema, survodutide	Pipeline drugs	2	Education only; dated status
Rapamycin, NAD+, glutathione, sermorelin, methylene blue	Phase 3 treatments	3	Longevity vertical with off-label disclosures
Testosterone, enclomiphene, oxytocin	Phase 3 treatments	3	Men's / Women's Health verticals
Novo Nordisk, Eli Lilly	Manufacturers	2	Non-affiliation statements only

A.7 Clinical evidence (MedicalStudy)

Entity	Product studied	Use on Ongo
STEP 1 (NEJM 2021)	Wegovy	Results articles: brand-only attribution
STEP 1 extension (2022)	Semaglutide withdrawal	"What happens if I stop" content
SURMOUNT-1 (NEJM 2022)	Zepbound / tirzepatide	Results articles: brand-only attribution

Entity	Product studied	Use on Ongo
SELECT (NEJM 2023)	Wegovy	Heart-risk context: brand-only
CDC NCHS Data Brief 508	U.S. obesity prevalence	Condition and audience content

A.8 Measurements and care concepts

Entity	Use on Ongo
Body mass index (BMI)	BMI calculator; eligibility content
Waist circumference	Condition pages
A1C	Diabetes/prediabetes sections
Titration / dose escalation	Money pages, blog
Beyond-use date (BUD)	Compounding explainer
Cold chain	Shipping policy, Quality & Safety
Telehealth / telemedicine	How It Works, services
Prescription	How It Works
Self-pay	Pricing
Prior authorization	Pricing / FAQ (why Ongo is self-pay)

A.9 Places

Entity	Use on Ongo
United States	Service-area statements; Organization `areaServed`
The 50 states + DC	One service-area statement and FAQ answer; state rules in the portal; **no state pages** (Chapter 10)
Regions with highest obesity (Midwest, South)	Audience planning only, not page targeting

Appendix B: The Micro-Intent Library

Code	Micro-intent	Example searches	Page type	CTA style
I-1	Definition	what is GLP-1; what is compounded semaglutide; what is tirzepatide	Blog hub / pillar	Contextual link
I-2	Mechanism	how does semaglutide work; how GLP-1 reduces appetite	Blog article	Contextual link
I-3	Condition understanding	what causes obesity; is obesity a disease	Condition page	Gentle link
I-4	Symptoms / signs	signs of insulin resistance; signs of low testosterone	Blog / condition	Gentle link
I-5	Side effects and safety	semaglutide side effects; tirzepatide nausea	Blog article	Contextual link
I-6	Timeline / expectations	how long does tirzepatide take to work; how much weight can you lose	Blog article	Contextual link
I-7	Eligibility education	who can take GLP-1; BMI for semaglutide	Blog article	Link to eligibility checker
I-8	Lifestyle support	what to eat on semaglutide; exercise on GLP-1	Blog article	Contextual link
I-9	Troubleshooting	why am I not losing weight; weight loss plateau	Blog article	Contextual link
I-10	Regulatory / legitimacy	is compounded semaglutide legal; is compounded semaglutide FDA approved	Blog (compliance-reviewed) / FAQ	Contextual link
I-11	Quick fact	BMI for obesity; semaglutide half-life	Glossary / tool / FAQ	None
I-12	Calculation	BMI calculator; calorie calculator	Tool	Post-result next step

Code	Micro-intent	Example searches	Page type	CTA style
C-1	Option comparison	semaglutide vs tirzepatide	One comparison article	Links to both money pages
C-2	Method comparison	GLP-1 vs diet alone; medication vs surgery	Blog article	Contextual link
C-3	Cost research	compounded semaglutide cost; tirzepatide price per month	Pricing + cost calculator	See pricing / Get started
C-4	Provider evaluation	online weight loss doctor; medical weight loss program	Service hub; How It Works	Check eligibility
C-5	Trust check	Ongo reviews; is Ongo legit	Reviews; About; Medical Team	See how it works
C-6	Safety of the provider	is online semaglutide safe; are telehealth GLP-1s legit	Quality & Safety; How It Works	See how it works
C-7	Insurance / payment research	semaglutide without insurance	Pricing; FAQ	See pricing
C-8	Best-of research	best online GLP-1 program	Service hub (earned mentions)	Check eligibility
T-1	Start treatment	compounded semaglutide online; compounded tirzepatide online	Money page	Get started
T-2	Check eligibility	do I qualify for semaglutide	Eligibility checker	Get started (post-result)
T-3	Book consultation	online weight loss consultation	How It Works → portal	Get started
T-4	Get a price now	semaglutide monthly price	Pricing	Get started
T-5	Contact	Ongo phone number; Ongo support email	Contact	Call / Chat / Email
N-1	Brand home	ongo weight loss	Homepage	Soft CTAs
N-2	Login	ongo login	Portal login (noindexed)	Log in

Code	Micro-intent	Example searches	Page type	CTA style
N-3	Policy lookup	ongo refund policy	Policy page	None
N-4	People lookup	Ongo medical director	Provider profile	See how it works
N-5	Support	ongo customer service; ongo FAQ	FAQ; Contact	Contact

Appendix C: Event Naming Convention (Book Three version)

Pattern	Example	Notes
`page_meta`	silo, page_type, hub_parent, funnel_stage, macro_intent, micro_intent, primary_entity, launch_phase	Pushed on every page
`cta_[pagegroup]_[action]`	cta_glp1_check_eligibility	Distinct names for primary and secondary
`exit_to_portal`	source_page, vertical, first_landing_page	On every portal-bound click, in addition to the CTA event
`internal_link_click`	link_source, link_target, link_position, source_stage, target_stage	All in-content internal links
`tool_complete_[tool]`	tool_complete_bmi_calculator	Never include inputs or results
`outbound_click_[context]`	outbound_click_conditions_fda	External citations
`form_submit_[form]`	form_submit_contact	No message contents
`portal_[step]`	portal_step_view, portal_signup_complete, portal_payment_complete	Step names only

Pattern	Example	Notes
Retired in Phase 1	cta_ozempic_get_started, cta_wegovy_get_started, cta_rybelsus_..., cta_mounjaro_..., cta_zepbound_..., cta_liraglutide_..., all `*_check_insurance`	Brand pages are Phase 2 education; Ongo is self-pay

Appendix D: Disclaimer Library (Book Three version)

Disclaimer	Used on	Core language direction
Medical relationship	Every commercial page	Providers are independently licensed; payment does not guarantee a prescription
Compounded medication	Money pages, GLP-1 hub, pricing	Compounded medications are not FDA-approved and have not been evaluated by the FDA for safety, effectiveness or quality; your provider decides whether one is appropriate
Partner pharmacy	Money pages, Quality & Safety	"Prepared by a licensed U.S. partner pharmacy" (never named publicly; never "FDA-approved pharmacy")
Brand non-affiliation (Phase 2)	Educational brand pages	"[Brand] is a registered trademark of [maker]. Ongo does not offer [Brand] and is not affiliated with [maker]."
On-label / off-label facts (Phase 2)	Educational brand pages	State the FDA-approved uses from the label; no prescribing offer
Results vary	Reviews, Success Stories, any outcome	Individual results vary; based on [N] patients as of [date]; trial results named by product
Informational only	Conditions pages, tools	For informational purposes only; not a substitute for professional medical advice
Off-label (Phase 3)	Rapamycin, Methylene Blue, Oxytocin, Enclomiphene	Used off-label for this purpose; evidence still developing
Drug interaction (Phase 3)	Methylene Blue	Serotonin syndrome risk with SSRIs/SNRIs/MAOIs, screened at intake and disclosed on page

Disclaimer	Used on	Core language direction
Telehealth consent	How It Works, portal	Summarize; full text at /policies/consent-to-telehealth/
Portal handoff	Every conversion CTA	You're entering a secure, HIPAA-compliant portal to complete booking and intake

Source: Playbook v3 Appendix D, corrected for the launch-phase rules. Final wording always comes from legal and medical review.

Templates and Checklists

Template 1: Blank page record (33 fields)

Field	Value
Title	
URL	
Breadcrumb	
Page type	
Silo	
Hub role	
Parent	
Launch phase	
Index status	
Primary entity	
Funnel stage	
Search intent (macro)	
Micro-intent	

Field	Value
Primary keyword	
Secondary keywords	
Meta title	
Meta description	
Target word count	
Content outline	
Required disclaimer	
Schema type	
Healthcare professional	
Proofreader / reviewer	
YMYL sensitivity	
Internal links to	
Must be linked from	
External links to	
Primary CTA	
Secondary CTA	
CTA destination	
GA4 / GTM event	
Tracking notes	
Priority	
Next.js route	
On-page SEO notes	
Off-page SEO notes	

Field	Value
Book Three corrections / change log	

Template 2: Where does this topic belong? (printable)

Step	Question	Yes →
1	Specific to one molecule?	Semaglutide or Tirzepatide cluster
2	True of GLP-1s as a class?	GLP-1 cluster
3	About weight loss in general?	Weight Loss cluster
4	About a condition?	/conditions/
5	Commercial (start, price, eligibility)?	Service hub, money page, pricing or tool
6	None of these?	Not on Ongo yet

Template 3: Cannibalization tracker

Query	Pages getting impressions	Months observed	Owner page	Fix (merge / re-scope / differentiate / noindex)	Date	Check on

Template 4: Competitor review table

Competitor	Page / feature	Intent	Why they built it	Ongo decision	Where it lives on Ongo

Checklist 1: Trust layer audit

☐	Check
☐	About shows founder, founding date (December 18, 2024), mission, legal entity
☐	Medical Team and every provider profile live, with real photos and credentials
☐	Contributors and profiles live for every writer and reviewer
☐	Every clinical page shows a named reviewer and review date

☐	Check
☐	Every blog article shows an author byline and sources
☐	All 12 policy pages linked in the footer
☐	Compounded "not FDA-approved" disclosure on money pages and the GLP-1 hub
☐	Medical-relationship disclaimer on every commercial page
☐	LegitScript badge in footer and near CTAs
☐	Reviews are real, consented, unedited; results-vary statements present
☐	Organization structured data matches visible details
☐	No dark patterns: fake timers, hidden fees, pre-checked add-ons

Checklist 2: Before lifting noindex (Chapter 14)

☐	Check
☐	Master-map record complete
☐	Named medical reviewer and review date populated
☐	Required disclaimers live
☐	No brand drug names on commercial elements
☐	Parent, hub and required incoming links in place
☐	Structured data validated
☐	Tracking events tested (no PHI)
☐	Added to the XML sitemap

Checklist 3: Vertical launch kit (Chapter 31)

☐	Check
☐	Hub, treatments, conditions, blog cluster built and reviewed
☐	Specialty medical reviewers named

☐	Check
☐	Off-label and interaction disclosures live
☐	Navigation, homepage card and footer updated at launch
☐	Vertical CTA events and page_meta silo value configured
☐	Portal vertical selection ready
☐	Entity map (Appendix A) updated

Glossary (A to Z)

Term	Simple meaning	Ch.
301 redirect	A permanent redirect from an old URL to a new one	2
404 / 410	"Not found" / "gone" responses	11
AggregateRating	An average rating from many reviews	26
Anchor text	The clickable words of a link	23
Benchmark	A reference point for comparison	21
Breadcrumb	A trail showing a page's place in the hierarchy	7
Breadcrumbs	A trail showing a page's place in the hierarchy	12
Broken link	A link to a page that returns an error	23
Byline	The author's name on content	13
Cannibalization	Two of your own pages competing for the same search	15
Card	A clickable summary block linking to a page	8
Change log	A dated record of every change	29
Child site	A related site under the same brand family	31
Class-level	True of a whole group of drugs	16

Term	Simple meaning	Ch.
Click depth	How many clicks a page is from the homepage	6
Cluster hub	The blog page that organizes a cluster	18
Commercial investigation	Researching options before buying	15
Commercial partner	The money page a cluster supports	18
Competitor audit	A structured review of competitors' sites	21
Condition page	An informational page about a health condition	20
Consent mode	Adjusting tags based on user consent	27
Content gap	A topic competitors cover poorly	21
Content quota	A target number of posts (we avoid this)	18
Contextual link	A link inside body content	12
Conversion path	The route a patient takes to a key event	24
Corrections field	Notes on how a record differs from Playbook v3	28
Cross-silo link	A link between pages in different silos	7
CTA	Call to action: what we ask the user to do	25
Custom dimension	A GA4 field you define, like funnel_stage	9
Dark pattern	A design trick that pushes users into actions	13
Data deletion request	Asking GA4 to remove collected data	30
Data layer	An object that passes information from the page to tags (GTM/gtag)	9
Data stream	A GA4 source for one site or app	31
Decision tree	A step-by-step set of yes/no questions	16
Directory	A folder in a URL path, like /services/	1
Disambiguation	Making clear which "thing" a word refers to	3
Doorway abuse	Pages built to rank for similar queries that funnel users elsewhere	10

Term	Simple meaning	Ch.
Dropdown	A menu that expands to show sub-items	12
Educational page	A page that informs without selling	19
E-E-A-T	Experience, Expertise, Authoritativeness, Trust	13
Entity	A distinct, identifiable thing (drug, condition, agency, company, person)	3
Entity home	The one page that owns an entity on a site	3
Event parameter	Extra detail attached to an event	9
Exact-match anchor	Anchor text identical to a target keyword	23
exit_to_portal	The shared event for any click into the booking portal	25
Exploration	A custom GA4 analysis	27
First landing page	The page where a user's journey started	9
Footer	The bottom section repeated on every page	12
Free-form exploration	A flexible GA4 report	24
Funnel	The stages a person moves through before acting	5
Funnel exploration	A GA4 report of step-by-step progress	24
GA4	Google Analytics 4: stores and reports events	27
Gated sitemap	A sitemap blocked from automated access	21
Governance	The rules and roles for managing the map	29
GSC	Google Search Console: search performance data	27
GTM	Google Tag Manager: manages tracking tags	27
Hub	A page that owns a topic and links to all its subpages	8
Hub role	Whether a page is a hub, sub-hub, spoke or standalone	22
Impressions	Times a page appeared in search results	17

Term	Simple meaning	Ch.
Incoming link	A link pointing to a page	24
Index	Google's database of pages it can show	14
Index status	Whether a page may appear in search	22
Information architecture (IA)	How content is organized and labeled for users	1
Internal link	A link from one Ongo page to another	23
Irreversible	Can't be undone	32
JSON-LD	The recommended format for structured data	26
Key event	A GA4 event marked as important to the business	5
Keyword	The words people type into search	2
Keyword cannibalization	Your own pages competing for the same query	17
Keyword grouping	Putting searches that want the same answer onto one page	2
Keyword stuffing	Repeating keywords unnaturally	2
Keyword variant	A different wording of the same need	2
Knowledge Graph	Google's database of entities and their relationships	3
Last-click thinking	Crediting only the final page before conversion	24
Launch phase	A planned release stage for a group of pages	6
Lifecycle	The stages a page goes through	29
Linkable asset	Content others want to link to	20
Macro-conversion	The main goal, like a completed booking	5
Macro intent	One of four broad intent types	4
Main menu	The top navigation	12
Map owner	The person with final say on the map	29

Term	Simple meaning	Ch.
Master content map	The record of every page and its job	1
Merge	Combining two pages into one and redirecting the other	17
Micro-conversion	A smaller step, like checking eligibility	5
Micro-intent	A specific job inside a macro intent	4
Mixed intent	A search with more than one common intent	4
Molecule comparison	Comparing active ingredients, not brands	19
Molecule-specific	True only of one active ingredient	16
Money page	A commercial page meant to convert visitors into patients	1
NAP	Name, address, phone	13
Next.js route	The code file path that renders a page	22
Noindex	A rule telling Google not to show a page in results	14
Non-affiliation statement	A line saying we're not connected to the brand's maker	19
Off-label disclosure	Stating a use isn't on the FDA label	31
On-label / off-label	Use approved / not approved on the FDA label	19
Orphan page	A page with no internal links pointing to it	8
Outbound click	A click to another website	20
Owner page	The one page meant to rank for a query	17
Page record	The complete plan for one page	22
Parent page	The page directly above another in the hierarchy	6
Path exploration	A GA4 report showing sequences of pages or events	9
People Also Ask	Google's box of related questions	18
Phase 1 / 2 / 3	Launch, educational brand content, new verticals	28
Pillar page	Another name for a comprehensive hub	8

Term	Simple meaning	Ch.
Primary CTA	The main action on a page	25
Primary keyword	The main search a page is designed to own	15
Programmatic SEO	Auto-generating many pages from a template	10
Quick index	A summary table of every page	28
Rebuild	Redoing site structure from scratch	30
Redirect chain	Multiple redirects in a row	23
Redirect map	A list of old → new URLs for a migration	11
Red List	Actions that are never allowed	32
Re-scope	Changing a page's focus to a different intent	17
Retire	Remove a page with a redirect or 410	29
reviewedBy	A property naming who reviewed content	26
Rich result	An enhanced search listing (stars, breadcrumbs, etc.)	26
robots.txt	A file controlling which URLs crawlers may fetch	14
schema.org	A shared vocabulary for describing things in structured data	3
Search intent	What the person actually wants from a search	4
Secondary CTA	A softer alternative action	25
SERP	Search engine results page	4
SERP feature	Extra result types (People Also Ask, AI Overview, etc.)	4
Service-area statement	A sentence describing where Ongo serves patients	10
Silo	A group of pages on one topic organized broad → specific	7
Silo top	The broadest page in a silo	7
Single source of truth	The one place everyone checks	22

Term	Simple meaning	Ch.
Site architecture	The plan for which pages exist, where they live and how they connect	1
Site tree	The parent-child structure of all pages	6
Source of truth	The one place a fact (like price) is maintained	10
Spam action	A Google penalty for spam	30
Spoke	A specific page linked from a hub	8
Sticky CTA	A button that stays visible while scrolling	25
Structured data	Machine-readable code describing a page	26
Sub-hub	A page owning a major subtopic inside a silo	7
Subtopic	A part of a bigger topic, usually a section, not a page	16
Time-out	A short pause before risky actions	32
TOFU / MOFU / BOFU	Top / middle / bottom of funnel: learning, comparing, deciding	5
Tool page	An interactive calculator or checker	20
Topic cluster	A hub plus articles covering one topic	18
Topic scope	How broad or specific a topic is	16
Trademark	A protected brand name or logo	19
Trailing slash	The "/" at the end of a URL	11
Triple	A fact written as subject → relationship → object	3
URL Inspection	A Search Console tool showing a page's index status	14
URL slug	The readable last part of a URL	11
Vertical	A business area, like Men's Health	6
Vertical launch kit	Everything needed to launch a new vertical	31
XML sitemap	A file listing URLs you want search engines to find	14

Term	Simple meaning	Ch.
X-Robots-Tag	An HTTP header that can carry noindex	14
YMYL	"Your Money or Your Life": topics that can affect health, money or safety	13
ZETA	Zero-Error Tolerance Approach	32

MCQ Answer Keys (all chapters)

Try every quiz first, then turn the page upside down to check.

Chapter	Answers
1	1-A · 2-C · 3-C · 4-C · 5-D · 6-D · 7-A · 8-A · 9-B · 10-C
2	1-D · 2-B · 3-B · 4-B · 5-B · 6-C · 7-C · 8-A · 9-A · 10-C
3	1-C · 2-B · 3-C · 4-D · 5-C · 6-C · 7-A · 8-D · 9-A · 10-B
4	1-D · 2-B · 3-D · 4-C · 5-C · 6-A · 7-A · 8-A · 9-B · 10-A
5	1-D · 2-B · 3-D · 4-A · 5-C · 6-B · 7-D · 8-D · 9-B · 10-B
6	1-D · 2-C · 3-D · 4-A · 5-D · 6-A · 7-D · 8-C · 9-A · 10-A
7	1-B · 2-D · 3-B · 4-D · 5-D · 6-C · 7-C · 8-B · 9-A · 10-A
8	1-B · 2-C · 3-A · 4-A · 5-D · 6-C · 7-D · 8-C · 9-B · 10-A
9	1-B · 2-D · 3-B · 4-C · 5-C · 6-C · 7-C · 8-D · 9-B · 10-C
10	1-B · 2-B · 3-C · 4-A · 5-B · 6-B · 7-B · 8-C · 9-C · 10-A
11	1-D · 2-C · 3-B · 4-D · 5-B · 6-C · 7-A · 8-A · 9-A · 10-B
12	1-D · 2-B · 3-D · 4-A · 5-A · 6-C · 7-C · 8-D · 9-A · 10-C
13	1-A · 2-C · 3-D · 4-C · 5-B · 6-C · 7-C · 8-A · 9-D · 10-C
14	1-C · 2-C · 3-A · 4-C · 5-B · 6-D · 7-D · 8-C · 9-A · 10-B
15	1-C · 2-D · 3-B · 4-D · 5-C · 6-B · 7-C · 8-C · 9-A · 10-B
16	1-D · 2-A · 3-B · 4-A · 5-D · 6-C · 7-A · 8-A · 9-B · 10-C

Chapter	Answers
17	1-C · 2-C · 3-A · 4-C · 5-D · 6-C · 7-C · 8-C · 9-A · 10-B
18	1-D · 2-A · 3-A · 4-D · 5-D · 6-B · 7-C · 8-B · 9-C · 10-C
19	1-D · 2-A · 3-B · 4-A · 5-A · 6-B · 7-C · 8-B · 9-D · 10-A
20	1-A · 2-C · 3-B · 4-C · 5-C · 6-D · 7-B · 8-A · 9-C · 10-B
21	1-C · 2-B · 3-D · 4-D · 5-B · 6-A · 7-B · 8-C · 9-D · 10-C
22	1-A · 2-B · 3-A · 4-C · 5-A · 6-D · 7-C · 8-D · 9-C · 10-C
23	1-D · 2-A · 3-D · 4-B · 5-B · 6-D · 7-B · 8-B · 9-B · 10-D
24	1-C · 2-C · 3-B · 4-B · 5-C · 6-C · 7-D · 8-D · 9-D · 10-D
25	1-D · 2-A · 3-D · 4-B · 5-A · 6-B · 7-C · 8-C · 9-A · 10-C
26	1-C · 2-A · 3-D · 4-C · 5-A · 6-C · 7-B · 8-C · 9-D · 10-C
27	1-A · 2-D · 3-B · 4-C · 5-C · 6-C · 7-D · 8-C · 9-C · 10-C
28	1-A · 2-A · 3-B · 4-A · 5-B · 6-B · 7-B · 8-B · 9-C · 10-B
29	1-B · 2-A · 3-D · 4-A · 5-B · 6-B · 7-B · 8-D · 9-C · 10-B
30	1-D · 2-A · 3-A · 4-C · 5-B · 6-B · 7-B · 8-B · 9-B · 10-A
31	1-A · 2-D · 3-A · 4-D · 5-B · 6-C · 7-A · 8-A · 9-D · 10-D
32	1-C · 2-D · 3-D · 4-B · 5-B · 6-A · 7-C · 8-A · 9-A · 10-B

Sources Index (by chapter)

Chapter 1: Why Architecture Comes Before Content

1. Google Search Central, SEO Starter Guide (last updated December 10, 2025)

Chapter 2: Pages, Not Keywords

1. Google Search Central, SEO Starter Guide: things we believe you shouldn't focus on (last updated December 10, 2025)

Chapter 3: Entities: How Google Understands Ongo

1. Google, Introducing the Knowledge Graph: things, not strings (May 16, 2012)
2. Google for Developers, Knowledge Graph Search API
3. Google Search Central, Organization structured data (last updated September 8, 2026)
4. schema.org, MedicalCondition, Drug and MedicalWebPage

Chapter 4: Search Intent: Four Macro Intents and Ongo's Micro-Intents

1. Google, Search Quality Rater Guidelines (General Guidelines, September 11, 2025), section 12.7 "Understanding User Intent"

Chapter 5: The Funnel: TOFU, MOFU, BOFU Mapped to Page Types

1. Google Analytics Help, About key events
2. Google, Search Quality Rater Guidelines (September 11, 2025)

Chapter 6: The Ongo Site Tree

1. Ongo, Master Page-by-Page Content, SEO & Build Playbook v3 (August 21, 2026), internal
2. Google Search Central, SEO Starter Guide (last updated December 10, 2025)

Chapter 7: Silos: Topical Ownership

1. Google Search Central, Breadcrumb (BreadcrumbList) structured data (last updated September 8, 2026)
2. Google Search Central, Make your links crawlable (last updated December 10, 2025)

Chapter 8: Hub-and-Spoke: Service Hubs and Blog Hubs

1. Google Search Central, Make your links crawlable (last updated December 10, 2025)

Chapter 9: One System: Silo + Hub-and-Spoke + Funnel, Tracked End to End

1. Google for Developers, The data layer (Tag Manager)
2. Google Analytics Help, About key events
3. Google Analytics Help, Search Console integration: Queries report
4. Ongo, Master Playbook v3, Appendix C: GA4 / GTM event naming convention (internal)

Chapter 10: What We Deliberately Don't Build

1. Google Search Central, Spam policies for Google web search (last updated August 28, 2026)
2. Ongo, Master Playbook v3, Appendix F: launch & indexing strategy, "explicitly out of scope" (internal)

Chapter 11: URL Rules

1. Google Search Central, URL structure best practices for Google Search (last updated October 21, 2026)
2. Google Search Central, How to specify a canonical URL (last updated July 10, 2026)

Chapter 12: Navigation, Menus, Breadcrumbs and Footer

1. Google Search Central, Breadcrumb (BreadcrumbList) structured data (last updated September 8, 2026)

Chapter 13: The Trust Layer: Every Page and Element That Builds Trust

1. Google, Search Quality Rater Guidelines (September 11, 2025), sections 2.3 and 3.4
2. Google Search Central, Creating helpful, reliable, people-first content (last updated October 5, 2026)
3. Google Search Central, SEO Starter Guide (last updated December 10, 2025)
4. Google Search Central, Organization structured data (last updated September 8, 2026)

Chapter 14: Indexing: Launch Phases and the Portal Boundary

1. Google Search Central, Block search indexing with noindex (last updated December 10, 2025)
2. Ongo, Master Playbook v3, Appendix F: launch & indexing strategy (internal)

Chapter 15: Commercial Pages vs. Blog Articles: Keeping Intent Separate

1. Search Engine Journal, Google answers SEO question about keyword cannibalization (September 22, 2025)
2. Google Search Central, Make your links crawlable: anchor text (last updated December 10, 2025)

Chapter 16: Where Does This Topic Belong? Weight Loss vs. GLP-1 vs. Semaglutide

1. Google Search Central, Breadcrumb (BreadcrumbList) structured data (last updated September 8, 2026)

Chapter 17: Keyword Cannibalization: Spot, Prevent, Fix

1. Search Engine Journal, Google answers SEO question about keyword cannibalization (September 22, 2025)
2. Google Search Central, SEO Starter Guide (last updated December 10, 2025)
3. Google Search Central, How to specify a canonical URL (last updated July 10, 2026)

Chapter 18: Blog Clusters: A Controlled Topical System

1. Google Search Central, Creating helpful, reliable, people-first content (last updated October 5, 2026)
2. Ongo, Master Playbook v3: blog cluster sections (internal)

Chapter 19: Brand-Name and Comparison Content

1. IPWatchdog, A review of Novo Nordisk's Ozempic and Wegovy trademark enforcement campaign (July 23, 2024)
2. Google Ads Help, Trademarks policy and Restricted drug terms
3. Holland & Knight, Eli Lilly strikes back against pharmacy compounders and telehealth platforms (June 13, 2025)

Chapter 20: Tools and Conditions Pages

1. Ongo, Master Playbook v3: Free Tools and Conditions sections, Appendices B and C (internal)
2. Google Search Central, Creating helpful, reliable, people-first content (last updated October 5, 2026)

Chapter 21: Competitors Inform the Architecture, Never Dictate It

1. Ongo team, competitor sitemap scan (October 2026), internal; Ongo Competitor Audit & Recommendations (project document)
2. Google Search Central, Spam policies for Google web search (last updated August 28, 2026)

Chapter 22: The Page Record: Every Field Explained

1. Ongo, Master Page-by-Page Content, SEO & Build Playbook v3 (August 21, 2026), internal

Chapter 23: Internal Linking Rules and Anchor Text

1. Google Search Central, Make your links crawlable: anchor text (last updated December 10, 2025)
2. Google Search Central, SEO Starter Guide (last updated December 10, 2025)

Chapter 24: The Internal-Link Map: Links That Move Patients

1. Google Search Central, Make your links crawlable (last updated December 10, 2025)
2. Google Analytics Help, About key events

Chapter 25: CTA Architecture: Placement, Naming and Events

1. Ongo, Master Playbook v3, Appendix C: GA4 / GTM event naming convention (internal)
2. Google Analytics Help, About events

Chapter 26: Schema by Page Type

1. Search Engine Journal, Google drops FAQ rich results from Search (May 2026); Google Search Central Blog, Changes to HowTo and FAQ rich results (August 2023)
2. Google Search Central, Organization structured data (last updated September 8, 2026)
3. Google Search Central, Breadcrumb (BreadcrumbList) structured data (last updated September 8, 2026)
4. Ongo, Master Playbook v3, Appendix B: schema markup reference (internal)

Chapter 27: Measurement Overview: GTM, GA4 and Search Console

1. Google Analytics Help, Search Console integration: Queries report
2. Google for Developers, The data layer (Tag Manager)
3. Google Analytics Help, About key events
4. Google Search Central, Using Search Console and Google Analytics data for SEO

Chapter 28: The Master Content Map

1. Ongo, Master Page-by-Page Content, SEO & Build Playbook v3 (August 21, 2026), internal
2. Ongo, Master Page-by-Page Playbook (v1), internal: source for the compounded semaglutide and tirzepatide records

Chapter 29: Keeping the Map Alive: Governance

1. Google Search Central, SEO Starter Guide: how long until I see impact (last updated December 10, 2025)

Chapter 30: Architecture Mistakes That Are Expensive to Undo

1. Google Search Central, Redirects and Google Search and How to specify a canonical URL (last updated July 10, 2026)

Chapter 31: Scaling: New Verticals and the Child Site

1. Ongo, Master Playbook v3: Phase 3 vertical sections and Appendix D disclaimer library (internal)
2. Google Search Central, Spam policies for Google web search (last updated August 28, 2026)

Chapter 32: The ZETA Model for Architecture

1. Ongo, Book Two: Earned, Not Built, Chapter 48 (ZETA model), internal
2. Google Search Central, Spam policies for Google web search (last updated August 28, 2026)

The blueprint before the bricks.

Every page has one job, one parent and one place in the patient's journey. Build it that way, measure it that way, and the site stays clear as it grows.

Edition: October 2026. Approvals, rules and prices change; every source is dated so you can recheck it.

Prepared by **Ashish Osten**, Team Lead, Ongo Weight Loss.

ongo